

**wolcraft**<sup>®</sup>



# **Main catalogue 2014 / 2015**

## **Innovative Tools**

## **Universal Accessories**



## **wolcraft - innovative impulses for do-it-yourself enthusiasts and professional tradespeople**

**W**olcraft has been recognized as a pioneer for innovative tools and power tool accessories for demanding home improvement experts and craftsmen since 1949. As a results-oriented trade partner, we are well aware of the needs and interests of you and your customers, which we have been translating into competitive market solutions for over 60 years.

### **Our aims help you to get ahead!**

**B**ack then, it all began with Robert Wolff and his passion for quality craftsmanship and his ambition to always make good things a little bit better. This attitude has always been the motor of success for our family-run business and remains so to this very day. Each of our 450 employees at our production sites in Germany and Slovakia has internalized this commitment to quality. There we produce and assemble products with high-precision industrial machinery in perfectly coordinated teams, while applying our experience, specialized skills and quality craftsmanship to everything that we do. Together we meet and uphold the solid reputation of wolcraft quality and punctuality in order processing - every single day.

### **Our capacity to innovate means keeping the future in focus for you**

**W**e know from experience: Innovation doesn't happen on its own. It requires consistent, steady effort combined with a keen sense for future developments. We concentrate on securing our mutual success by listening carefully to our customers and paying close attention to the market. This ensures that our goals remain in constant focus to maintain a leading edge in a global market to provide answers before the questions are even asked: Answers in the form of tools and power tool accessories that are a touch more productive, ergonomic, practical, precise and safer today than they were yesterday.

*Welcome to wolcraft*



*Headquarter and location of wolcraft's worldwide distribution, Kempnich, Germany*

# Index Product groups

Productgroup	Page	Productgroup	Page
<b>1 Machine tables</b>		<b>04 Abrasives</b>	<b>154</b>
01 Roller stands / Workstands	6	<b>05 Brushes</b>	<b>204</b>
04 Machine tables	8	<b>06 Saw blades</b>	<b>214</b>
06 Guiding systems	12	<b>07 Rasps / Countersinks</b>	<b>223</b>
96 Accessories	14	<b>08 Drill chucks</b>	<b>231</b>
<b>2 Clamping tables and Workbenches</b>		<b>09 Router bits</b>	<b>236</b>
01 Clamping tables	16	<b>10 Mixers</b>	<b>245</b>
03 Workshop System	19	<b>11 Attachments</b>	<b>249</b>
<b>3 Transport systems</b>		<b>12 Drills / Chisels</b>	<b>258</b>
01 Hand Trucks	41	<b>13 Stapler / Staples</b>	<b>285</b>
<b>4 Clamping tools</b>		<b>14 Cutting/ roughing discs</b>	<b>294</b>
01 One-hand clamps	47	<b>15 Health and safety</b>	<b>305</b>
03 Screw clamps	50	<b>16 Accessories for vibration saws</b>	<b>317</b>
04 Spring clamps plastic	52	<b>7 Hand tools</b>	
05 Ratchet clamps	56	01 Cutting tools	322
06 Belt clamps	58	02 Measuring tools	336
07 Frame clamps	61	<b>8 Project themes</b>	
08 Hook and loop strips	62	01 Laying laminate and vinyl	337
09 Tensioning rubber bands	64	02 Processing plasterboards	344
10 Corner clamps	65	03 Firewood	353
11 Special clamping tools	66	04 Processing elastic sealants	357
<b>5 Wood joints</b>		05 Wooden deck construction	360
01 Dowel connections	68	06 Laying tiles	367
03 Biscuit joints	73	07 Door and door frame fitting	374
04 Screw joints	75		
05 Wooden parts	76		
98 Miscellaneous	77		
<b>6 Power Tool Accessories</b>			
01 Jigsaw blades	78		
02 Hole saws / Annular bits	107		
03 Bits/Handscrewdrivers/ HOLDERS/Adapters	135		



## 1.1 Roller stands / Workstands

The wolcraft support trestle is the ideal aid for any interior work!

### 1 workstand - work support




foldable supports for fixing long parts, ideal for cutting jobs or as storage



- 3 adjustable soft clamps to protect the workpiece
- adjustable stops on the side prevent the workpiece from slipping away
- foldable supports for fixing long parts, ideal for cutting jobs or as storage
- can be folded for space-saving storage
- version: completely assembled
- working height: 735 mm
- resting width: 620 mm
- packaging: sleeve

article no.	EAN	description	max. loading	weight
6905000	4006885... ...690509	1 workstand - work support	100 kg	3.385 kg

# 1.1 Roller stands / Workstands



the stable support is used for extending the bearing surface of a work table and for supporting long work pieces



the ball support allows the work piece to be fed in easily and moved in all directions, e.g. for milling

- can be used with all standard machine tables and workbenches
- for putting down and rolling off long boards, planks and slabs
- with a continuous height adjustment
- the stable support is used for extending the bearing surface of a work table and for supporting long work pieces
- the bearing-mounted supporting roller allows the materials to be fed easily in the processing direction
- the ball support allows the work piece to be fed in easily and moved in all directions, e.g. for milling
- can be folded for space-saving storage
- resting width: 300 mm
- packaging: sleeve
- complementary products: 6177000, 6182000, 6900000, 6906000



article no.	EAN	description	working height	max. loading	weight
6102300	4006885... ...610231	1 multi-function support stand & roller trestle	630 - 1,000 mm	50 kg	5.6 kg



the bearing-mounted supporting roller allows the materials to be fed easily in the processing direction

## The practical extension for sawing tables and workbenches



- can be used with all standard machine tables and workbenches
- with a continuous height adjustment
- the bearing-mounted supporting roller allows the materials to be fed easily in the processing direction
- can be folded for space-saving storage
- version: completely assembled, welded
- resting width: 300 mm
- packaging: sleeve
- complementary products: 6177000, 6182000, 6900000, 6906000

article no.	EAN	description	working height	max. loading	weight
6119973	4006885... ...611993	1 roller trestle	640 - 1,000 mm	60 kg	3.9 kg

## 1.4 Machine tables

### MASTER cut 2000

#### Precision saw table and work station

##### One sawing table - five fields of application

Whether small or big boards - the master cut 2000 is ideal for precisely cutting any work piece to size.

It combines a circular saw bench, guided circular saw, milling table, jigsaw table in one device.

Thanks to its big work surface and the foldable legs it is also a big and mobile work station.

##### Advantages:

- multifunctional for all your projects; usable as table saw, hand-held circular saw, jigsaw, table, router table, work station
- precise cuts thanks to high quality guides and the guide bar
- mobile versatile use and space-saving storage
- robust and stable thanks to a sturdy base frame and a height-adjustable foot
- compatible for almost all types of hand-held circular saws, routers and jigsaws

##### Including:

- table with MDF working plate, foldable legs, machine plate
- switch clamp
- push stick
- safety shield
- safety switch
- 4 plastic jaws for securing the workpiece horizontally
- 2 quick clamps
- 3 split inserts for table saw, guided saw on guide bar and router / jigsaw
- guide rail 115 cm
- 2 insert rings 15 and 25 mm for routers
- angle stop
- parallel stop
- angle stop for guide rail

##### Technical data



- for circular hand saws with riving knife, up to a maximum cutting depth of 70 mm, saw blade diameter: 200 mm; machine plate dimensions: see pictogram
- for routers with max. 230 V, max. 1800 W, maximum machine plate diameter: 170 mm; maximum machine plate height: 20 mm; for maximum router diameters of 27 mm
- dimensions mounted: 1185 x 757 x 863 mm
- dimensions folded: 1085 x 757 x 213 mm
- bench top: 1035 x 695 mm
- working height: 863 mm
- drill hole diameter 20 mm
- max. height of the work piece: 60 mm for the table saw and guide bar
- max. cutting width with parallel guide: table saw 570 mm
- max. cutting length: guide bar 740 mm
- TÜVdotCOM ID: 0000033448
- max. loading: 120 kg
- weight: 24 kg
- packaging: box
- separate accessories: 3456000, 3457000, 6102300, 6119973, 6901000



MADE IN EUROPE



The mark of responsible forestry  
FSC® C008243





# One sawing table - five fields of application



### Circular saw bench

- perfect for cutting small and light work pieces to size that can be pushed over the table
- precise parallel cuts thanks to the free-of-play parallel guide
- mitre cuts between 0 and 65° thanks to the precise angular guide



### Guided circular saw

- with wolcraft guide bar and clamping jaws
- ideal for sawing big panels and boards thanks to the 80 cm long aluminium rail
- stop slide for precise repetitive cuts can be set to any angle between 0 - 70°
- the circular saw and the machine plate can be removed in virtually no time and used on the guide bar




### Jigsaw table

- ideal for curved cuts
- unobstructed view at the marked line
- easy guidance of the work piece by hand



### Mobile work station

- the big work surface made of impact resistant MDF comes up with many clamping possibilities
- robust and stable: stable base frame with a load-bearing capacity of up to 120 kg, height-adjustable foot
- versatile use and space-saving storage
- easy transport thanks to the light aluminium construction
- foldable legs for ergonomic work on the ground



### Milling table

- Accessory - parallel milling guide (art. no. 6901000) turns the MASTER cut 2000 into a real router table

#### Warning:

Use of the router table is only allowed in combination with the parallel milling guide (Art. 6901000)!



article no.	EAN	description	for
6900000	4006885... ...690004	1 MASTER cut 2000 - Precision saw table and work station	EU ex. GB, IRL, DK, CH

## 1.4 Machine tables

### MASTER cut 1500

New universal work and machine table in accordance with the latest EU safety regulations.  
For precise, stationary use of circular saws, jigsaws and routers.

#### Advantages:

- multifunctional for all projects
- can be used as a circular saw bench, jigsaw table, milling table in conjunction with milling guide No. 6901000 and work station
- high precision thanks to adjustable aluminium machine plate and easy machine mounting
- supporting frame with crossmembers for max. stability, mobile and space-saving thanks to quick folding system
- robust beechwood vice
- compatible with virtually all hand mounting of all commercially available circular hand saws, routers and jigsaws

#### Including:

- 1 angle stop
- 1 parallel stop
- 1 safety switch
- 1 push stick
- 1 switch clamp
- 1 safety shield
- 4 plastic jaws for securing the workpiece horizontally
- 2 insert rings 15 and 25 mm for routers



The mark of  
responsible forestry  
FSC® C008243

#### Technical data:

- working height: 865 mm
- max. span /  
with clamping jaws: 120 - 620 mm
- size of bench top: 780 x 500 mm
- MDF plate: 495 x 500 x 23 mm
- machine plate: 285 x 500 mm
- worktops made from MDF and die-cast aluminium
- dimensions mounted: 940 x 640 x 865 mm
- dimensions folded: 640 x 1145 x 195 mm
- weight: 17 kg
- max. loading: 200 kg



MADE IN EUROPE 


#### for circular

hand saws: with riving knife, up to a maximum cutting depth of 70 mm, saw blade diameter: 200 mm; machine plate dimensions: see pictogram

Instructions: By using riving knife accessory Art. No. 6903000 (up to 160 mm) or Art. No. 6904000 (160 - 200 mm), circular hand saws can also be used without a riving knife.

#### for jigsaws: all

for routers: with max. 230 V, max. 1800 W, maximum machine plate diameter: 170 mm; maximum machine plate height: 20 mm; for maximum router diameters of 27 mm



## 4 in 1: circular saw bench, sawing table, milling table and workbench


Circular saw bench



max. 70 mm  
 max. 200 mm  
 max. 225 mm  
 max. 180 mm  
 max. 180 mm  
 max. 185 mm  
 max. 55 mm

article no. 6903000  
 max. ø 160 mm  
 article no. 6904000  
 max. ø 200 mm

Milling table



max. 230 V  
 max. 1.800 W  
 max. 20 mm  
 max. ø 170 mm  
 max. ø 27 mm

Art.Nr. 6901000

**Warning:**  
 Use of the router table is only allowed in combination with the parallel milling guide (Art. 6901000)!

Jigsaw table



Mobile work station



article no.	EAN-Code	description	for
6906000	4006885... ...690608	1 MASTER cut 1500 - Work and machine table	EU ex. GB, IRL, DK, CH

# 1 MACHINE TABLES

## 1.4 Machine tables



parallel cuts



curved cuts

### The ideal accessory for precision jigsaw work



Exact cutting thanks to a clear line of sight on the marked line and parallel stop. Less ragged edges with clean cut edges on the topside of the workpiece, due to simpler cutting from the underside of the material.

- two steel clamps for secure fastening to any work table with a thickness of max. 60 mm
- bench top 320 x 300 mm
- work top: galvanised
- for jigsaws: max. length of saw blade 100 mm
- including: 1 parallel stop
- packaging: box

article no.	EAN	description	product dimensions
6197000	4006885... ...619708	1 jigsaw table	320 x 300 mm

## 1.6 Guiding systems




### The versatile cutting device for your jigsaw!

Fix the workpiece in position with the one-hand clamp and cut it quickly and accurately.

- for parquet, laminate, wall panels, ceiling panels
- clean cutting edges due to the rubber lip, no torn-off edges
- quick and easy jig saw installation
- easy fixing of the work piece
- perfect also for mitre/angle cuts of up to 50°, e.g. baseboards
- aluminium guide rail: 450 mm long
- packaging: box

article no.	EAN	description	product dimensions
6915000	4006885... ...691506	1 PSD - cutting appliance for jigsaws	210 x 243 x 160 mm



### Universal and precise – the wolcraft FKS 115 guide rail is the ideal accessory for circular saws



- machine: all commercially available circular saws up to a cutting depth of 66 mm and with a maximum base plate of 200 x 385 mm
- for precise, straight and long cuts – also angular cuts
- for cutting or shortening kitchen worktops, doors etc.
- the rubber lip reduces the risk of getting skips, marks the cutting edge at the same time and thereby ensures precise cuts
- fast and comfortable assembly of the circular saw, needs adjusting once only
- the skid-proof bottom and 2 clamps supplied will safely position the tool
- can also be used without any problems in areas far away from the edge and for angular cuts
- including: 2 clamps
- packaging: paperboard card
- separate accessories: 6911000

article no.	EAN	description	product dimensions
6910000	...691001	1 FKS 115 - guide rail	1,150 x 45 x 220 mm



- allows the accurate processing of large work pieces
- simple and fast extension of FKS 115
- length of the guiding mechanism: 230 cm
- extension also with more than 2 rails possible
- only usable together with article No. 6910000!
- content:
  - 1 aluminium rail
  - 1 extension adaptor
- packaging: box
- suitable for 6910000

article no.	EAN	description	product dimensions
6911000	...691100	1 extension set	1,150 x 10 x 220 mm

# 1 MACHINE TABLES

## 1.96 Accessories



- for stationary use of power drills
- Euronorm collar  $\varnothing$  43 mm
- packaging: fixed on card
- suitable for 6906000

article no.	EAN	description
6152000	4006885... ...615205	1 drill clamp



The parallel milling guide turns the MASTER cut into a real router table.

- for workpieces up to 40 mm thickness
- for routers up to 27 mm diameter
- only usable together with article No. 6900000, 6906000!
- precisely adjustable guide for perfect results
- adjustable guide to be adapted to the router size
- safe locking of the parallel milling guide through turning knobs and without tools
- connection for dust extraction
- tip: larger work pieces should be supported by a roller stand (e.g. Art. No. 6102300)
- packaging: box
- weight: 2.8 kg
- suitable for 6900000, 6906000



article no.	EAN	description
6901000	4006885... ...690103	1 parallel milling guide



6903000



6904000



- for the use of circular hand saws without a riving knife on the MASTER cut 1500
- packaging: plastic bag on card
- suitable for 6906000

article no.	EAN	description	for
6903000	4006885... ...690301	1 riving knife	for circular saw blades up to max. $\varnothing$ 160 mm
6904000	4006885... ...690400	1 riving knife	for circular saw blades $\varnothing$ 160 - 200 mm



## 2.1 Clamping tables

Height-adjustable clamping and working table

### 1 MASTER 600 - clamping and working table



can be folded for space-saving storage



tabletop infinitely tiltable between 0 - 65° provides new areas of use



plastic jaws for securing the workpiece horizontally

The right working height for all uses! The height adjustment provides you with an ergonomic working position for all heights no matter whether seated or standing.

- heightadjustment with lockable extension
- larger table area due to use of an extension plate
- tabletop infinitely tiltable between 0 - 65° provides new areas of use
- magnet in the MDF board for storing screws and nails
- robust base frame which can be quickly folded away for space-saving storage
- packaging: box
- complementary products: 6102300, 6119973
- separate accessories: 6171000, 6172000, 6174000, 6176000



#### Technical data

working height:	780 - 950 mm
max. span / with clamping jaws:	115 / 435 mm
bench top:	650 x 420 mm
max. loading:	120 kg
max. clamping angle:	10°
clamping system:	handles, spindle adjustment clamping jaws
adjustment aid:	scale
work top:	MDF, tiltable 0 - 65°
base frame:	robust quick-folding system, integrated tool rack
including:	4 plastic jaws for securing the workpiece horizontally 2 additional jaws for clamping round workpieces 1 extension plate
dimensions mounted:	650 x 780 - 955 x 420 - 530 mm
dimensions folded:	650 x 1,065 x 210 mm
weight:	15.1 kg

article no.	EAN	description
6182000	...618206	1 MASTER 600 - clamping and working table



## 2.1 Clamping tables

Universal clamping and working table

### 1 MASTER 200 - clamping and working table



can be folded for space-saving storage



Robust universally useful clamping and working table; no workshop or household should be without one.

- 2 MDF jaws, the front jaw is adjusted using 2 handles
- robust base frame which can be quickly folded away for space-saving storage
- integrated tool rack
- packaging: box
- complementary products: 6102300, 6119973
- separate accessories: 6171000, 6172000, 6174000, 6176000

#### Technical data

working height:	800 mm
max. span / with clamping jaws:	145 / 365 mm
bench top:	645 x 300 mm
max. loading:	180 kg
max. clamping angle:	14°
clamping system:	handles, spindle adjustment clamping jaws
adjustment aid:	scale
work top:	MDF
base frame:	robust quick-folding system, integrated tool rack
including:	4 plastic jaws for securing the workpiece horizontally
dimensions mounted:	645 x 800 x 300 - 450 mm
dimensions folded:	645 x 1,205 x 200 mm
weight:	11.9 kg

article no.	EAN	description
6177000	4006885... ...617704	1 MASTER 200 - clamping and working table

## 2.1 Clamping tables

### Accessories



- protect the workpiece against damages
- with V groove for clamping round material
- packaging: plastic bag on card
- suitable for 6177000, 6182000, 6906000

article no.	EAN 4006885...	description
6171000	...617100	2 vice jaws



- for all worktops with 20 mm bore
- plastic jaws for securing the workpiece horizontally
- packaging: plastic bag on card
- suitable for 6177000, 6182000

article no.	EAN 4006885...	description
6172000	...617209	4 clamping jaws



- packaging: plastic bag on card
- suitable for 6177000, 6182000, 6906000

article no.	EAN 4006885...	description
6174000	...617407	4 plastic vice jaws



- for all worktops with 20 mm bore
- packaging: plastic bag on card
- suitable for 6177000, 6182000, 6906000

article no.	EAN 4006885...	description
6176000	...617605	2 quick clamps

## 2.3 Workshop System



## 2.3 A Workshop Just the Way You Want It

“Do you finally want to get your workshop straightened out? Do you want a workshop area where you feel comfortable? And on top of that, do you want a workshop in which you can work ergonomically and practically? The wolcraft workshop offers all of the above!”



### Product advantages:

#### STABILITY

- 30 mm thick beech worktop
- 2 mm thick steel elements
- 600 kg load capacity
- Solid plastic
- Wall attachment set
- Smooth running drawers suitable for 25 kg of load

#### ORDER

- Cabinet drawers with up to 3 shelves
- Different drawer sizes
- Drawers can be sub-divided
- Drawer removal system

#### INDIVIDUALITY

- More than 100 individual combinations possible
- Can be expanded at any time
- Free selection of feet



#### TRANSPORT & SELF ASSEMBLY

- Quick change system for stationary devices
- Easy transport, no bulky package, few screws
- Quick assembly system through pre-assembled nuts



# The Order System

**Standard drawers**  
For e.g. drill boxes and screws



**Low drawers**  
For e.g. spanners



**Quick Change System**  
A flat work surface and an integrated bench vice or drill stand are not mutually exclusive!

- **Secure and stable attachment of stationary devices** such as e.g. bench vice or drill stand
- **Can be removed quickly** thanks to the quick change system for maximum work space

**High drawers**  
For correct storage of machines



**Cabinet drawers**  
For up to three flexibly selectable shelf inserts



## 2 CLAMPING TABLES AND WORKBENCHES

### 2.3 Workshop System

#### Workbench components



- material: beech
- packaging: box



article no.	EAN	description	product dimensions
6043000	4006885... ...604308	1 workplate beech S	650 x 650 x 30 mm



- material: beech
- packaging: box



article no.	EAN	description	product dimensions
6044000	4006885... ...604407	1 workplate beech M	1,130 x 650 x 30 mm



- material: beech
- packaging: box



article no.	EAN	description	product dimensions
6045000	4006885... ...604506	1 workplate beech L	1,610 x 650 x 30 mm

## 2.3 Workshop System



- content:  
2 pairs of legs, made from strong 40 x 40 mm square tube  
4 standard feet, insertable  
1 set of angle brackets
- packaging: sleeve



article no.	EAN	description
6782000	4006885... ...678200	1 set of legs



- for workbench - table width 650 mm
- content: 4 struts S
- packaging: shrinkwrapped with inlay



article no.	EAN	description
6785000	4006885... ...678507	1 connector set S



- for workbench - table width 1130 mm
- content:  
4 struts M  
2 centre struts, small  
2 centre struts, large
- packaging: shrinkwrapped with inlay



article no.	EAN	description
6786000	4006885... ...678606	1 connector set M



- for workbench - table width 1610 mm
- content:  
4 struts L  
4 centre struts, small  
4 centre struts, large
- packaging: shrinkwrapped with inlay



article no.	EAN	description
6787000	4006885... ...678705	1 connector set L

## 2.3 Workshop System



- working height 86 cm: 4 feet
- working height 93 cm: 8 feet
- working height 100 cm: 12 feet
- individual choice of workbench height through insertable feet
- packaging: bulk

10

MADE IN EUROPE 

article no.	EAN	description
6067000	4006885... ...606708	1 standard foot pluggable



- height-adjustable for compensating floor irregularities up to 40 mm
- packaging: with hang tag

10

MADE IN EUROPE 

article no.	EAN	description
6068000	4006885... ...606807	1 foot height adjustable



- for a mobile workbench
- version: with brake, steerable
- packaging: with hang tag

10

MADE IN EUROPE 

article no.	EAN	description
6066000	4006885... ...606609	1 foot with castor and brake, steerable



## 2.3 Workshop System



- version: smooth-glide drawers, with quick-removal system
- material: made of highly impact resistant plastic
- max. loading 25 kg
- including:
  - 4 drawer guides
  - 2 aluminium faceplates with labelling field
- packaging: box
- separate accessories: 6071000



article no.	EAN	description	height
6779000	4006885... ...677906	2 drawers S	70 mm



- for S drawers, Art. No. 6779000
- packaging: shrinkwrapped with inlay
- suitable for 6779000



article no.	EAN	description
6071000	4006885... ...607101	2 drawer dividers small



- version: smooth-glide drawers, with quick-removal system
- material: made of highly impact resistant plastic with floor plate
- max. loading 25 kg
- including:
  - 2 drawer guides
  - 1 aluminium faceplate with labelling field
- packaging: box
- separate accessories: 6072000



article no.	EAN	description	height
6780000	4006885... ...678002	1 drawer M	140 mm

## 2.3 Workshop System



- for M drawers, Art. No. 6780000
- packaging: shrinkwrapped with inlay
- suitable for 6780000



article no.	EAN 4006885...	description
6072000	...607200	2 drawer dividers big



- version: smooth-glide drawers, with quick-removal system
- material: made of highly impact resistant plastic with floor plate
- max. loading 25 kg
- including:
  - 2 drawer guides
  - 1 aluminium faceplate with labelling field
- packaging: box



article no.	EAN 4006885...	description	height
6781000	...678101	1 drawer L	280 mm



- content:
  - 1 cabinet door incl. lock
  - 2 shelves for cabinet compartment
- packaging: shrinkwrapped with inlay



article no.	EAN 4006885...	description
6783000	...678309	1 cabinet set

## 2.3 Workshop System



- can be used as a side, back and partition wall
- for better appearance and as dust protection
- required for supporting shelves in cabinet compartments (3 sets)
- packaging: folding box



article no.	EAN	description
6784000	4006885... ...678408	1 wall set



- for workbench (1 module)
- packaging: bulk



article no.	EAN	description
6077000	4006885... ...607705	1 shelf



- for extending the workbench by 1 module
- content:
  - 1 pair of legs
  - 2 standard feet, insertable
  - 1 extension plate with joiner
- packaging: box



article no.	EAN	description
6788000	4006885... ...678804	1 extension set

## 2.3 Workshop System



- for additionally fastening the workbench to the wall
- for enhanced stability!
- packaging: plastic bag on card



article no.	EAN 4006885...	description
6074000	...607408	1 wall fixation set



- packaging: plastic bag on card



article no.	EAN 4006885...	description
6075000	...607507	1 workplate connector set



- adapter plate for mounting stationary devices such as drill stands, vices, etc.
- fast attachment and detachment via eccentric lever
- packaging: shrinkwrapped with inlay



article no.	EAN 4006885...	description
6065000	...606500	1 quick change adapter set

## 2.3 Workshop System

## Pre-assembled workbenches

Workbench kits in different sizes and executions. Supplied as individual components with assembly instructions. Quick-assembly system: workbench panels are pre-drilled, nuts are pre-assembled and flush-mounted

- sturdy and professional workbench
- legs made from strong 40 x 40 mm square tube
- all steel parts made from steel up to 2 mm thick
- maximum table load 600 kg
- 30 mm table top made from beechwood, laminated
- smooth-glide drawers made from highly impact resistant plastic, maximum load 25 kg
- drawers can be removed at any time for quick transportation of tools to the job site.



- working height 860 mm
- bench top 650 x 650 mm
- content:  
1 drawer M  
1 cabinet compartment



article no.	EAN 4006885...	description	product dimensions
8051000	...805101	1 Workbench 650 mm, No. 1	650 x 650 x 860 mm



- working height 860 mm
- bench top 650 x 650 mm
- content:  
2 drawers S  
1 cabinet compartment



article no.	EAN 4006885...	description	product dimensions
8052000	...805200	1 Workbench 650 mm, No. 2	650 x 650 x 860 mm



- working height 860 mm
- bench top 650 x 650 mm
- content:  
2 drawers M  
1 drawer L



article no.	EAN 4006885...	description	product dimensions
8053000	...805309	1 Workbench 650 mm, No. 3	650 x 650 x 860 mm

## 2.3 Workshop System



- working height 860 mm
- bench top 650 x 650 mm
- content: 4 drawers M



article no.	EAN 4006885...	description	product dimensions
8054000	...805408	1 Workbench 650 mm, No. 4	650 x 650 x 860 mm



- version: with seating
- working height 860 mm
- bench top 1.130 x 650 mm
- content:  
2 drawers M  
1 drawer L



article no.	EAN 4006885...	description	product dimensions
8060000	...806009	1 Workbench 1.130 mm, No. 1	1,130 x 650 x 860 mm



- working height 860 mm
- bench top 1.130 x 650 mm
- content:  
2 drawers M  
2 support bases



article no.	EAN 4006885...	description	product dimensions
8061000	...806108	1 Workbench 1.130 mm, No. 2	1,130 x 650 x 860 mm



- working height 860 mm
- bench top 1.130 x 650 mm
- content:  
3 drawers M  
1 cabinet compartment  
2 support bases



article no.	EAN 4006885...	description	product dimensions
8062000	...806207	1 Workbench 1.130 mm, No. 3	1,130 x 650 x 860 mm

## 2.3 Workshop System



- working height 860 mm
- bench top 1.130 x 650 mm
- content:
  - 2 drawers S
  - 2 drawers M
  - 1 drawer L
  - 1 cabinet compartment



article no.	EAN	description	product dimensions
8063000	4006885... ...806306	1 Workbench 1.130 mm, No. 4	1,130 x 650 x 860 mm



- version: with seating
- working height 860 mm
- bench top 1.130 x 650 mm
- content: 4 drawers M



article no.	EAN	description	product dimensions
8064000	4006885... ...806405	1 Workbench 1.130 mm, No. 5	1,130 x 650 x 860 mm



- version: with seating
- working height 860 mm
- bench top 1.130 x 650 mm
- content:
  - 1 drawer M
  - 1 cabinet compartment



article no.	EAN	description	product dimensions
8065000	4006885... ...806504	1 Workbench 1.130 mm, No. 6	1,130 x 650 x 860 mm



- working height 860 mm
- bench top 1.130 x 650 mm
- content:
  - 2 drawers S
  - 1 drawer M
  - 2 cabinet compartments



article no.	EAN	description	product dimensions
8066000	4006885... ...806603	1 Workbench 1.130 mm, No. 7	1,130 x 650 x 860 mm

## 2.3 Workshop System



- working height 860 mm
- bench top 1.130 x 650 mm
- content:
  - 2 drawers S
  - 4 drawers M
  - 1 cabinet compartment



article no.	EAN 4006885...	description	product dimensions
8067000	...806702	1 Workbench 1.130 mm, No. 8	1,130 x 650 x 860 mm



- working height 860 mm
- bench top 1.130 x 650 mm
- content:
  - 6 drawers M
  - 2 support bases



article no.	EAN 4006885...	description	product dimensions
8068000	...806801	1 Workbench 1.130 mm, No. 9	1,130 x 650 x 860 mm



- working height 860 mm
- bench top 1.130 x 650 mm
- content: 8 drawers M



article no.	EAN 4006885...	description	product dimensions
8069000	...806900	1 Workbench 1.130 mm, No. 10	1,130 x 650 x 860 mm



- working height 860 mm
- bench top 1.130 x 650 mm
- content:
  - 4 drawers M
  - 2 drawers L



article no.	EAN 4006885...	description	product dimensions
8070000	...807006	1 Workbench 1.130 mm, No. 11	1,130 x 650 x 860 mm



## 2.3 Workshop System



- working height 860 mm
- bench top 1.130 x 650 mm
- content:  
5 drawers M  
1 cabinet compartment



article no.	EAN	description	product dimensions
8071000	4006885... ...807105	1 Workbench 1.130 mm, No. 12	1,130 x 650 x 860 mm



- working height 860 mm
- bench top 1.610 x 650 mm
- content:  
6 drawers S  
9 drawers M



article no.	EAN	description	product dimensions
8075000	4006885... ...807501	1 Workbench 1.610 mm, No. 1	1,610 x 650 x 860 mm



- working height 860 mm
- bench top 1.610 x 650 mm
- content:  
8 drawers M  
2 drawers L



article no.	EAN	description	product dimensions
8076000	4006885... ...807600	1 Workbench 1.610 mm, No. 2	1,610 x 650 x 860 mm



- working height 860 mm
- bench top 1.610 x 650 mm
- content:  
5 drawers M  
2 drawers L  
1 cabinet compartment



article no.	EAN	description	product dimensions
8077000	4006885... ...807709	1 Workbench 1.610 mm, No. 3	1,610 x 650 x 860 mm

## 2.3 Workshop System



- version: with seating
- working height 860 mm
- bench top 1.610 x 650 mm
- content:
  - 4 drawers S
  - 2 drawers M
  - 2 drawers L



article no.	EAN	description	product dimensions
8078000	4006885... ...807808	1 Workbench 1.610 mm, No. 4	1,610 x 650 x 860 mm



- working height 860 mm
- bench top 1.610 x 650 mm
- content:
  - 6 drawers M
  - 2 cabinet compartments



article no.	EAN	description	product dimensions
8079000	4006885... ...807907	1 Workbench 1.610 mm, No. 5	1,610 x 650 x 860 mm



- working height 860 mm
- bench top 1.610 x 650 mm
- content:
  - 3 drawers M
  - 3 cabinet compartments



article no.	EAN	description	product dimensions
8080000	4006885... ...808003	1 Workbench 1.610 mm, No. 6	1,610 x 650 x 860 mm

## 2.3 Workshop System


## Pegboard and cabinet system



- for storing tools, paints, materials etc.
- extra deep, spacious interior
- doors made from high quality plastic, lockable
- made of high-quality materials for excellent stability
- max. loading 50 kg
- 120 l volume
- including:
  - MDF shelf
  - wall mounting material
- packaging: box
- weight: 20 kg



article no.	EAN	description	product dimensions
6073000	...607309	1 wall unit	985 x 500 x 300 mm



- practical and convenient storage of tools on the wall - always ready to hand
- attachment of tools via various system hooks
- version: hole pattern, 9 mm (square), grid dimensions 38 x 38 mm
- material: made from steel and aluminium elements
- max. loading 45 kg
- including: wall mounting material
- packaging: box
- weight: 5 kg
- separate accessories: 6091000, 6092000, 6093000, 6094000, 6099000, 6800000, 6801000, 6802000, 6803000, 6804000



article no.	EAN	description	product dimensions
6085000	...608504	1 pegboard	960 x 500 mm

## 2.3 Workshop System



compact, space-saving solution: 3 perforated wall panels on a base panel

- attachment of tools via various system hooks
- with steel shelf
- doors: loadable to max. 5 kg, magnetic closure
- version: hole pattern, 9 mm (square), grid dimensions 38 x 38 mm
- material: made from steel and aluminium elements
- max. loading 60 kg
- 80 l volume
- including:
  - 10 Hooks for pegboards, each 3 parts Art. No. 6091000, 6092000, 6093000 + 1 part Art. No. 6094000
  - wall mounting material
- packaging: box
- weight: 12.5 kg
- separate accessories: 6091000, 6092000, 6093000, 6094000, 6099000, 6800000, 6801000, 6802000, 6803000, 6804000



article no.	EAN	description	product dimensions
6086000	4006885... ...608603	1 pegboard cabinet	960 x 500 x 215 mm



- for storing spanners
- packaging: plastic bag on card
- suitable for 6085000, 6086000



article no.	EAN	description
6800000	4006885... ...680005	1 spanner holder

## 2.3 Workshop System



- for storing screwdrivers
- packaging: plastic bag on card
- suitable for 6085000, 6086000



article no.	EAN	description
6801000	4006885... ...680104	1 screwdriver holder



- for storing drills
- packaging: plastic bag on card
- suitable for 6085000, 6086000



article no.	EAN	description
6804000	4006885... ...680401	1 drill holder



- packaging: plastic bag on card
- suitable for 6085000, 6086000



article no.	EAN	description	product dimensions
6802000	4006885... ...680203	1 pegboard tray	377 mm

## 2.3 Workshop System



- bracket for hanging various tools
- packaging: plastic bag on card
- suitable for 6085000, 6086000



article no.	EAN 4006885...	description	product dimensions
6803000	...680302	1 pegboard bracket	377 mm



- max. loading 2 kg
- packaging: plastic bag on card
- suitable for 6085000, 6086000



article no.	EAN 4006885...	description	length
6091000	...609105	5 pegboard single hooks	30 mm
6093000	...609303	5 pegboard single hooks	50 mm
6099000	...609907	10 pegboard single hooks	60 mm



- max. loading 2 kg
- packaging: plastic bag on card
- suitable for 6085000, 6086000



article no.	EAN 4006885...	description	product dimensions
6092000	...609204	5 pegboard loop hooks	35 x 35 mm

## 2.3 Workshop System



- max. loading 2 kg
- packaging: plastic bag on card
- suitable for 6085000, 6086000



article no.	EAN	description	product dimensions
6094000	...609402	3 pegboard double hooks	35 x 60 mm





### 3.1 Hand Trucks

#### The allrounder - hand truck and wheelbarrow in one 1 TS 1000 - transport system



convertible from its hand truck function into a wheelbarrow with a flick of the wrist



can be folded for space-saving storage



hand truck function



wheelbarrow function



can be stored in a compact manner



#### function hand truck

- various handle positions enable optimal tilting and shipping operations
- handles with protective hoops
- high resting surface; ideal for high objects / top-heavy loads

#### function wheelbarrow

- easy to load due to low loading height
- the simple exchange of various containers through the system out-classes wheelbarrow
- high resting surface; ideal for high objects / top-heavy loads
- convertible from its hand truck function into a wheelbarrow with a flick of the wrist
- round transverse rods and rear panel for securing round objects in a tight position
- with the shovel lowered ideal for transporting longer objects
- pneumatic tyres for easy and comfortable transporting
- suitable for being used on steps: adjustable tilting angle for retaining the load in an optimal position in all situations
- tilt-resistant shipment even of heavy loads
- ideal for heavy garden furniture, firewood, etc.
- packaging: box



#### Technical data

max. load hand truck function: 150 kg  
 max. load wheelbarrow function: 200 kg  
 dimensions mounted: 610 x 1,260 x 550 mm  
 dimensions folded: 610 x 800 x 520 mm  
 weight: 15 kg

article no.	EAN	description
5520000	4006885... ...552005	1 TS 1000 - transport system

# 3 TRANSPORT SYSTEMS

## 3.1 Hand Trucks

The removal helper - for heavy loads

### 1 TS 1500 - transport system



- extra large base plate for transporting large objects such as washing machines, fridges, etc.
- comfortable and safe transport of heavy loads thanks to ergonomic handles
- despite the maximum load of 200 kg, the transport system is easy to fold together thanks to the unique



folding mechanism and can be stored effortlessly

- extendible handlebar with central locking system
- easy, comfortable transport thanks to large foam wheels, each with 2 integrated ball bearings
- rounded crossbars and rear panel for the safe transport of round items
- packaging: sleeve



#### Technical data

version:	base plate load-bearing area 590 x 370 mm
max. height:	1,240 mm
max. load hand truck function:	200 kg
dimensions mounted:	660 x 1,240 mm
dimensions folded:	600 x 990 x 110 mm
weight:	10.4 kg

article no.	EAN	description
5525000	4006885... ...552500	1 TS 1500 - transport system

### 3.1 Hand Trucks

The comfortable way to transport loads.

#### 1 TS 850 - transport system



- thanks to the clever fast-fold mechanism always close at hand
- retractable handlebar with central lock button for convenient use
- easy tilting with the sturdy transverse rod
- rounded pivot bar - ideal for transporting round objects
- rounded handle bar for the comfortable handling of even bulky items
- highly versatile, thanks to the smart 3-point fixings with many fitting options
- the height of 110 cm allows easy handling and transportation
- large profile wheels suitable for use on steps and outside
- packaging: sleeve



#### Technical data

max. height:	1,100 mm
max. load hand truck function:	100 kg
dimensions mounted:	540 x 1,110 x 470 mm
dimensions folded:	500 x 820 x 77 mm
weight:	5.6 kg

article no.	EAN	description
5501000	4006885... ...550100	1 TS 850 - transport system

# 3 TRANSPORT SYSTEMS

## 3.1 Hand Trucks

The mobile

### 1 TS 600 - transport system



- thanks to the folding mechanism wheels and base plate open with a single action
- compact when folded
- with variable height adjustment for easier handling
- rounded pivot bar - ideal for transporting round objects



- rounded handle bar for the comfortable handling of even bulky items
- highly versatile, thanks to the smart 2-point fixings with many fitting options



- very easy to handle, due to a low weight of only 3.9 kg
- packaging: sleeve



#### Technical data

max. height:	1,050 mm
max. load hand truck function:	70 kg
dimensions mounted:	430 x 1,050 x 445 mm
dimensions folded:	430 x 730 x 60 mm
weight:	3.9 kg

article no.	EAN	description
5505000	4006885... ...550506	1 TS 600 - transport system

### 3.1 Hand Trucks

The "small but tough" hand truck  
**1 TS 300 - transport system**



Multiple foldable transport system! Easy to use - compact, requires almost no space in the trunk. The low weight makes it the perfect companion for shopping - especially for women.

- two steps continuously variable height adjustment
- wheels and plate open with a single grip, due to the special folding mechanism
- 4 point - plastic rear panel
- very compact, only 60 mm flat when folded, therefore, always ready to use out of the boot or other compartments
- packaging: sleeve



**Technical data**

max. height: 910 mm  
 max. load hand truck function: 30 kg  
 dimensions mounted: 340 x 910 x 370 mm  
 dimensions folded: 340 x 510 x 60 mm  
 weight: 3 kg

article no.	EAN	description
5530000	4006885... ...553002	1 TS 300 - transport system



### EHZ PRO 100 One-hand clamps

The powerful for professional work



effortless conversion to the spreading function



most simple handling and secure fastening due to ergonomic grip with skid-resistant zone

- quick, safe and convenient clamping - with just one hand
- robust and powerful - clamping pressure up to 120 kg
- most simple handling and secure fastening due to ergonomic grip with skid-resistant zone
- for professionals: effortless conversion to the spreading function by pushing a button
- even distribution of the clamping force and gentle to the work-piece thanks to large clamping areas and extreme 100 mm clearance
- high-quality rail that ensures high, long lasting clamping force
- very easy release of the clamping pressure due to optimum leverage
- cross groove for safely clamping round objects
- adjustable spacers protect the workpiece and serve as support
- packaging: with hang tag
- separate accessories: 3037000, 3038000



article no.	EAN 4006885...	description	depth	clamping width	expanding range
3030000	...303003	1 EHZ PRO 100-150 - one-hand clamp	100 mm	150 mm	210 - 410 mm
3031000	...303102	1 EHZ PRO 100-300 - one-hand clamp	100 mm	300 mm	210 - 560 mm
3032000	...303201	1 EHZ PRO 100-450 - one-hand clamp	100 mm	450 mm	210 - 710 mm
3033000	...303300	1 EHZ PRO 100-700 - one-hand clamp	100 mm	700 mm	210 - 960 mm
3034000	...303409	1 EHZ PRO 100-915 - one-hand clamp	100 mm	915 mm	210 - 1,175 mm

## 4.1 One-hand clamps

### EHZ PRO 65 One-hand clamps



quick, safe and convenient clamping - with just one hand



for professionals: effortless conversion to the spreading function by pushing a button

#### The powerful for professional work

- quick, safe and convenient clamping - with just one hand
- robust and powerful - clamping pressure up to 90 kg
- most simple handling and secure fastening due to ergonomic grip with skid-resistant zone
- for professionals: effortless conversion to the spreading function by pushing a button
- even distribution of the clamping force and gentle to the workpiece thanks to large clamping areas and 65 mm throat clearance
- high-quality rail that ensures high, long lasting clamping force
- very easy release of the clamping pressure due to optimum leverage
- cross groove for safely clamping round objects
- packaging: with hang tag
- separate accessories: 3037000
- suitable for 6900000



article no.	EAN 4006885...	description	depth	clamping width	expanding range
3456000	...345607	1 EHZ 65-150 - one-hand clamp	65 mm	150 mm	160 - 320 mm
3457000	...345706	1 EHZ 65-300 - one-hand clamp	65 mm	300 mm	160 - 470 mm

### EHZ Miniature one-hand clamps



#### The one-hand clamp's little brother

The miniature one-hand clamp possesses all of the technical advantages of its larger counterpart.

- for the quick and precise clamping of small work pieces, e.g. for model-making
- packaging: with hang tag



article no.	EAN 4006885...	description	depth	clamping width	expanding range
3455100	...345515	2 EHZ 40-110 - miniature one-hand clamps	40 mm	110 mm	100 - 210 mm



### EHZ Easy One-hand clamps



effortless conversion to the spreading function

#### One-handed - inexpensive - simply ingenious

The inexpensive alternative - ideal for all beginners and occasional do-it-yourselfers.

- most simple handling, with the basic functions of clamping and releasing
- up to 90 kg clamping force
- due to an optimized ergonomic grip, the clamp is always comfortably positioned in the hand
- effortless conversion to the spreading function
- tempered steel and glass fibre reinforced plastic
- packaging: with hang tag
- separate accessories: 3037000, 3038000



article no.	EAN 4006885...	description	depth	clamping width	expanding range
3020000	...302006	1 EHZ Easy 75-150 - one-hand clamp	75 mm	150 mm	180 - 390 mm
3021000	...302105	1 EHZ Easy 75-300 - one-hand clamp	75 mm	300 mm	180 - 540 mm
3023000	...302303	1 EHZ Easy 75-500 - one-hand clamp	75 mm	500 mm	180 - 740 mm



- for combining two one-hand clamps (PRO or Easy)
- enables spans up to 200 cm (with 2 PRO 100-915 one-hand clamps + adapter)
- ideal for gluing furniture or attaching large components
- packaging: fixed on card
- suitable for 3020000, 3021000, 3023000, 3030000, 3031000, 3032000, 3033000, 3034000



article no.	EAN 4006885...	description
3038000	...303805	1 Connector PRO/Easy - one hand clamp adapter

## 4.3 Screw clamps

### SZ Screw clamps

The classic tool in a new functional design



particularly good for gluing - the new design of the clamping arm allows the tool to be laid flat on the upper part of the arm, as well as on its back when rotated through 90° - yet another innovation



handle ergonomically formed with non-slip inserts, for optimal power transfer



Ergonomic, with innovative features, for a variety of applications - as relevant now as ever.

- handle ergonomically formed with non-slip inserts, for optimal power transfer
- optimal transfer of power via a galvanised spindle with trapezoidal thread
- particularly good for gluing - the new design of the clamping arm allows the tool to be laid flat on the upper part of the arm, as well as on its back when rotated through 90° - yet another innovation
- will not slip or come undone - grooved edges will ensure a secure grip
- the high-quality galvanised cavity-profile clamp arm will not bend, even when working at large spans
- packaging: with hang tag
- separate accessories: 3037000

article no.	EAN 4006885...	description	depth	clamping width
3610000	...361003	1 SZ 80-150 - screw clamp	80 mm	150 mm
3611000	...361102	1 SZ 80-300 - screw clamp	80 mm	300 mm
3612000	...361201	1 SZ 80-450 - screw clamp	80 mm	450 mm
3620000	...362000	1 SZ 120-300 - screw clamp	120 mm	300 mm
3621000	...362109	1 SZ 120-450 - screw clamp	120 mm	450 mm
3622000	...362208	1 SZ 120-700 - screw clamp	120 mm	700 mm
3623000	...362307	1 SZ 120-1000 - screw clamp	120 mm	1,000 mm