


## 4.3 Screw clamps

### SZ Handicraft screw clamps



- clamp arm made of special pressure die-cast zinc
- profile rail, non-slip thanks to grooving on both sides
- upper clamp arm has a stable surface - ideal for gluing
- galvanised spindle with trapezoidal thread
- adjustable pressure plate made of glass fibre-reinforced polyamide
- packaging: with hang tag
- separate accessories: 3037000

article no.	EAN 4006885...	description	depth	clamping width
3607000	...360709	1 SZ 50-100 - handicraft screw clamp	50 mm	100 mm
3606000	...360600	1 SZ 50-150 - handicraft screw clamp	50 mm	150 mm
3605000	...360501	1 SZ 50-200 - handicraft screw clamp	50 mm	200 mm

### SC Screw clamps

Good starter quality with outstanding value for money



- clamping jaws made of malleable cast iron and reinforced by a corrugation profile
- the rail is reinforced by a hollow profile
- the corrugated rail prevents skidding
- with a solid wooden handle
- packaging: sticker
- separate accessories: 3037000

article no.	EAN 4006885...	description	depth	clamping width
3057000	...305700	1 SC 80-150 - screw clamp	80 mm	150 mm
3058000	...305809	1 SC 80-200 - screw clamp	80 mm	200 mm
3059000	...305908	1 SC 80-300 - screw clamp	80 mm	300 mm

## 4.4 Spring clamps plastic



movable clamping jaws adjust to the workpiece

- movable clamping jaws adjust to the workpiece
- V-grooves at right angles for gripping round workpieces
- packaging: with hang tag



article no.	EAN 4006885...	description	clamping width
3630000	...363007	1 FZ 40 - spring clamp	40 mm
3631000	...363106	1 FZ 60 - spring clamp	60 mm



large depth offered by the long clamp arms allows fixing in areas far away from the edge of the workpiece

### Universal clamp for extremely precise fixing

- long tapered clamp arms will make fixing in confined spaces easy
- large depth offered by the long clamp arms allows fixing in areas far away from the edge of the workpiece
- packaging: with hang tag



article no.	EAN 4006885...	description	clamping width
3633000	...363304	1 MT 70 - pointed spring clamp	70 mm

## 4.4 Spring clamps plastic



- thanks to the ergonomic shape of the grip you can work without getting exhausted despite frequently changing the fixation
- 360° turnable hook, suitable for the fixation of nets, decorations, lamps and cables with a diameter up to 25 mm
- articulated clamping jaws for perfect contact to the surface
- jaws with V-groove for secure clamping of round workpieces
- version: with hook, maximum load 5 kg
- packaging: with hang tag



article no.	EAN	description	clamping width
3629000	...362901	1 FZH 50 - spring clamp	50 mm



3625000



3626000



### Classic spring clamps in new ergonomic shape

- offers various new applications
- ideal for home decoration, hobbies, camping and other applications
- ideal for clamping in small gaps
- articulated clamping jaws for perfect contact to the surface
- jaws with V-groove for secure clamping of round workpieces
- packaging: with hang tag



article no.	EAN	description	clamping width
3625000	...362505	1 FZH 30 - Ergo spring clamp	30 mm
3626000	...362604	1 FZH 40 - Ergo spring clamp	40 mm

## 4.4 Spring clamps plastic



- can be used everywhere, especially suitable for model makers
- ensures a secure grip in a thousand and one different situations
- movable clamping jaws adjust to the workpiece
- in various colours

article no.	EAN 4006885...	description	clamping width	including	packaging
3425000	...342507	1 microfix - mini spring clamp	20 mm		with hang tag
3420000	...342002	6 microfix - mini spring clamps	20 mm	1 key-ring	blister on card
3433000	...343306	1 microfix - spring clamp	30 mm		with hang tag
3432000	...343207	4 microfix - spring clamps	30 mm		fixed on card



### microfix Spring clamps with suction cup

The clamp is suitable as a temporary fixing option on all smooth surfaces.

- usable in all households, suitable for hobby, garden, car and leisure (camping)
- clean fixing - when releasing no residues remain on the surface
- movable clamping jaws adjust to the workpiece
- easy fixation on smooth surfaces thanks to rocker arm mechanism
- version: with suction cup
- in various colours

article no.	EAN 4006885...	description	clamping width	holding force	packaging
3662000	...366206	1 microfix S - mini spring clamp	20 mm	250 g	with hang tag
3663000	...366305	4 microfix S - mini spring clamps	20 mm	250 g	fixed on card
3638000	...363809	1 microfix - spring clamp	30 mm	350 g	with hang tag
3638100	...363816	2 microfix - spring clamps	30 mm	350 g	fixed on card

## 4.4 Spring clamps plastic



### microfix Spring clamps with magnet

The spring clamp with magnet clings on all magnetic surfaces and can also be used for heavy or bulky jobs involving oddly-shaped things.

- usable in all households, where shopping lists, invitations, postcards, pictures etc. are to be kept well-arranged and/or within easy reach
- version: with magnet
- in various colours
- packaging: with hang tag

article no.	EAN	description	clamping width	holding force
3010000	4006885... ...301009	1 microfix XS - mini spring clamp	15 mm	50 g



long, thin clamping arms for working in places difficult to access



### The precision spring clamp for extremely accurate fixing

- for precision jobs in model-making and any other intricate work
- long, thin clamping arms for working in places difficult to access
- tapered jaws
- soft plastic jaws have a specially structured surface, ensuring a secure grip
- packaging: fixed on card



article no.	EAN	description	clamping width
3431000	4006885... ...343108	2 microtip 60 - precision spring clamps	60 mm

## 4.5 Ratchet clamps



large depth offered by the long clamp arms allows fixing in areas far away from the edge of the workpiece



long tapered clamp arms will make fixing in confined spaces easy

### The quick fixing aid

Not only for the sensitive fixing of workpieces with delicate surfaces... but also for powerful clamping with up to twice the force of a conventional springclamp

- large depth offered by the long clamp arms allows fixing in areas far away from the edge of the workpiece
- long tapered clamp arms will make fixing in confined spaces easy
- fibreglass reinforced high-performance plastic
- non-slip handle inserts ensure a secure grip
- packaging: double blister



article no.	EAN	description	clamping width
3634000	4006885... ...363403	1 MTR 70 - pointed ratchet lever	70 mm



Not only for the sensitive fixing of workpieces with delicate surfaces... but also for powerful clamping with up to twice the force of a conventional springclamp



angled clamp arms ensure the optimal application of pressure and give maximum clamping range


### The quick fixing aid

Not only for the sensitive fixing of workpieces with delicate surfaces... but also for powerful clamping with up to twice the force of a conventional springclamp

- angled clamp arms ensure the optimal application of pressure and give maximum clamping range
- articulated clamping jaws designed to avoid damage to the material with double groove for the crosswise clamping of round material
- fibreglass reinforced high-performance plastic
- non-slip handle inserts ensure a secure grip
- packaging: double blister



article no.	EAN	description	clamping width
3632000	4006885... ...363205	1 FZR 50 - ratchet clamping lever	50 mm



angled clamp arms ensure the optimal application of pressure and give maximum clamping range

### The perfect clamp for hobby or household repairs



- clamping pressure exactly adjustable - perfect for delicate parts
- articulated clamping jaws designed to avoid damage to the material with double groove for the crosswise clamping of round material
- angled clamp arms ensure the optimal application of pressure and give maximum clamping range
- non-slip handle inserts ensure a secure grip
- packaging: with hang tag

article no.	EAN	description	clamping width
3016000	...301603	1 FZR 30 - ratchet clamp for the hobby	30 mm



Not only for the sensitive fixing of work-pieces with delicate surfaces... but also for powerful clamping with up to twice the force of a conventional springclamp



- robust ratchet with patented mechanism for easy unlocking / opening
- wide variety of hobby, camping, workshop, garden and household uses
- packaging: with hang tag

article no.	EAN	description	clamping width
3615000	...361508	1 FZR 40 - ratchet clamping lever	40 mm
3616000	...361607	1 FZR 60 - ratchet clamping lever	60 mm

# 4 CLAMPING TOOLS

## 4.5 Ratchet clamps



### The small, sensitive quick-action clamping tongs

- movable clamping jaws adjust to the workpiece
- easy release by pressing the button
- packaging: fixed on card



article no.	EAN	description	clamping width
3453000	4006885... ...345300	2 quickfix S 30 - fast clamping tools - miniature size	30 mm

## 4.6 Belt clamps

### Ratchet tie-downs with rolling-up mechanism



3683000



3271000

- makes child's play of tensioning and reeling up the belt
- quick fixing with one pull, no laborious threading
- rolling-up mechanism for fast, torsion-free reeling up the belt
- according to DIN EN 12195-2:2001-02
- packaging: blister on card
- separate accessories: 3283000, 3284000



article no.	EAN	description	version	clamping pressure	strap length
3683000	4006885... ...368309	1 ratchet tie down	with rolling-up mechanism	100 kg	4 m
3271000	...327108	1 ratchet tie down	with hook and rolling-up mechanism	100 kg	4 m



## 4.6 Belt clamps

### Ratchet tie-downs



3442000



3418000



- uncompromising safety and permanent quality control
- according to DIN EN 12195-2:2001-02
- packaging: blister on card
- separate accessories: 3283000, 3284000

article no.	EAN 4006885...	description	version	clamping pressure	strap length
3418000	...341807	1 ratchet tie down		180 kg	4 m
3442000	...344204	1 ratchet tie down	with hook	180 kg	4 m



- uncompromising safety and permanent quality control
- according to DIN EN 12195-2:2001-02
- packaging: sleeve
- separate accessories: 3283000, 3284000

article no.	EAN 4006885...	description	version	clamping pressure	strap length
3273000	...327306	1 ratchet tie down		1,000 kg	5 m
3274000	...327405	1 ratchet tie down	with hook	1,000 kg	5 m
3275000	...327504	1 ratchet tie down		2,000 kg	6 m
3276000	...327603	1 ratchet tie down	with hook	2,000 kg	6 m
3277000	...327702	1 ratchet tie down		4,000 kg	8 m
3278000	...327801	1 ratchet tie down	with hook	4,000 kg	8 m

### Tightening straps



- ideal for bundling and tightening
- packaging: blister on card
- separate accessories: 3283000, 3284000

article no.	EAN 4006885...	description	version	clamping pressure	strap length
3421000	...342101	2 belt clamps	with spring clamp	120 kg	4 m

## 4.6 Belt clamps



- ideal for bundling and tightening
- packaging: blister on card
- separate accessories: 3283000, 3284000

article no.	EAN 4006885...	description	version	strap length
3280000	...328006	2 tightening straps	with buckle	0.8 m
3281000	...328105	1 tightening strap	with buckle	2.5 m


## Accessories



secures ratchet tie-downs dependably against damage from sharp edges

- secures ratchet tie-downs dependably against damage from sharp edges
- high-quality strap protection plates made of hard-wearing cast PU
- universal size for strap widths up to 50 mm
- set of two sheets (for one ratchet strap)
- packaging: plastic bag on card
- suitable for 3271000, 3273000, 3274000, 3275000, 3276000, 3277000, 3278000, 3280000, 3281000, 3418000, 3421000, 3442000, 3683000

article no.	EAN 4006885...	description	product dimensions
3283000	...328303	2 strap protection plates	220 x 100 mm




the anti-skid mats fix loads safely and reliably

- the anti-skid mats fix loads safely and reliably
- up to 70% less lashing equipment required to fix the load dependably
- packaging: plastic bag on card
- suitable for 3271000, 3273000, 3274000, 3275000, 3276000, 3277000, 3278000, 3280000, 3281000, 3418000, 3421000, 3442000, 3683000

article no.	EAN 4006885...	description	product dimensions
3284000	...328402	4 anti-skid mats	100 x 100 mm

### 4.7 Frame clamps



- the quick clamping aid for gluing picture frames, small furniture, etc.
- tearproof nylon cord
- packaging: plastic bag on card

article no.	EAN	description	strap length
3417000	4006885...341708	1 cord clamp	2 m



- with clamping jaws suitable as frame clamp
- without clamping jaws suitable as normal tie down
- including: 4 clamping jaws
- packaging: blister on card

article no.	EAN	description	strap length
3441000	4006885...344105	1 ratchet belt clamp	4 m



- the ideal clamping aid for gluing picture frames, furniture, shelves and other workpieces
- tension infinitely adjustable via eccentric lever
- acme-threaded spindle for tight and secure re-tensioning
- extremely wear-resistant nylon strap
- including: 4 plastic vice jaws
- packaging: double blister

article no.	EAN	description	strap length
3416000	4006885...341609	1 belt clamp	4 m

## 4.7 Frame clamps



**The frame clamp with the practical one-hand operation - the second hand remains free for alignment!**



- with an automatically rolling out band - ideal for a fast initial clamping
- the ratchet mechanism enables you to clamp in stages - from loose to a powerful secure fixing
- objects securely gripped thanks to the elastic clamping jaws
- ergonomic 2-component handle
- including: 4 plastic vice jaws
- packaging: double blister

article no.	EAN 4006885...	description	strap length
3681000	...368101	1 one-hand frame clamp	5 m

## 4.8 Hook and loop strips



- ideal for the quick and simple fixing or bundling of cables
- packaging: paperboard card

article no.	EAN 4006885...	description	strap length
3007000	...300705	5 conexio S - hook and loop cable straps	0.25 m



The practical strips for quick fixing, bundling, fastening, ...

- packaging: paperboard card

article no.	EAN 4006885...	description	strap length
3008000	...300804	2 conexio M - hook and loop strips	0.6 m
3009000	...300903	2 conexio L - hook and loop strips	1.2 m

## 4.8 Hook and loop strips



- for the gentle fixing of plants indoors or outdoors
- for the individual cutting of lengths
- packaging: paperboard card

article no.	EAN	description	version	strap length
3285000	4006885... ...328501	1 re-closable tape	green, for gardening	5 m



- to sort and fix a thousand and one things in the house
- for the individual cutting of lengths
- packaging: paperboard card

article no.	EAN	description	version	strap length
3286000	4006885... ...328600	1 re-closable tape	black, for the household	5 m



- self-adhesive fastening tape for re-closing as often as you please
- ideal for do-it-yourselfers and decorators
  - for the individual cutting of lengths
  - packaging: paperboard card

article no.	EAN	description	version	strap length
3287000	4006885... ...328709	1 hook and loop strip	self-adhesive	1 m



- Strap for reclosing as often as you want
- ideal for do-it-yourselfers and decorators
  - to be sewn on or stapled
  - for the individual cutting of lengths
  - packaging: paperboard card

article no.	EAN	description	strap length
3288000	4006885... ...328808	1 hook and loop strip	1 m

## 4.9 Tensioning rubber bands



- versatile use for camping or biking, in the car or at home
- high-quality design
- plastic hooks with metal core, sturdy and protecting the material
- packaging: plastic bag on card

article no.	EAN 4006885...	description	strap length	miscellaneous
3290000	...329003	2 tensioning rubber bands	0.25 m	rope diameter: 8 mm
3291000	...329102	2 tensioning rubber bands	0.5 m	rope diameter: 8 mm
3292000	...329201	2 tensioning rubber bands	1 m	rope diameter: 8 mm



- packaging: plastic bag on card

article no.	EAN 4006885...	description	strap length
3293000	...329300	5 tensioning rubber bands	0.5 m



- for tensioning and fixing tarpaulins
- individual length setting (max. 60 cm)
- version: with ball and hooks
- packaging: plastic bag on card

article no.	EAN 4006885...	description	strap length
3294000	...329409	5 elastic straps	0.6 m



- for tensioning and fixing tarpaulins
- version: with ball and loop
- packaging: plastic bag on card

article no.	EAN 4006885...	description	strap length
3295000	...329508	10 elastic straps	0.15 m

## 4.10 Corner clamps



- fast and simple fixing of boards and frames at an angle of 90°, like assembling shelves, small cupboards or frames
- mounting aid for screwing or gluing boards together
- for corner and T-joints, even with different board thicknesses
- for boards with a thickness of 10 - 22 mm
- single-hand operation - the second hand is kept free for the workpiece
- packaging: fixed on card



article no.	EAN	description	
3051000	4006885... ...305106	2 ES 22 - corner clamps	



### For versatile and quick clamping - the "third hand" for every craftsman



- as clamping device for 90° corner joints, saw guide for 45° mitre cuts and workbench vice
- as assembly aid for the alignment and clamping of parts for nailing, welding or screwing
- packaging: fixed on card

article no.	EAN	description	clamping width	jaw width
3415000	4006885... ...341500	1 clamping mobile	65 mm	68 mm

# 4 CLAMPING TOOLS

## 4.11 Special clamping tools



- for fastening workpieces to the worktop
- for all workbenches with 20 mm bores in the worktop (fits all wolcraft tables)
- including upper clamping jaw - can also be used as a normal one-hand clamp
- packaging: fixed on card



article no.	EAN	description	clamping width	clamping pressure
3036000	4006885... ...303607	1 PRO 65-150-W - work table clamp	120 mm	90 kg



- for attaching edging strips or veneers
- for point clamping on a surface (e.g. profile of a cupboard door)
- accessory for all bar clamps (one-hand clamps or screw clamps) with max. 8 x 30 mm bar
- extends the application range of bar clamps
- packaging: fixed on card
- suitable for 3020000, 3021000, 3023000, 3030000, 3031000, 3032000, 3033000, 3034000, 3057000, 3058000, 3059000, 3456000, 3457000, 3605000, 3606000, 3607000, 3610000, 3611000, 3612000, 3620000, 3621000, 3622000, 3623000



article no.	EAN	description	clamping width	clamping pressure
3037000	4006885... ...303706	2 KS 24 - edge clamps	24 mm	30 kg





## 5.1 Dowel connections

### Dowel jointers



The universal and quick dowelling jig for corner, T-butt and edge-to-edge connections

- for 6, 8 and 10 mm dowel pins
- for board thicknesses from 12 - 30 mm
- packaging: double blister
- separate accessories: 2730000, 2731000, 2732000, 2733000, 2734000, 2905000, 2906000, 2907000, 2908000, 2909000, 2910000



article no.	EAN	description
4640000	4006885... ...464001	1 dowelmaster



- for drilling doweled connections, rows of boreholes in shelves & cupboards as well as hinges & fittings in furniture construction
- for the dowelling of boards with a length of up to 600 mm in one clamping position and a thickness of 12 - 40 mm
- with exchangeable drilling bushes of Ø 5, 6, 8 and 10 mm
- standardized bore pitch of 32 mm
- packaging: box
- separate accessories: 2730000, 2731000, 2732000, 2733000, 2734000, 2905000, 2906000, 2907000, 2908000, 2909000, 2910000



article no.	EAN	description
4650000	4006885... ...465008	1 dowelling jig

## 5.1 Dowel connections



**Simply clamp, drill and dowel the parts together - no measuring and marking**



- for 6, 8 and 10 mm dowel pins
- for board thicknesses from 12 - 30 mm
- for all types of dowel connections
- content:

1 wood dowel joiner 2 pcs.

1 dowel drill,  $\varnothing$  8 mm

1 depth stop,  $\varnothing$  8 mm

40 wood dowels,  $\varnothing$  8 mm

- packaging: double blister

- separate accessories: 2730000, 2731000, 2732000, 2733000, 2734000, 2905000, 2906000, 2907000, 2908000, 2909000, 2910000

article no.	EAN	description
3750000	...375000	1 universal dowelling set

## Wood dowels



- material: dried beech wood
- packaging: plastic bag on card
- suitable for 3750000, 4640000, 4650000



article no.	EAN	description	$\varnothing$	for	length
2905000	...290501	200 dowel pins	$\varnothing$ 6 mm	for board thicknesses from 12 - 14 mm	30 mm
2906000	...290600	50 dowel pins	$\varnothing$ 6 mm	for board thicknesses from 12 - 14 mm	30 mm
2907000	...290709	150 dowel pins	$\varnothing$ 8 mm	for board thicknesses from 15 - 18 mm	40 mm
2908000	...290808	40 dowel pins	$\varnothing$ 8 mm	for board thicknesses from 15 - 18 mm	40 mm
2909000	...290907	120 dowel pins	$\varnothing$ 10 mm	for board thicknesses from 19 - 30 mm	40 mm
2910000	...291003	30 dowel pins	$\varnothing$ 10 mm	for board thicknesses from 19 - 30 mm	40 mm

## 5.1 Dowel connections

### Dowel drills



- for wood, plywood, chipboards, fibre boards
- drill with precision-ground rough cutter and centering tip
- high durability
- depth of cut set by depth stop
- fixed easily and safely on the drill
- material: chromium-vanadium steel
- including: 1 depth stop zinc die-cast
- packaging: blister on card
- suitable for 3750000, 4640000, 4650000

article no.	EAN 4006885...	description	Ø
2734000	...273405	1 wood twist drill	Ø 5 mm
2731000	...273108	1 dowel drill	Ø 6 mm
2732000	...273207	1 dowel drill	Ø 8 mm
2733000	...273306	1 dowel drill	Ø 10 mm



- for wood, plywood, chipboards, fibre boards
- version: with centre point
- material: chromium-vanadium steel
- including: 3 depth stops, Ø 6, 8, 10 mm
- packaging: double card with inlaid blister
- suitable for 3750000, 4640000, 4650000

article no.	EAN 4006885...	description	Ø
2730000	...273009	3 dowel drills	Ø 6, 8, 10 mm

### Depth stops



- for all wood twist drills with Ø 6, 8, 10 mm
- packaging: blister on card

article no.	EAN 4006885...	description	Ø
2751000	...275102	3 depth stops	Ø 6, 8, 10 mm

## 5.1 Dowel connections



- for all drills with  $\varnothing$  6, 8, 10 mm
- precise setting of the borehole depth
- fixed easily and safely on the drill
- no tilting on the drill thanks to the new design
- material: zinc die-cast
- including: 1 hexagonal key
- packaging: blister on card

article no.	EAN	description	$\varnothing$
2755000	...275508	3 depth stops	$\varnothing$ 6, 8, 10 mm

### Centre points



- for exact marking of dowel holes
- packaging: blister on card

article no.	EAN	description	$\varnothing$	for
2911000	...291102	4 centre points	$\varnothing$ 6 mm	for board thicknesses from 12 - 14 mm
2912000	...291201	4 centre points	$\varnothing$ 8 mm	for board thicknesses from 15 - 18 mm
2913000	...291300	4 centre points	$\varnothing$ 10 mm	for board thicknesses from 19 - 30 mm

## 5.1 Dowel connections

### Assortments



#### The complete starter set

- for 6, 8 and 10 mm dowel pins
- for all common wood/ dowel connections, such as exact and stable corners, T-butts and surface-to-surface connections
- content:
  - 1 dowelmaster
  - 26 wood dowels,  $\varnothing$  6 mm
  - 22 wood dowels,  $\varnothing$  8 mm
  - 16 wood dowels,  $\varnothing$  10 mm
  - 3 wood drills,  $\varnothing$  6, 8, 10 mm
  - 6 centre points, each 2 pcs.  $\varnothing$  6, 8, 10 mm
  - 3 depth stops,  $\varnothing$  6, 8, 10 mm
  - 1 wood glue, 20 ml
- in plastic case
- packaging: sticker



article no.	EAN	description
4645000	4006885... ...464506	1 universal dowel kit



- for making dowel joints
- for exact marking of dowel holes
- for wood, plywood, chipboards, fibre boards
- drill with precision-ground rough cutter and centering tip
- depth of cut set by depth stop
- packaging: double card with inlaid blister



article no.	EAN	description	content
2916000	4006885... ...291607	1 dowel kit	4 centre points, $\varnothing$ 6 mm 1 dowel drill, $\varnothing$ 6 mm 1 depth stop, $\varnothing$ 6 mm 25 dowel pins, $\varnothing$ 6 mm
2917000	...291706	1 dowel kit	4 centre points, $\varnothing$ 8 mm 1 dowel drill, $\varnothing$ 8 mm 1 depth stop, $\varnothing$ 8 mm 22 dowel pins, $\varnothing$ 8 mm

## 5.1 Dowel connections



article no.	EAN	description	content
2918000	4006885... ...291805	1 dowel kit	4 centre points, ø 10 mm 1 dowel drill, ø 10 mm 1 depth stop, ø 10 mm 19 dowel pins, ø 10 mm

## 5.3 Biscuit joints

## Biscuit jointers



jointing biscuits



cutting of shadow joints

## The allrounder for wood processing

- machine: all types of one-hand angle grinders with M14 spindle thread and tapped bores for handles on either side (M6, M8, M10)
- wood joints with jointing biscuits
- cutting of shadow joints
- mitre cuts
- milling of battens
- including:
  - 1 groove saw TCT, ø 100 mm
  - 1 chip collection bag
- packaging: box
- separate accessories: 2921000, 2922000, 2923000, 2924000, 2949000



article no.	EAN	description	product dimensions	weight
2920000	4006885... ...292000	1 multi-wood jointer	135 x 140 x 400 mm	1.15 kg

## 5.3 Biscuit joints

### Jointing biscuits



- material: beech wood, compressed under high pressure
- packaging: plastic bag on card
- suitable for 2920000



article no.	EAN 4006885...	description	size	for	product dimensions
2921000	...292109	50 jointing biscuits	No. 0	for board thicknesses from 10 - 12 mm	45 x 15 x 4 mm
2949000	...294905	150 jointing biscuits	No. 10	for board thicknesses from 13 - 15 mm	55 x 19 x 4 mm
2922000	...292208	50 jointing biscuits	No. 10	for board thicknesses from 13 - 15 mm	55 x 19 x 4 mm
2923000	...292307	50 jointing biscuits	No. 20	for board thicknesses $\geq$ 16 mm	61 x 23 x 4 mm

### Replacement groove saws



- for all types of wood, chipboards
- material: tungsten carbide tipped
- packaging: paperboard card
- suitable for 2920000

article no.	EAN 4006885...	description	Ø	bore
2924000	...292406	1 replacement groove saw	Ø 100 mm	Ø 22.2 mm



Concealed screwed connection  
1 Undercover Jig set



With the "Undercover Jig", you drill precise holes in the workpiece...



...then you join the two workpieces with wood screws...



... and here are your precise and stable joints!



including screw-hole covers to conceal the drill holes



In 3 simple steps you can connect your workpieces fast, precisely and stable. You can drill accurate boreholes into the work piece with the Undercover Jig, join the two work pieces with screws thereafter and just have a precise and stable connection.



- corner connections
- T-butt connections
- edge-to-edge connections
- mitre connections
- measuring the board thickness with a built-in ruler
- pre-adjustment for all standard board thicknesses (min. 12 mm)
- content:
  - 1 Undercover Jig
  - 1 step drill, HSS,  $\varnothing$  9.5 mm, 180 mm
  - 1 depth stop,  $\varnothing$  9.5 mm
  - 1 hexagonal key, SW 3
  - 1 screwdriver blade, Pozidriv PZ 2, 150 mm
  - 8 screw-hole covers, dried beech wood
  - 8 wood screws, 4 x 25 mm
  - 8 wood screws, 4 x 30 mm
  - 8 wood screws, 4 x 40 mm
  - 8 wood screws, 4 x 60 mm
- in plastic case
- packaging: sticker
- separate accessories: 2928000, 2933000, 2939000

article no.	EAN	description
4642000	4006885... ...464209	1 Undercover Jig set

## 5.4 Screw joints

### Accessories



- material: dried beech wood
- packaging: blister on card
- suitable for 4642000



article no.	EAN	description	∅	length
2928000	4006885... ...292802	12 screw-hole covers	∅ 9.3 mm	46 mm



- material: HSS
- including: 1 depth stop
- packaging: plastic bag with inlay
- suitable for 4642000

article no.	EAN	description	∅	length
2933000	4006885... ...293304	1 step drill	∅ 9.5 mm	180 mm



- material: beech
- packaging: plastic bag on card
- suitable for 4642000



article no.	EAN	description	∅	length
2939000	4006885... ...293908	30 dowel pins	∅ 9.5 mm	40 mm

## 5.5 Wooden parts



- to cover screw heads
- to close knot holes
- material: pine wood
- packaging: plastic bag on card

article no.	EAN	description	∅
2940000	4006885... ...294004	50 wooden plugs	∅ 15 mm
2941000	...294103	40 wooden plugs	∅ 20 mm
2942000	...294202	20 wooden plugs	∅ 25 mm
2943000	...294301	10 wooden plugs	∅ 30 mm
2944000	...294400	10 wooden plugs	∅ 35 mm
2945000	...294509	8 wooden plugs	∅ 40 mm



- fast and precise shortening at a 45° and 90° angle
- material: aluminium
- including: 1 clamp
- packaging: sleeve

article no.	EAN	description	product dimensions
2228000	4006885... ...222809	1 mitre box	250 x 60 x 73 mm



- fast and precise shortening at a 45° and 90° angle
- material: aluminium
- packaging: bulk

article no.	EAN	description	product dimensions
2229000	4006885... ...222908	1 mitre box	250 x 80 x 50 mm

## 6.1 Jigsaw blades



## 6.1 Jigsaw blades

## Jigsaw blades

suitable for AEG, Bosch, Casals, DeWalt, Eltos, Elu, Festool, Flex, Hitachi, Holz-Her, KANGO, Kress, MAFELL, Makita, Metabo, PERLES, Peugeot, Skil, Stayer

## for wood/plastic working



- material: HCS
- tooth form: straight-set and ground
- tooth distance: 4 mm
- toothed length: 75 mm
- total length: 100 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
3545000	4006885... ...354500	2 jigsaw blades	T-shank	50 mm	rough curved cuts	soft wood, chipboards, wood core chipboards



- material: HCS
- tooth form: conical back
- tooth distance: 4 mm
- toothed length: 75 mm
- total length: 100 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
2382000	4006885... ...238206	2 jigsaw blades	T-shank	45 mm	fast, rough cuts	soft wood, chipboards, wood core chipboards, MDF



- material: HCS
- tooth form: conical back
- tooth distance: 2 - 3 mm
- toothed length: 93 mm
- total length: 116 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
3543000	4006885... ...354302	2 jigsaw blades	T-shank	65 mm	quick, clean cuts	soft wood, chipboards, wood core chipboards, MDF, wooden beams

## 6.1 Jigsaw blades




- material: HCS
- tooth form: form-ground and milled
- tooth distance: 2 mm
- toothed length: 50 mm
- total length: 76 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
2313000	4006885... ...231306	2 jigsaw blades	T-shank	20 mm	fine curved cuts	soft wood, chipboards, wood core chipboards, plastic materials



- material: HCS
- tooth form: straight-set and milled
- tooth distance: 3 mm
- toothed length: 75 mm
- total length: 100 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for	in
2311000	4006885... ...231108	2 jigsaw blades	T-shank	50 mm	fast, rough cuts	hardwood, chipboards, wood core chipboards, plastic materials	
2361000	...236103	5 jigsaw blades	T-shank	50 mm	fast, rough cuts	hardwood, chipboards, wood core chipboards, plastic materials	storage box



- material: HCS
- tooth form: conical back
- tooth distance: 2,5 mm
- tooth version: opposed tooth position
- toothed length: 75 mm
- total length: 100 mm
- used without a pendulum stroke
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
3551000	4006885... ...355101	2 jigsaw blades	T-shank	30 mm	fine, clean cuts	soft wood, chipboards, MDF, plastic coated chipboards, laminate

## 6.1 Jigsaw blades



- material: HCS
- tooth form: conical back
- tooth distance: 2,5 mm
- toothed length: 75 mm
- total length: 100 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
2381000	4006885... ...238107	2 jigsaw blades	T-shank	30 mm	clean cuts	soft wood, chipboards, MDF, laminate, plastic materials



- material: HCS
- tooth form: straight-set and milled
- tooth distance: 4 mm
- toothed length: 75 mm
- total length: 100 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for	in
2310000	4006885... ...231009	2 jigsaw blades	T-shank	50 mm	fast, very rough cuts	hardwood, plywood, wooden beams	
2360000	...236004	5 jigsaw blades	T-shank	50 mm	fast, very rough cuts	hardwood, plywood, wooden beams	storage box



- special blade for narrow curves
- material: HCS
- tooth form: conical back
- tooth distance: 2,5 mm
- tooth version: back toothed
- toothed length: 40, 75 mm
- total length: 100 mm
- packaging: double card




article no.	EAN	description	shank	cutting depth	quality of cut	for
3546000	4006885... ...354609	2 jigsaw blades	T-shank	30 mm	fine curved cuts	soft wood, wood core chipboards, plastic coated chipboards, plastic material, parquet

## 6.1 Jigsaw blades




- material: HCS
- tooth form: straight-set and ground
- tooth distance: 4 mm
- toothed length: 75 mm
- total length: 100 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
2380000	4006885... ...238008	2 jigsaw blades	T-shank	50 mm	fast, rough cuts	hardwood, plywood, MDF, plastic coated chipboards




- material: HCS
- tooth form: conical back
- tooth distance: 1,35 mm
- toothed length: 50 mm
- total length: 75 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for	in
2383000	4006885... ...238305	2 jigsaw blades	T-shank	20 mm	clean, fine curved cuts	plywood, wood core chipboards, plastic coated chipboards, laminate, parquet	
2393000	...239302	5 jigsaw blades	T-shank	20 mm	clean, fine curved cuts	plywood, wood core chipboards, plastic coated chipboards, laminate, parquet	storage box



- material: HCS
- tooth form: conical back
- tooth distance: 3 mm
- toothed length: 90 mm
- total length: 115 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
3547000	4006885... ...354708	2 jigsaw blades	T-shank	65 mm	quick, clean cuts	wood core chipboards, MDF, wooden beams, kitchen worktops




## 6.1 Jigsaw blades



- thanks to the specific tooth geometry very clean cuts on the top and bottom side of the workpiece
- material: HCS
- tooth form: conical back
- tooth distance: 1,65 mm
- toothed length: 75 mm
- total length: 100 mm
- packaging: blister on card

article no.	EAN	description	shank	cutting depth	quality of cut	for
2379000	4006885... ...237902	3 jigsaw blades	T-shank	25 mm	clean, straight cuts	plastic coated chipboards, laminate, parquet
				25 mm	fine curved cuts	plastic coated chipboards, laminate, parquet



- material: HSS
- tooth form: conical back
- tooth distance: 2,5 mm
- toothed length: 75 mm
- total length: 100 mm
- packaging: double card

article no.	EAN	description	shank	cutting depth	quality of cut	for	in
2315000	4006885... ...231504	2 jigsaw blades	T-shank	40 mm	fine, clean cuts	terrace wood, plywood, kitchen worktops, parquet, plastic materials	
2365000	...236509	5 jigsaw blades	T-shank	40 mm	fine, clean cuts	terrace wood, plywood, kitchen worktops, parquet, plastic materials	storage box



- material: BiM
- tooth form: conical back
- tooth distance: 2,5 mm
- toothed length: 75 mm
- total length: 100 mm
- packaging: double card

article no.	EAN	description	shank	cutting depth	quality of cut	for
2385000	4006885... ...238503	2 jigsaw blades	T-shank	30 mm	fine, clean cuts	hardwood, wood with nails, plywood, plastic coated chipboards, laminate

## 6.1 Jigsaw blades



- material: BiM
- tooth form: conical back
- tooth distance: 1,65 mm
- tooth version: pointed teeth
- toothed length: 75 mm
- total length: 100 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
3561000	4006885... ...356108	2 jigsaw blades	T-shank	30 mm	clean, fine cuts on both sides of the material	plastic coated chipboards, laminate, plastic materials, MDF, parquet



- packaging: double card




article no.	EAN	description	shank	for	cutting depth	quality of cut
2383100	4006885... ...238312	5 jigsaw blades	T-shank	hardwood, wood with nails, plywood, wood core chipboards, plastic coated chipboards, laminate, parquet	20	fine curved cuts
					30	fine, clean cuts

## for metal working



- material: HSS
- tooth form: form-ground and milled
- tooth distance: 1,2 mm
- toothed length: 50 mm
- total length: 75 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
2318000	4006885... ...231801	2 jigsaw blades	T-shank	1 - 3 mm	fine cuts	sheet steel, non-ferrous metals

## 6.1 Jigsaw blades




- material: HSS
- tooth form: form-ground and milled
- tooth distance: 1,2 mm
- toothed length: 110 mm
- total length: 130 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
3549000	4006885... ...354906	2 jigsaw blades	T-shank	1 - 3 mm	fine cuts	sheet steel, non-ferrous metals, aluminium



- material: HSS
- tooth form: form-ground and milled
- tooth distance: 2 mm
- toothed length: 50 mm
- total length: 75 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for	in
2317000	4006885... ...231702	2 jigsaw blades	T-shank	3 - 6 mm	fine cuts	sheet steel, aluminium	
2367000	...236707	5 jigsaw blades	T-shank	3 - 6 mm	fine cuts	sheet steel, aluminium	storage box



- heavy-duty saw blade
- material: BiM
- tooth form: form-ground and milled
- tooth distance: 1,2 mm
- toothed length: 50 mm
- total length: 75 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
2388000	4006885... ...238800	2 jigsaw blades	T-shank	1 - 3 mm	fine cuts	sheet steel, non-ferrous metals, Inox

## 6.1 Jigsaw blades

### Universal blades



- material: BiM
- tooth form: straight-set and milled
- tooth distance: 1,8 mm, 2,5 mm
- tooth version: vario-toothing
- toothed length: 110 mm
- total length: 130 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
3554000	4006885... ...355408	2 jigsaw blades	T-shank	65 mm 3 - 6 mm	rough cuts rough cuts	soft wood, wood with nails, plastic materials sheet steel



- material: BiM
- tooth form: straight-set and milled
- tooth distance: 2 mm, 4 mm
- toothed length: 110 mm
- total length: 130 mm
- packaging: double card




article no.	EAN	description	shank	cutting depth	quality of cut	for
3555000	4006885... ...355507	2 jigsaw blades	T-shank	65 mm 3 - 10 mm	fast, rough cuts fast, rough cuts	hardwood, wood with nails, wooden beams, plastic materials non-ferrous metals

### Special jigsaw blades



- material: tungsten carbide tipped
- tooth distance: 4,3 mm
- toothed length: 105 mm
- total length: 132 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
2384000	4006885... ...238404	1 jigsaw blade	T-shank	80 mm	fast, rough cuts	plastic materials, aerated concrete, gypsum plaster boards

## 6.1 Jigsaw blades



- material: tungsten carbide coated
- toothed length: 51 mm
- total length: 76 mm
- packaging: double card

article no.	EAN	description	shank	cutting depth	quality of cut	for
2319000	4006885... ...231900	1 jigsaw blade	T-shank	15 mm	rough cuts	tiles

### Assortments



#### The starter box for all do-it-yourselfers




- comfortable removal of individual blades at the push of the button
- free view of the blades thanks to a highly transparent plastic cover
- content: 10 jigsaw blades
- in storage box
- packaging: double blister on card

article no.	EAN	description	shank	material	cutting depth	quality of cut	for
3559000	4006885... ...355903	1 jigsaw blade box	T-shank	HCS	50 mm	very rough cuts	hardwood, plywood, wooden beams
				HCS	50 mm	fast, rough cuts	hardwood, chipboards, plastic materials
				HCS	20 mm	fine curved cuts	soft wood, wood core chipboards, plastic materials
				HCS	30 mm	fine cuts	soft wood, chipboards, laminate
				HSS	1 - 3 mm	fine cuts	sheet steel, non-ferrous metals

# 6 POWER TOOL ACCESSORIES

## 6.1 Jigsaw blades



- in plastic cassette
- packaging: sticker



article no.	EAN	description	shank	material	cutting depth	quality of cut	for
2358000	4006885... ...235809	10 jigsaw blades	T-shank	HCS	50 mm	very rough cuts	hardwood, plywood, wooden beams
				HCS	50 mm	fast, rough cuts	hardwood, chipboards, plastic materials
				HCS	20 mm	fine curved cuts	soft wood, chipboards, plastic materials
				HCS	30 mm	fine cuts	laminate, chipboards, plastic materials
				HSS	3 - 6 mm	fine cuts	sheet steel, aluminium
				HSS	1 - 3 mm	fine cuts	sheet steel, non-ferrous metals



- inclusive (gratis) 1 pocket knife
- in 2-component plastic box with lid



article no.	EAN	description	shank	material	cutting depth	quality of cut	for
2377000	4006885... ...237704	11 jigsaw blades + 1 pocket knife	T-shank	HCS	80	fast, rough cuts	wooden beams, hard and soft wood
				HCS	40	medium-coarse cuts	soft wood, chipboards, plastic material
				HCS	30	fine cuts	soft wood, chipboards, laminate
				HCS	25	fine cuts	laminate
				HCS	15	curved cuts	soft wood, chipboards
				HSS	1 - 3	fine cuts	sheet steel, non-ferrous metals

## 6.1 Jigsaw blades



- packaging: plastic bag on card



article no.	EAN	description	shank	cutting depth	quality of cut	for
8430000	4006885... ...843004	10 jigsaw blades	T-shank	15 mm	curved cuts	soft wood
				30 mm	fine cuts	soft wood
				40 mm	rough cuts	soft wood
				50 mm	very rough cuts	soft wood



- in 2-component plastic box with lid



article no.	EAN	description	shank	material	cutting depth	quality of cut	for
8630000	4006885... ...863002	1 jigsaw blade box	T-shank	HCS	65 mm	very rough cuts	soft wood, plywood, wooden beams
				HCS	50 mm	fast, rough cuts	soft wood, chipboards, plastic materials
				HCS	20 mm	fine curved cuts	soft wood, chipboards, plastic materials
				HCS	30 mm	fine cuts	soft wood, plastic coated chipboards, plastic materials
				HSS	3 - 6 mm	fine cuts	sheet steel, non-ferrous metals, aluminium
				HSS	1 - 3 mm	fine cuts	sheet steel, non-ferrous metals

## 6.1 Jigsaw blades

### Jigsaw blades

suitable for Black & Decker, Einhell, HAAGER, RYOBI, Skil, Stayer

### for wood/plastic working



- material: HCS
- tooth form: straight-set and ground
- tooth distance: 4 mm
- toothed length: 75 mm
- total length: 100 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
3550000	4006885... ...355002	2 jigsaw blades	U-shank	50 mm	fine curved cuts	soft wood, chipboards, wood core chipboards



- material: HCS
- tooth form: conical back
- tooth distance: 4 mm
- toothed length: 81 mm
- total length: 100 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
2372000	4006885... ...237209	2 jigsaw blades	U-shank	45 mm	fast, rough cuts	soft wood, chipboards, wood core chipboards, MDF



- material: HCS
- tooth form: conical back
- tooth distance: 2 - 3 mm
- toothed length: 93 mm
- total length: 116 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
3548000	4006885... ...354807	2 jigsaw blades	U-shank	65 mm	quick, clean cuts	soft wood, chipboards, wood core chipboards, MDF, wooden beams



## 6.1 Jigsaw blades



- material: HCS
- tooth form: form-ground and milled
- tooth distance: 2 mm
- toothed length: 50 mm
- total length: 70 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
2303000	4006885... ...230309	2 jigsaw blades	U-shank	20 mm	fine curved cuts	soft wood, chipboards, wood core chipboards, plastic materials



- material: HCS
- tooth form: straight-set and milled
- tooth distance: 3 mm
- toothed length: 75 mm
- total length: 100 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for	in
2301000	4006885... ...230101	2 jigsaw blades	U-shank	50 mm	rough cuts	hardwood, chipboards, wood core chipboards, plastic materials	
2351000	...235106	5 jigsaw blades	U-shank	50 mm	rough cuts	hardwood, chipboards, wood core chipboards, plastic materials	storage box



- material: HCS
- tooth form: conical back
- tooth distance: 2 mm
- tooth version: opposed tooth position
- toothed length: 75 mm
- total length: 100 mm
- used without a pendulum stroke
- packaging: double card




article no.	EAN	description	shank	cutting depth	quality of cut	for
3541000	4006885... ...354104	2 jigsaw blades	U-shank	30 mm	fine, clean cuts	soft wood, chipboards, MDF, plastic coated chipboards, laminate

## 6.1 Jigsaw blades




- material: HCS
- tooth form: conical back
- tooth distance: 2,5 mm
- toothed length: 81 mm
- total length: 100 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
2371000	4006885... ...237100	2 jigsaw blades	U-shank	30 mm	clean cuts	soft wood, chipboards, MDF, laminate, plastic materials




- material: HCS
- tooth form: straight-set and ground
- tooth distance: 4 mm
- toothed length: 61 mm
- total length: 80 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for	in
2300000	4006885... ...230002	2 jigsaw blades	U-shank	35 mm	very rough cuts	hardwood, plywood, wooden beams	
2350000	...235007	5 jigsaw blades	U-shank	35 mm	very rough cuts	hardwood, plywood, wooden beams	storage box



- special blade for narrow curves
- material: HCS
- tooth form: conical back
- tooth distance: 2,5 mm
- tooth version: back toothed
- toothed length: 40, 75 mm
- total length: 100 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
3536000	4006885... ...353602	2 jigsaw blades	U-shank	30 mm	fine curved cuts	soft wood, wood core chipboards, plastic coated chipboards, parquet, plastic material

## 6.1 Jigsaw blades




- material: HCS
- tooth form: straight-set and ground
- tooth distance: 4 mm
- toothed length: 81 mm
- total length: 100 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
2370000	4006885... ...237001	2 jigsaw blades	U-shank	50 mm	fast, rough cuts	hardwood, plywood, MDF, plastic coated chipboards



- material: HCS
- tooth form: conical back
- tooth distance: 2 mm
- toothed length: 61 mm
- total length: 80 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for	in
2305000	4006885... ...230507	2 jigsaw blades	U-shank	20 mm	fine, clean cuts	hardwood, plywood, parquet, plastic materials	
2355000	...235502	5 jigsaw blades	U-shank	20 mm	fine, clean cuts	hardwood, plywood, parquet, plastic materials	storage box



- material: HCS
- tooth form: conical back
- tooth distance: 1,35 mm
- toothed length: 52 mm
- total length: 70 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
2373000	4006885... ...237308	2 jigsaw blades	U-shank	20 mm	clean curved cuts	plywood, wood core chipboards, plastic coated chipboards, laminate, parquet

## 6.1 Jigsaw blades



- material: HCS
- tooth form: conical back
- tooth distance: 3 mm
- toothed length: 90 mm
- total length: 115 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
3537000	4006885... ...353701	2 jigsaw blades	U-shank	65 mm	quick, clean cuts	wood core chipboards, MDF, wooden beams, kitchen worktops



- material: HCS
- tooth form: conical back
- tooth distance: 1,65 mm
- toothed length: 75 mm
- total length: 100 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
2674000	4006885... ...267404	3 jigsaw blades	U-shank	25 mm	clean, straight cuts	plastic coated chipboards, laminate, parquet
				25 mm	fine curved cuts	plastic coated chipboards, laminate, parquet



- material: BiM
- tooth form: conical back
- tooth distance: 2,5 mm
- toothed length: 81 mm
- total length: 100 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
2375000	4006885... ...237506	2 jigsaw blades	U-shank	30 mm	fine, clean cuts	hardwood, wood with nails, plywood, plastic coated chipboards, laminate

## 6.1 Jigsaw blades

## for metal working




- material: HSS
- tooth form: form-ground and milled
- tooth distance: 1,2 mm
- toothed length: 110 mm
- total length: 130 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
3538000	4006885...353800	2 jigsaw blades	U-shank	1 - 3 mm	fine cuts	sheet steel, non-ferrous metals, aluminium



- material: HSS
- tooth form: form-ground and milled
- tooth distance: 1,2 mm
- toothed length: 52 mm
- total length: 70 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
2308000	4006885...230804	2 jigsaw blades	U-shank	1 - 3 mm	fine cuts	sheet steel, non-ferrous metals



- material: HSS
- tooth form: form-ground and milled
- tooth distance: 2 mm
- toothed length: 52 mm
- total length: 70 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
2376000	4006885...237605	2 jigsaw blades	U-shank	3 - 6 mm	fine cuts	sheet steel, aluminium



- material: HSS
- tooth form: straight-set and milled
- tooth distance: 3 mm
- toothed length: 61 mm
- total length: 80 mm
- packaging: double card




article no.	EAN	description	shank	cutting depth	quality of cut	for
2307000	4006885...230705	2 jigsaw blades	U-shank	3 - 10 mm	rough cuts	sheet steel, aluminium

## 6.1 Jigsaw blades



- heavy-duty saw blade
- material: BiM
- tooth form: form-ground and milled
- tooth distance: 1,2 mm
- toothed length: 52 mm
- total length: 70 mm
- packaging: double card




article no.	EAN	description	shank	cutting depth	quality of cut	for
2378000	4006885... ...237803	2 jigsaw blades	U-shank	1 - 3 mm	fine cuts	sheet steel, non-ferrous metals, Inox

## Universal blades



- material: BiM
- tooth form: straight-set and milled
- tooth distance: 1,8 mm, 2,5 mm
- tooth version: vario-toothing
- toothed length: 110 mm
- total length: 130 mm
- packaging: double card




article no.	EAN	description	shank	cutting depth	quality of cut	for
3544000	4006885... ...354401	2 jigsaw blades	U-shank	65 mm	rough cuts	soft wood, wood with nails, plastic materials
				3 - 6 mm	rough cuts	sheet steel

## Special jigsaw blades



- material: TCT
- tooth version: tungsten carbide coated
- toothed length: 51 mm
- total length: 70 mm
- packaging: double card



article no.	EAN	description	shank	cutting depth	quality of cut	for
2309000	4006885... ...230903	1 jigsaw blade	U-shank	15 mm	rough cuts	tiles

# 6.1 Jigsaw blades

## Assortments



### The starter box for all do-it-yourselfers



- comfortable removal of individual blades at the push of the button
- free view of the blades thanks to a highly transparent plastic cover
- content: 10 jigsaw blades
- in storage box
- packaging: double blister on card

article no.	EAN 4006885...	description	shank	material	cutting depth	quality of cut	for
3560000	...356009	1 jigsaw blade box	U-shank	HCS	35 mm	very rough cuts	hardwood, plywood, wooden beams
				HCS	50 mm	rough cuts	hardwood, chipboards, plastic materials
				HCS	20 mm	fine curved cuts	soft wood, chipboards, plastic materials
				HCS	30 mm	clean cuts	soft wood, chipboards, MDF, laminate, plastic materials
				HSS	1 - 3 mm	fine cuts	sheet steel, non-ferrous metals



- in plastic cassette
- packaging: sticker



article no.	EAN 4006885...	description	shank	material	cutting depth	quality of cut	for
2356000	...235601	10 jigsaw blades	U-shank	HCS	35 mm	very rough cuts	hardwood, plywood, wooden beams
				HCS	50 mm	rough cuts	hardwood, chipboards, plastic materials
				HCS	20 mm	fine curved cuts	soft wood, chipboards, plastic materials
				HCS	20 mm	fine cuts	soft wood, hardwood, plastic materials, parquet
				HSS	3 - 10 mm	rough cuts	sheet steel, aluminium
				HSS	1 - 3 mm	fine cuts	sheet steel, non-ferrous metals

# 6 POWER TOOL ACCESSORIES

## 6.1 Jigsaw blades




- packaging: plastic bag on card



article no.	EAN	description	shank	cutting depth	quality of cut	for
8440000	4006885... ...844001	10 jigsaw blades	U-shank	15 mm	fine curved cuts	soft wood
				30 mm	fine cuts	soft wood
				40 mm	rough cuts	soft wood
				50 mm	very rough cuts	soft wood



- in 2-component plastic box with lid



article no.	EAN	description	shank	material	cutting depth	quality of cut	for
8631000	4006885... ...863101	1 jigsaw blade box	U-shank	HCS	50 mm	very rough cuts	soft wood, plywood, wooden beams
				HCS	50 mm	rough cuts	soft wood, chipboards, plastic materials
				HCS	20 mm	curved cuts	soft wood, chipboards, plastic materials
				HCS	30 mm	fine cuts	soft wood, plastic coated chipboards, plastic materials
				HSS	3 - 6 mm	fine cuts	sheet steel, non-ferrous metals, aluminium
				HSS	1 - 3 mm	fine cuts	sheet steel, non-ferrous metals



## 6.1 Jigsaw blades

## Jigsaw blades

suitable for Peugeot

## for wood/plastic working



- material: HCS
- tooth form: conical back
- tooth distance: 2,5 mm
- toothed length: 75 mm
- total length: 100 mm
- packaging: double card




article no.	EAN	description	shank	cutting depth	quality of cut	for
2345000	4006885... ...234505	2 jigsaw blades	PG-shank	30 mm	clean cuts	soft wood, chipboards, MDF, laminate, plastic materials

## Sabre saw blades for electric handsaw

suitable for AEG, Black &amp; Decker, Bosch, Elu, Flex, Hitachi, Makita, Metabo, Rockwell, Skil

## for wood/plastic working




- material: CV
- tooth form: straight-set and ground
- tooth distance: 4,2 mm
- toothed length: 130 mm
- total length: 150 mm
- used with a pendulum stroke
- packaging: plastic bag with inlay




article no.	EAN	description	cutting depth	quality of cut	for
2290000	4006885... ...229006	2 sabre saw blades	10 - 100 mm	quick, fine curved cuts	soft wood, wooden beams, plastic materials

## 6.1 Jigsaw blades




- material: CV
- tooth form: straight-set and ground
- tooth distance: 8,5 mm
- tooth version: extra sharp toothing
- toothed length: 218 mm
- total length: 240 mm
- used with a pendulum stroke
- packaging: plastic bag with inlay



article no.	EAN	description	cutting depth	quality of cut	for
2289000	4006885... ...228900	2 sabre saw blades	20 - 190 mm	fast, very rough cuts	soft wood, tree cutting




- material: CV
- tooth form: straight-set and milled
- tooth distance: 4,2 mm
- toothed length: 280 mm
- total length: 300 mm
- packaging: plastic bag with inlay



article no.	EAN	description	cutting depth	quality of cut	for
2296000	4006885... ...229600	2 sabre saw blades	10 - 250 mm	quick, fine cuts	soft wood, plastic materials, aerated concrete



- especially for curved cuts
- material: CV
- tooth form: straight-set and ground
- tooth distance: 4,2 mm
- toothed length: 130 mm
- total length: 150 mm
- used with a pendulum stroke
- packaging: plastic bag with inlay



article no.	EAN	description	cutting depth	quality of cut	for
3566000	4006885... ...356603	2 sabre saw blades	10 - 100 mm	quick, fine curved cuts	chipboards, plywood, plastic materials