

6.4 Abrasives



- for sanding and polishing discs without shank
- version: with washers and clamping nuts
- packaging: blister on card

article no.	EAN 4006885...	description	Ø	shank	bore	suitable for
2116000	...211605	1 mandrel	Ø 10 mm	Ø 6 mm	Ø 10 mm	2098000, 2120000, 2130000, 2132000
2117000	...211704	1 mandrel	Ø 13 mm	Ø 8 mm	Ø 13 mm	
2139000	...213906	1 mandrel	Ø 13 mm	Ø 8 mm	Ø 13, 22.2 mm	2146000

Assortments



- content:
1 felt buffing wheel, Ø 85 mm
1 felt buffing wheel, Ø 85 mm
2 polishing pastes
1 mandrel
- packaging: blister on card

article no.	EAN 4006885...	description
2178000	...217805	1 hobby polishing set



- content:
1 felt buffing wheel, Ø 85 mm
1 sisal knurled brush, Ø 85 mm
2 polishing pastes
1 mandrel
- packaging: blister on card

article no.	EAN 4006885...	description
2179000	...217904	1 professional polishing set

Mounted stones



- for metals, glass, ceramics, plastic materials
- material: aluminium oxide
- packaging: blister on card

article no.	EAN 4006885...	description	Ø	form	height of grinding tool	shank
2170000	...217003	1 mounted stone	Ø 25 mm	spherical	25 mm	Ø 6 mm



6.4 Abrasives



article no.	EAN 4006885...	description	∅	form	height of grinding tool	shank
2171000	...217102	1 mounted stone	∅ 12 mm	cylindrical	22 mm	∅ 6 mm
2172000	...217201	1 mounted stone	∅ 25 mm	cylindrical	15 mm	∅ 6 mm
2173000	...217300	1 mounted stone	∅ 10 - 20 mm	conical	30 mm	∅ 6 mm
2174000	...217409	1 mounted stone	∅ 20 mm	cyllindric-conical	30 mm	∅ 6 mm
2144000	...214408	5 mounted stones	∅ 25 mm	spherical	25 mm	∅ 6 mm
			∅ 12 mm	cylindrical	22 mm	
			∅ 25 mm	cylindrical	15 mm	
			∅ 10 - 20 mm	conical	30 mm	
			∅ 20 mm	cyllindric-conical	30 mm	



- for metals, glass, ceramics, plastic materials
- material: aluminium oxide
- packaging: blister on card

article no.	EAN 4006885...	description	∅	form	height of grinding tool	shank
2142000	...214200	5 mounted stones	∅ 14 mm	cylindrical	15 mm	∅ 3 mm
			∅ 16 mm	conical	20 mm	
			∅ 13 mm	cyllindric-conical	16 mm	
			∅ 10 mm	conical curved	14 mm	
			∅ 16 mm	cylindrical	8 mm	



- all sharpening and grinding work
- material: corundum
- bore ∅ 10 mm
- packaging: blister on card
- separate accessories: 2116000

article no.	EAN 4006885...	description	∅	grain	height of grinding tool
2120000	...212008	1 grinding wheel	∅ 75 mm	60	10 mm



- version: with grinding rest
- packaging: blister on card

article no.	EAN 4006885...	description	∅	shank
2140000	...214002	1 knife and scissor sharpener	∅ 60 mm	∅ 6 mm

6.4 Abrasives



- for sharpening of chains for saw chains
- max. 12,000 RPM
- packaging: blister on card
- complementary products: 5121000

article no.	EAN	description	Ø	height of grinding tool	shank
2175000	4006885... ...217508	3 mounted points	Ø 4, 4.8, 5.5 mm	12 mm	Ø 2.3 mm



- for smoothing of grinding wheels
- packaging: blister on card

article no.	EAN	description
4105000	4006885... ...410503	1 grinding wheel dresser

6.5 Brushes



6.5 Brushes

Power drills

Steel wire brushes



- machine: power drills
- for de-rusting and cleaning
- for the preparation of soldering and welding jobs
- for metals, stone
- material: steel wire

article no.	EAN 4006885...	description	Ø	shank	wire fill width	version	packaging
2709000	...270909	1 wire wheel brush	Ø 38 mm	Ø 6 mm	6 mm	wavy	blister on card
2710000	...271005	1 wire wheel brush	Ø 50 mm	Ø 6 mm	12 mm	wavy	blister on card
2119000	...211902	1 wire wheel brush	Ø 70 mm	Ø 6 mm	8 mm	twisted	blister on card
2100000	...210004	1 wire wheel brush	Ø 75 mm	Ø 6 mm	10 mm	wavy	blister on card
8470000	...847002	1 wire wheel brush	Ø 75 mm	Ø 6 mm	10 mm	wavy	bulk
2101000	...210103	1 wire wheel brush	Ø 75 mm	Ø 6 mm	20 mm	wavy	blister on card
2102000	...210202	1 wire wheel brush	Ø 100 mm	Ø 6 mm	10 mm	wavy	blister on card
2103000	...210301	1 wire wheel brush	Ø 100 mm	Ø 6 mm	20 mm	wavy	blister on card



- machine: power drills
- for de-rusting and cleaning
- for the preparation of soldering and welding jobs
- for metals, stone
- material: steel wire

article no.	EAN 4006885...	description	Ø	shank	version	packaging
2106000	...210608	1 wire cup brush	Ø 50 mm	Ø 6 mm	wavy	blister on card
2704000	...270404	1 wire cup brush	Ø 65 mm	Ø 6 mm	twisted	blister on card
2108000	...210806	1 wire cup brush	Ø 75 mm	Ø 6 mm	wavy	blister on card
8473000	...847309	1 wire cup brush	Ø 75 mm	Ø 6 mm	wavy	bulk
2109000	...210905	1 wire cup brush	Ø 80 mm	Ø 6 mm	wavy	blister on card



- machine: power drills
- ideal for interior piping or large holes
- for de-rusting and cleaning
- for the preparation of soldering and welding jobs
- for metals, stone
- material: steel wire
- packaging: blister on card

article no.	EAN 4006885...	description	Ø	shank	wire fill width	length
2127000	...212701	1 wire spiral brush	Ø 20 mm	Ø 8 mm	55 mm	200 mm
2104000	...210400	1 wire spiral brush	Ø 28 mm	Ø 6 mm	60 mm	90 mm
2128000	...212800	1 wire spiral brush	Ø 38 mm	Ø 8 mm	55 mm	200 mm

6.5 Brushes



- machine: power drills
- ideal for interior piping or large holes
- article no. 2126000: for de-rusting and cleaning
- article no. 2712000: for deburring work
- for metals, stone
- material: steel wire
- packaging: blister on card

article no.	EAN 4006885...	description	∅	shank	version
2126000	...212602	1 wire end brush	∅ 25 mm	∅ 6 mm	wavy
2712000	...271203	1 wire end brush	∅ 50 mm	∅ 6 mm	expanded



- machine: power drills
- for flexible shafts and mini power drills
- material: steel wire
- content:
 - 1 wheel mini brush, ∅ 15 mm
 - 1 cup mini brush, ∅ 25 mm
 - 1 wire end mini brush, ∅ 10 mm
- packaging: blister on card

article no.	EAN 4006885...	description	shank
2114000	...211407	1 mini brush set	∅ 2.3 mm



- machine: power drills
- for de-rusting and cleaning
- for the preparation of soldering and welding jobs
- for metals, stone
- material: steel wire
- content:
 - 1 wire wheel brush, ∅ 75 x 10 mm
 - 1 wire cup brush, ∅ 75 mm
 - 1 wire spiral brush, ∅ 28 x 60 x 90 mm
 - 1 wire end brush, ∅ 25 mm
- packaging: blister on card

article no.	EAN 4006885...	description	shank
2133000	...213302	1 wire brush set	∅ 6 mm

6.5 Brushes

Brass wire brushes



- machine: power drills
- for all fine grinding and polishing jobs
- material: brass wire
- packaging: blister on card

article no.	EAN 4006885...	description	∅	shank	wire fill width
2110000	...211001	1 wire wheel brush	∅ 75 mm	∅ 6 mm	10 mm



- machine: power drills
- for all fine grinding and polishing jobs
- material: brass wire
- packaging: blister on card

article no.	EAN 4006885...	description	∅	shank
2112000	...211209	1 wire cup brush	∅ 50 mm	∅ 6 mm



- machine: power drills
- for all fine grinding and polishing jobs
- for structuring wood
- material: brass coated wire
- packaging: blister on card

article no.	EAN 4006885...	description	∅	shank	wire fill width
2265000	...226500	1 wood grain brush	∅ 80 mm	∅ 8 mm	40 mm

Nylon brushes



- machine: power drills
- for cleaning, de-rusting, polishing
- for wood, metals, stone
- a considerably longer service life than any wire brushes
- aggressive thanks to its coarse-grain nylon wires
- material: nylon wire
- packaging: fixed on card

article no.	EAN 4006885...	description	∅	shank	wire fill width
1500000	...150003	1 nylon wheel brush	∅ 75 mm	∅ 6 mm	10 mm
1502000	...150201	1 nylon wheel brush	∅ 100 mm	∅ 6 mm	10 mm

6 POWER TOOL ACCESSORIES

6.5 Brushes



- machine: power drills
- for cleaning, de-rusting, polishing
- for wood, metals, stone
- a considerably longer service life than any wire brushes
- aggressive thanks to its coarse-grain nylon wires
- material: nylon wire
- packaging: fixed on card

article no.	EAN 4006885...	description	∅	shank
1505000	...150508	1 nylon cup brush	∅ 45 mm	∅ 6 mm
1506000	...150607	1 nylon cup brush	∅ 65 mm	∅ 6 mm



- machine: power drills
- for cleaning, de-rusting, polishing
- for wood, metals, stone
- a considerably longer service life than any wire brushes
- aggressive thanks to its coarse-grain nylon wires
- material: nylon wire
- packaging: fixed on card

article no.	EAN 4006885...	description	∅	shank
1510000	...151000	1 nylon end brush	∅ 22 mm	∅ 6 mm



- machine: power drills
- for cleaning, de-rusting, polishing
- for wood, metals, stone
- a considerably longer service life than any wire brushes
- aggressive thanks to its coarse-grain nylon wires
- material: nylon wire
- packaging: fixed on card

article no.	EAN 4006885...	description	∅	shank
1512000	...151208	1 nylon rotary flap wheel	∅ 100 mm	∅ 6 mm

6.5 Brushes



- machine: power drills
- for cleaning and gentle polishing
- for metals, wood, plastic materials
- non-aggressive thanks to its fine grain nylon wires
- material: nylon wire
- packaging: fixed on card

article no.	EAN 4006885...	description	∅	shank	wire fill width
2726000	...272606	1 nylon wheel brush	∅ 75 mm	∅ 6 mm	10 mm
2727000	...272705	1 nylon wheel brush	∅ 100 mm	∅ 6 mm	10 mm



- machine: power drills
- for cleaning and gentle polishing
- for metals, wood, plastic materials
- non-aggressive thanks to its fine grain nylon wires
- material: nylon wire
- packaging: fixed on card

article no.	EAN 4006885...	description	∅	shank
2728000	...272804	1 nylon cup brush	∅ 45 mm	∅ 6 mm
2729000	...272903	1 nylon cup brush	∅ 65 mm	∅ 6 mm

Stainless steel wire brushes



- machine: power drills
- for the preparation of soldering and welding jobs
- for de-rusting and cleaning
- for metals, stainless steel, stone
- durable and non-corrosive (does not leave any corrosive residuals on the treated workpiece)
- material: stainless steel wire
- packaging: blister on card

article no.	EAN 4006885...	description	∅	shank	wire fill width
2711000	...271104	1 stainless steel wire wheel brush	∅ 75 mm	∅ 6 mm	12 mm

6.5 Brushes

Special brushes



- machine: power drills
- for roughing suede, nubuck
- for polishing soft-wood furniture - removes wax polish carefully
- for cleaning profiled sections and wood
- for removing dust and fluff
- with soft bristles
- packaging: fixed on card

article no.	EAN 4006885...	description	Ø	shank
2713000	...271302	1 polishing brush	Ø 80 mm	Ø 6 mm

Angle grinders

Steel wire brushes



- machine: angle grinders
- for de-rusting and cleaning
- for the preparation of soldering and welding jobs
- for metals, stone
- material: steel wire
- packaging: blister on card

article no.	EAN 4006885...	description	Ø	thread	bore	wire fill width	version
2148000	...214804	1 wire wheel brush	Ø 115 mm		Ø 22.2 mm	15 mm	twisted
2149000	...214903	1 wire wheel brush	Ø 115 mm	M 14		15 mm	twisted



- machine: angle grinders
- for de-rusting and cleaning
- for the preparation of soldering and welding jobs
- for metals, stone
- material: steel wire

article no.	EAN 4006885...	description	Ø	thread	version	packaging
2107000	...210707	1 wire cup brush	Ø 60 mm	M 14	wavy	blister on card
2125000	...212503	1 wire cup brush	Ø 65 mm	M 14	twisted	blister on card
8476000	...847606	1 wire cup brush	Ø 65 mm	M 14	twisted	bulk
2151000	...215108	1 wire cup brush	Ø 90 mm	M 14	wavy	blister on card
2150000	...215009	1 wire cup brush	Ø 100 mm	M 14	twisted	blister on card

6.5 Brushes



- machine: angle grinders
- for de-rusting and cleaning
- for the preparation of soldering and welding jobs
- for metals, stone
- material: steel wire
- packaging: blister on card

article no.	EAN	description	Ø	thread	version
2705000	4006885... ...270503	1 conical wire brush	ø 100 mm	M 14	wavy



- machine: angle grinders
- for de-rusting and cleaning
- for the preparation of soldering and welding jobs
- for metals, stone
- material: steel wire
- packaging: blister on card

article no.	EAN	description	Ø	thread	wire fill width	version
2153000	4006885... ...215306	1 conical wire brush	ø 100 mm	M 14	17 mm	twisted

Stainless steel wire brushes



- machine: angle grinders
- for de-rusting and cleaning
- for the preparation of soldering and welding jobs
- for metals, stainless steel, stone
- durable and non-corrosive (does not leave any corrosive residuals on the treated workpiece)
- material: stainless steel wire
- packaging: blister on card

article no.	EAN	description	Ø	thread	wire fill width	version
2701000	4006885... ...270107	1 wire wheel brush	ø 100 mm	M 14	15 mm	twisted



- machine: angle grinders
- for de-rusting and cleaning
- for the preparation of soldering and welding jobs
- for metals, stainless steel, stone
- durable and non-corrosive (does not leave any corrosive residuals on the treated workpiece)
- material: stainless steel wire
- packaging: blister on card

article no.	EAN	description	Ø	thread	version
2702000	4006885... ...270206	1 wire cup brush	ø 65 mm	M 14	wavy
2700000	4006885... ...270008	1 wire cup brush	ø 65 mm	M 14	twisted

6.5 Brushes

Hand wire brushes



- version: with plastic handle
- packaging: fixed on card

article no.	EAN	description	material	length
2715000	4006885... ...271500	1 hand wire brush	steel wire	265 mm
2716000	...271609	1 hand wire brush	brass wire	265 mm
2717000	...271708	1 hand wire brush	stainless steel wire	265 mm



- version: with wooden handle, candle shape
- packaging: fixed on card

article no.	EAN	description	edging	material	length
2718000	4006885... ...271807	1 hand wire brush	3 rows	steel wire	200 mm



- version: with wooden handle
- packaging: fixed on card

article no.	EAN	description	material	product dimensions
2719000	4006885... ...271906	1 file brush	steel wire	40 x 253 mm



- version: with wooden handle
- packaging: fixed on card

article no.	EAN	description	edging	material	length
2720000	4006885... ...272002	1 violin brush	5 rows	steel wire	205 mm



- version: with wooden handle
- packaging: fixed on card

article no.	EAN	description	edging	material	length
2721000	4006885... ...272101	1 violin brush	5 rows	brass coated wire	205 mm

6.5 Brushes



- version: with wooden handle
- packaging: fixed on card

article no.	EAN	description	edging	material	length
2722000	4006885... ...272200	1 hand wire brush	4 rows	steel wire	280 mm



- version: with wooden handle
- packaging: fixed on card

article no.	EAN	description	edging	material	length
2723000	4006885... ...272309	1 hand wire brush	4 rows	corrugated steel wire	280 mm



- version: with wooden handle
- packaging: fixed on card


article no.	EAN	description	edging	material	length
2724000	4006885... ...272408	1 fine wire brush	4 rows	brass wire	220 mm



- version: with wooden handle
- packaging: fixed on card

article no.	EAN	description	edging	material	length
2725000	4006885... ...272507	1 hand wire brush	3 rows	brass wire	200 mm

6.6 Saw blades




6.6 Saw blades

Circular hand saw blades

Purple series - medium-coarse cuts



- multi-purpose saw blade for heavy-duty applications
- length and cross cuts
- for wood, wood with nails, plastic materials, thin steel profiles, non-ferrous metals
- tear-free cutting edges
- noise insulation by laser slots
- material: TCT
- surface bright polished
- shot-blasted tooth rim, special tooth
- alternate tooth
- quality of cut: medium-coarse cuts
- packaging: double card with inlaid blister



article no.	EAN 4006885...	description	Ø	bore	cutting width	teeth
6567000	...656703	1 circular saw blade	Ø 160 mm	Ø 16 mm	2.8 mm	24
6568000	...656802	1 circular saw blade	Ø 160 mm	Ø 20 mm	2.8 mm	24
6577000	...657700	1 circular saw blade	Ø 190 mm	Ø 30 mm	2.8 mm	30
6581000	...658103	1 circular saw blade	Ø 210 mm	Ø 30 mm	2.8 mm	34
6582000	...658202	1 circular saw blade	Ø 230 mm	Ø 30 mm	2.8 mm	34

Silver series - easy, fast cuts



- longitudinal cuts
- for chipboards, plywood, coated wood and chipboards, single-sided veneered boards
- with diamond-ground carbide-tipped teeth
- firm, tear-free cutting edges
- noise insulation by laser slots and a reduced thickness of the saw blade body
- material: TCT
- surface brightly polished
- shot-blasted tooth rim, laser and cooling slots
- flat concave tooth (hollow face)
- quality of cut: easy, fast cuts
- packaging: double card with inlaid blister



article no.	EAN 4006885...	description	Ø	bore	cutting width	teeth
6456000	...645608	1 circular saw blade	Ø 130 mm	Ø 16 mm	2.4 mm	20
6458000	...645806	1 circular saw blade	Ø 140 mm	Ø 12.75 mm	2.4 mm	20
6463000	...646308	1 circular saw blade	Ø 150 mm	Ø 16 mm	2.4 mm	24
6464000	...646407	1 circular saw blade	Ø 150 mm	Ø 20 mm	2.4 mm	24
6466000	...646605	1 circular saw blade	Ø 156.5 mm	Ø 12.75 mm	2.4 mm	24
6467000	...646704	1 circular saw blade	Ø 160 mm	Ø 16 mm	2.4 mm	24
6468000	...646803	1 circular saw blade	Ø 160 mm	Ø 20 mm	2.4 mm	24
6472000	...647206	1 circular saw blade	Ø 180 mm	Ø 20 mm	2.6 mm	28



6.6 Saw blades



article no.	EAN 4006885...	description	Ø	bore	cutting width	teeth
6473000	...647305	1 circular saw blade	Ø 184 mm	Ø 16 mm	2.6 mm	28
6475000	...647503	1 circular saw blade	Ø 190 mm	Ø 16 mm	2.6 mm	28
6476000	...647602	1 circular saw blade	Ø 190 mm	Ø 20 mm	2.6 mm	28
6477000	...647701	1 circular saw blade	Ø 190 mm	Ø 30 mm	2.6 mm	28
6481000	...648104	1 circular saw blade	Ø 210 mm	Ø 30 mm	2.6 mm	32

Orange series - fine, clean cuts



- length and cross cuts
- for natural woods, fibre boards, profiled boards, panels
- firm, tear-free cutting edges
- material: TCT
- surface bright polished
- shot-blasted tooth rim
- multi-alternate tooth (teeth alternately ground)
- quality of cut: fine, clean cuts
- packaging: double card with inlaid blister



article no.	EAN 4006885...	description	Ø	bore	cutting width	teeth
6406000	...640603	1 circular saw blade	Ø 130 mm	Ø 16 mm	2.6 mm	36
6418000	...641808	1 circular saw blade	Ø 160 mm	Ø 20 mm	2.6 mm	48
6431000	...643109	1 circular saw blade	Ø 210 mm	Ø 30 mm	2.8 mm	64

Green series - quick, fine cuts



- length and cross cuts
- for wood, chipboards, plywood, wood core chipboards, profiled boards
- material: TCT
- alternate tooth
- quality of cut: quick, fine cuts
- packaging: double card with inlaid blister



article no.	EAN 4006885...	description	Ø	bore	cutting width	teeth
6355000	...635500	1 circular saw blade	Ø 127 mm	Ø 12.75 mm	2.4 mm	18
6356000	...635609	1 circular saw blade	Ø 130 mm	Ø 16 mm	2.4 mm	18
6358000	...635807	1 circular saw blade	Ø 140 mm	Ø 12.75 mm	2.4 mm	18



6.6 Saw blades



article no.	EAN 4006885...	description	∅	bore	cutting width	teeth
6359000	...635906	1 circular saw blade	∅ 140 mm	∅ 20 mm	2.4 mm	18
6363000	...636309	1 circular saw blade	∅ 150 mm	∅ 16 mm	2.4 mm	20
6364000	...636408	1 circular saw blade	∅ 150 mm	∅ 20 mm	2.4 mm	20
6366000	...636606	1 circular saw blade	∅ 156.5 mm	∅ 12.75 mm	2.4 mm	20
6367000	...636705	1 circular saw blade	∅ 160 mm	∅ 16 mm	2.4 mm	20
6368000	...636804	1 circular saw blade	∅ 160 mm	∅ 20 mm	2.4 mm	20
6369000	...636903	1 circular saw blade	∅ 160 mm	∅ 25 mm	2.4 mm	20
6370000	...637009	1 circular saw blade	∅ 170 mm	∅ 20 mm	2.4 mm	22
6372000	...637207	1 circular saw blade	∅ 180 mm	∅ 20 mm	2.4 mm	22
6373000	...637306	1 circular saw blade	∅ 184 mm	∅ 16 mm	2.4 mm	22
6375000	...637504	1 circular saw blade	∅ 190 mm	∅ 16 mm	2.4 mm	30
6376000	...637603	1 circular saw blade	∅ 190 mm	∅ 20 mm	2.4 mm	30
6377000	...637702	1 circular saw blade	∅ 190 mm	∅ 30 mm	2.4 mm	30
6379000	...637900	1 circular saw blade	∅ 200 mm	∅ 30 mm	2.4 mm	30
6381000	...638105	1 circular saw blade	∅ 210 mm	∅ 30 mm	2.4 mm	30
6382000	...638204	1 circular saw blade	∅ 230 mm	∅ 30 mm	2.6 mm	34

Brown series - quick, fine cuts



- length and cross cuts
- for wood, chipboards
- material: TCT
- surface ground
- shot-blasted tooth rim
- alternate tooth
- quality of cut: quick, fine cuts
- packaging: blister on card



article no.	EAN 4006885...	description	∅	bore	cutting width	teeth
6730000	...673007	1 circular saw blade	∅ 130 mm	∅ 16 mm	2.4 mm	18
6731000	...673106	1 circular saw blade	∅ 140 mm	∅ 12.75 mm	2.4 mm	18
6738000	...673809	1 circular saw blade	∅ 150 mm	∅ 16 mm	2.4 mm	20
6732000	...673205	1 circular saw blade	∅ 150 mm	∅ 20 mm	2.4 mm	20
6739000	...673908	1 circular saw blade	∅ 160 mm	∅ 16 mm	2.4 mm	20
6733000	...673304	1 circular saw blade	∅ 160 mm	∅ 20 mm	2.4 mm	20
6734000	...673403	1 circular saw blade	∅ 180 mm	∅ 20 mm	2.4 mm	22



6.6 Saw blades



article no.	EAN 4006885...	description	∅	bore	cutting width	teeth
6735000	...673502	1 circular saw blade	∅ 190 mm	∅ 16 mm	2.4 mm	30
6736000	...673601	1 circular saw blade	∅ 190 mm	∅ 30 mm	2.4 mm	30
6737000	...673700	1 circular saw blade	∅ 210 mm	∅ 30 mm	2.4 mm	30

Blue series - fine cuts



- particularly suitable for cross cuts
- for wood, plywood, profiled boards, panels
- material: CV
- pointed tooth
- quality of cut: fine cuts
- packaging: double card with inlaid blister



article no.	EAN 4006885...	description	∅	bore	cutting width	teeth
6255000	...625501	1 circular saw blade	∅ 127 mm	∅ 12.75 mm	2 mm	80
6256000	...625600	1 circular saw blade	∅ 130 mm	∅ 16 mm	2 mm	80
6258000	...625808	1 circular saw blade	∅ 140 mm	∅ 12.75 mm	2 mm	100
6259000	...625907	1 circular saw blade	∅ 140 mm	∅ 20 mm	2 mm	100
6263000	...626300	1 circular saw blade	∅ 150 mm	∅ 16 mm	2 mm	100
6264000	...626409	1 circular saw blade	∅ 150 mm	∅ 20 mm	2 mm	100
6267000	...626706	1 circular saw blade	∅ 160 mm	∅ 16 mm	2 mm	100
6268000	...626805	1 circular saw blade	∅ 160 mm	∅ 20 mm	2 mm	100
6272000	...627208	1 circular saw blade	∅ 180 mm	∅ 20 mm	2.4 mm	100
6273000	...627307	1 circular saw blade	∅ 184 mm	∅ 16 mm	2.4 mm	100
6275000	...627505	1 circular saw blade	∅ 190 mm	∅ 16 mm	2.4 mm	100
6276000	...627604	1 circular saw blade	∅ 190 mm	∅ 20 mm	2.4 mm	100
6277000	...627703	1 circular saw blade	∅ 190 mm	∅ 30 mm	2.4 mm	100
6281000	...628106	1 circular saw blade	∅ 210 mm	∅ 30 mm	2.4 mm	100

6.6 Saw blades

Circular table saw blades

Orange series - fine, clean cuts



- length and cross cuts
- for solid wood, chipboards, plywood, wood core chipboards, fibre boards, profiled boards, panels
- tear-free cutting edges
- material: TCT
- surface bright polished
- shot-blasted tooth rim
- universal alternate tooth
- quality of cut: fine, clean cuts
- packaging: box



article no.	EAN 4006885...	description	Ø	bore	cutting width	teeth
6680000	...668003	1 circular saw blade	Ø 250 mm	Ø 30 mm	3.2 mm	42
6682000	...668201	1 circular saw blade	Ø 300 mm	Ø 30 mm	3.2 mm	48
6684000	...668409	1 circular saw blade	Ø 315 mm	Ø 30 mm	3.2 mm	48
6686000	...668607	1 circular saw blade	Ø 350 mm	Ø 30 mm	3.5 mm	54

Green series - quick, fine cuts



- length and cross cuts
- for solid wood, natural woods, chipboards, plywood, timber, firewood
- material: TCT
- surface bright polished
- shot-blasted tooth rim
- alternate tooth for length cuts with chip deflector
- quality of cut: quick, fine cuts
- packaging: box



article no.	EAN 4006885...	description	Ø	bore	cutting width	teeth
6660000	...666009	1 circular saw blade	Ø 250 mm	Ø 30 mm	3.2 mm	24
6662000	...666207	1 circular saw blade	Ø 300 mm	Ø 30 mm	3.2 mm	28
6664000	...666405	1 circular saw blade	Ø 315 mm	Ø 30 mm	3.2 mm	28
6666000	...666603	1 circular saw blade	Ø 350 mm	Ø 30 mm	3.5 mm	32
6668000	...666801	1 circular saw blade	Ø 400 mm	Ø 30 mm	3.5 mm	36

6.6 Saw blades

Brown series - quick, fine cuts



- length and cross cuts
- for wood, chipboards
- material: TCT
- surface ground
- shot-blasted tooth rim
- alternate tooth
- quality of cut: quick, fine cuts
- packaging: box



article no.	EAN 4006885...	description	∅	bore	cutting width	teeth
6740000	...674004	1 circular saw blade	∅ 250 mm	∅ 30 mm	3.2 mm	24
6741000	...674103	1 circular saw blade	∅ 300 mm	∅ 30 mm	3.2 mm	28
6742000	...674202	1 circular saw blade	∅ 315 mm	∅ 30 mm	3.2 mm	28

Red series - fast, rough cuts



- for hard and soft wood, chipboards, plywood, timber, firewood
- material: CV
- surface brightly polished
- peg tooth
- quality of cut: fast, rough cuts
- packaging: box



article no.	EAN 4006885...	description	∅	bore	cutting width	teeth
6600000	...660007	1 circular saw blade	∅ 250 mm	∅ 30 mm	1.4 mm	56
6602000	...660205	1 circular saw blade	∅ 300 mm	∅ 30 mm	1.6 mm	56
6604000	...660403	1 circular saw blade	∅ 315 mm	∅ 30 mm	1.8 mm	56
6606000	...660601	1 circular saw blade	∅ 350 mm	∅ 30 mm	1.8 mm	56
6608000	...660809	1 circular saw blade	∅ 400 mm	∅ 30 mm	2 mm	56

6.6 Saw blades

Cross and mitre cut saw blades

Purple series - fine, clean cuts



- precision cuts
- for non-ferrous metals, plastic materials, fibre glass reinforced plastic
- diamond ground
- material: TCT
- surface brightly polished
- shot-blasted tooth rim
- flat trapezoidal tooth with negative rake
- quality of cut: fine, clean cuts
- packaging: double card



article no.	EAN 4006885...	description	Ø	bore	cutting width	teeth
6531000	...653108	1 saw blade "Profi Plus"	Ø 205 mm	Ø 18 mm	3.2 mm	64
6532000	...653207	1 saw blade "Profi Plus"	Ø 209 mm	Ø 30 mm	3.2 mm	64
6537000	...653702	1 saw blade "Profi Plus"	Ø 250 mm	Ø 30 mm	3.4 mm	80

Silver series - cleanest cuts



- for plywood, coated wood and chipboards, single-sided veneered boards, profiled boards, panels
- diamond ground
- noise insulation by laser slots
- material: TCT
- surface brightly polished
- shot-blasted tooth rim, laser and cooling slots
- flat concave tooth (hollow face) with negative rake
- quality of cut: cleanest cuts
- packaging: double card



article no.	EAN 4006885...	description	Ø	bore	cutting width	teeth
6521000	...652101	1 saw blade	Ø 205 mm	Ø 18 mm	2.2 mm	40
6522000	...652200	1 saw blade	Ø 209 mm	Ø 30 mm	2.2 mm	40
6526000	...652606	1 saw blade	Ø 250 mm	Ø 20 mm	2.6 mm	48
6527000	...652705	1 saw blade	Ø 250 mm	Ø 30 mm	2.6 mm	48

6.6 Saw blades

Green series - quick, fine cuts



- for wood, chipboards, single-sided veneered boards, panels
- diamond ground
- material: TCT
- surface brightly polished
- shot-blasted tooth rim
- alternate tooth with negative rake
- quality of cut: quick, fine cuts
- packaging: double card



article no.	EAN	description	∅	bore	cutting width	teeth
6511000	...651104	1 saw blade "Standard Plus"	∅ 205 mm	∅ 18 mm	2.8 mm	24
6517000	...651708	1 saw blade "Standard Plus"	∅ 250 mm	∅ 30 mm	3.2 mm	24

Blue series - fine, easy cuts



- for wood, chipboards, wood core chipboards
- material: CV
- surface brightly polished
- depressed centre with negative rake
- quality of cut: fine, easy cuts
- packaging: double card



article no.	EAN	description	∅	bore	cutting width	teeth
6501000	...650107	1 saw blade "Standard"	∅ 205 mm	∅ 18 mm	2.6 mm	72
6502000	...650206	1 saw blade "Standard"	∅ 209 mm	∅ 30 mm	2.6 mm	100

6.7 Rasps / Countersinks



6.7 Rasps / Countersinks

Countersinks



- for wood, plastic materials, non-ferrous metals
- material: WS
- packaging: blister on card

article no.	EAN 4006885...	description	∅	angle	shank
2504000	...250406	3 countersinks	∅ 6, 12, 16 mm	45°	∅ 6 mm



- for metals, plastic materials, wood
- material: HSS
- version: 3 cutting edges
- packaging: blister on card

article no.	EAN 4006885...	description	∅	angle	shank
2505000	...250505	1 countersink	∅ 12 mm	45°	∅ 8 mm
2506000	...250604	1 countersink	∅ 16 mm	45°	∅ 8 mm



- for wood, plastic materials, non-ferrous metals
- drills and sinks in one workstep
- avoids the unintentional ripping of wood
- hexagonal shank, for the quick change of tools in bit holders
- material: WS
- version: 3 cutting edges
- packaging: blister on card

article no.	EAN 4006885...	description	∅	angle	for
2546000	...254602	1 countersink	∅ 3 - 8 mm	45°	for countersink screws ∅ 3,5 - 4 mm
2547000	...254701	1 countersink	∅ 4 - 10 mm	45°	for countersink screws ∅ 4,5 - 5 mm
2548000	...254800	1 countersink	∅ 5 - 12 mm	45°	for countersink screws ∅ 5,5 - 6 mm

6.7 Rasps / Countersinks



- for wood, plastic materials, non-ferrous metals
- hexagonal shank, for the quick change of tools in bit holders
- material: WS
- version: 1 cutting edge
- packaging: blister on card

article no.	EAN 4006885...	description	Ø	angle
2582000	...258204	1 countersink	Ø 10 mm	45°
2576000	...257603	1 countersink	Ø 12 mm	45°
2577000	...257702	1 countersink	Ø 16 mm	45°
2578000	...257801	1 countersink	Ø 19 mm	45°
2584000	...258402	3 countersinks	Ø 12, 16, 19 mm	45°



- for sheet steel, wood, plastic materials
- hexagonal shank, for the quick change of tools in bit holders
- material: HSS
- version: 3 cutting edges
- packaging: blister on card

article no.	EAN 4006885...	description	Ø	angle
2583000	...258303	1 countersink	Ø 10 mm	45°
2580000	...258006	1 countersink	Ø 12 mm	45°
2581000	...258105	1 countersink	Ø 16 mm	45°

Hand countersinks



- for wood, aluminium profiles, plastic materials
- version: 3 cutting edges
- material: plastic and WS
- packaging: blister on card

article no.	EAN 4006885...	description	Ø	angle
4315000	...431508	1 hand countersink	Ø 19 mm	45°

6.7 Rasps / Countersinks

Screw starters with countersink



- for wood, plastic materials
- drills and sinks in one workstep
- version: with countersink
- packaging: blister on card

article no.	EAN 4006885...	description	Ø	angle	drill	for
2498000	...249806	1 screw starter	Ø 3.2 - 12 mm	45°	Ø 3.2 mm	for countersink screws Ø 3,5 - 4 mm
2500000	...250000	1 screw starter	Ø 3.5 - 5 mm	45°	Ø 3.5 mm	for countersink screws Ø 4 - 4,5 mm
2511000	...251106	1 screw starter	Ø 4.5 - 7 mm	45°	Ø 4.5 mm	for countersink screws Ø 5 - 6 mm
2499000	...249905	1 screw starter	Ø 4.5 - 16 mm	45°	Ø 4.5 mm	for countersink screws Ø 5 - 6 mm



- especially for drilling in terrace wood
- for wood, plastic materials
- drills and sinks in one workstep
- hexagonal shank, for the quick change of tools in bit holders
- version: with countersink
- packaging: blister on card

article no.	EAN 4006885...	description	Ø	angle	for
2545000	...254503	1 screw starter	Ø 4.5 - 12 mm	45°	for countersink screws Ø 5 - 6 mm



- for wood, plastic materials, non-ferrous metals
- hexagonal shank, for the quick change of tools in bit holders
- drills and sinks in one workstep
- thanks to the adjustable depth stop perfect for series drilling; always the same depth
- version: with countersink, with adjustable depth stop
- packaging: blister on card

article no.	EAN 4006885...	description	Ø	angle
2544000	...254404	1 screw starter	Ø 3.2 - 12 mm	45°

6.7 Rasps / Countersinks

Assortments



- for wood
- shank: hexagon shank
- content:
 - 1 bit holder, with magnet
 - 3 countersinks, \varnothing 8, 10, 12 mm
 - 3 bits, Pozidriv PZ 1 - 2 - 3
 - 3 bits, Torx TX 15 - 20 - 30
- packaging: blister on card

article no.	EAN	description
2542000	4006885... ...254206	1 screwing set

Rotary rasps



- for preparing recesses and the quick removal of material
- for wood
- material: WS
- packaging: blister on card

article no.	EAN	description	\varnothing	working length	form	shank
2530000	4006885... ...253001	1 rotary rasp	\varnothing 13.5 mm	35 mm	cylindrical	\varnothing 6.35 mm
2531000	...253100	1 rotary rasp	\varnothing 13.5 mm	35 mm	cylindrically curved	\varnothing 6.35 mm
2532000	...253209	1 rotary rasp	\varnothing 6 - 13 mm	35 mm	conical	\varnothing 6.35 mm
2533000	...253308	1 rotary rasp	\varnothing 15 mm	15 mm	spherical	\varnothing 6.35 mm
2536000	...253605	1 rotary rasp	\varnothing 15 mm	30 mm	pear-shaped	\varnothing 6.35 mm
2540000	...254008	1 rasp and countersink set	\varnothing 12 mm	35 mm	cylindrical	\varnothing 6.35 mm
			\varnothing 5 - 12 mm	35 mm	conical	
			\varnothing 14 mm	14 mm	spherical	
			\varnothing 12 mm	35 mm	cylindrical	



- machine: cordless screwdrivers
- for preparing recesses and the quick removal of material
- for wood
- hexagonal shank, for the quick change of tools in bit holders
- material: WS
- packaging: blister on card

article no.	EAN	description	\varnothing	working length	form	shank
2527000	4006885... ...252707	1 rotary rasp	\varnothing 13.5 mm	30 mm	cylindrical	\varnothing 6.35 mm

6.7 Rasps / Countersinks



- for metals
- material: WS
- packaging: blister on card

article no.	EAN 4006885...	description	Ø	working length	form	shank
2534000	...253407	1 rotary rasp	Ø 12.5 mm	35 mm	cylindrical	Ø 6.35 mm
2535000	...253506	1 rotary rasp	Ø 5 - 12 mm	35 mm	conical	Ø 6.35 mm

Drum rasps



- for wood, aluminium, plaster boards
- no glazing
- no re-sharpening required
- packaging: blister on card

article no.	EAN 4006885...	description	Ø	working length	shank
2520000	...252004	1 drum rasp	Ø 52 mm	30 mm	Ø 6 mm



- content:
1 roughing rasp
1 smooth polishing rasp
1 sanding belt, coarse
1 sanding belt, fine
- packaging: blister on card
- separate accessories: 2039000

article no.	EAN 4006885...	description	shank
2521000	...252103	1 drum rasp set	Ø 6 mm

Enlarging mills



- for wood, plastic materials, non-ferrous metals
- material: WS
- packaging: blister on card

article no.	EAN 4006885...	description	Ø	working length	shank
2523000	...252301	1 enlarging mill	Ø 6 - 24 mm	32 mm	Ø 8 mm

6.7 Rasps / Countersinks



- for wood, plastic materials, non-ferrous metals, sheet steel, stainless steel
- version: 2 cutting edges
- material: HSS
- packaging: blister on card

article no.	EAN 4006885...	description	∅	working length	shank
2518000	...251809	1 enlarging mill	∅ 3 - 14 mm	32 mm	∅ 8 mm
2524000	...252400	1 enlarging mill	∅ 5 - 20 mm	45 mm	∅ 8 mm
2519000	...251908	1 enlarging mill	∅ 8 - 31 mm	55 mm	∅ 10 mm



- for wood, plastic materials, non-ferrous metals, sheet steel, stainless steel
- material: HSS
- packaging: blister on card

article no.	EAN 4006885...	description	∅	working length	shank
2522000	...252202	1 enlarging mill	∅ 6 - 24 mm	33 mm	∅ 8 mm



- for wood, plastic materials, non-ferrous metals, sheet steel, stainless steel
- hexagonal shank, for the quick change of tools in bit holders
- material: HSS
- version: 2 cutting edges
- packaging: blister on card

article no.	EAN 4006885...	description	∅	working length
2575000	...257504	1 enlarging mill	∅ 5 - 20 mm	44 mm

Step drills



- for stainless steel, sheet steel, non-ferrous metals, plastic materials
- material: HSS
- version: with drilling tip, 3 cutting edges
- packaging: blister on card

article no.	EAN 4006885...	description	gradual diameter	working length	shank
2515000	...251502	1 step drill	∅ 4 - 6 - 8 - 10 - 12 - 14 - 16 - 18 - 20 mm	44 mm	∅ 8 mm
2516000	...251601	1 step drill	∅ 8 - 14 - 16 - 18 - 20 - 22 - 24 - 26 - 28 - 30 mm	54 mm	∅ 10 mm
2585000	...258501	1 step drill	∅ 8 - 14 - 16 - 18 - 20 - 22 - 26 - 28 - 32 - 35 mm	54 mm	∅ 10 mm

6.7 Rasps / Countersinks



- especially for metal screws
- for stainless steel, metals, non-ferrous metals
- hexagonal shank, for the quick change of tools in bit holders
- material: HSS
- version: 3 cutting edges
- packaging: blister on card

article no.	EAN	description	gradual diameter	working length	for
2555000	4006885... ...255500	1 step drill	ø 6 - 8 - 10 mm	22 mm	for countersink screws ø 6, 8, 10 mm

6.8 Drill chucks



6.8 Drill chucks

Quick-release drill chucks



- machine: cordless screwdrivers and power drills
- right/left rotation
- packaging: double blister

article no.	EAN 4006885...	description	clamping width	drill chuck receptacle	thread
2605000	...260504	1 quick-release chuck	1.5 - 10 mm	10 (3/8") - 24	female thread
2609000	...260900	1 quick-release chuck	1.5 - 13 mm	13 (1/2") - 20	female thread



- machine: cordless screwdrivers and power drills
- series "Economy line"
- right/left rotation
- packaging: blister on card

article no.	EAN 4006885...	description	clamping width	drill chuck receptacle	thread
2641000	...264106	1 quick-release chuck "Economy line"	1.5 - 10 mm	10 (3/8") - 24	female thread
2642000	...264205	1 quick-release chuck "Economy line"	1.5 - 13 mm	13 (1/2") - 20	female thread



- machine: power drills and hammer drills
- for quickly clamping and releasing tools
- with clamping pressure lock
- version: impact-resistant
- right/left rotation
- packaging: double blister

article no.	EAN 4006885...	description	clamping width	drill chuck receptacle	thread
2606000	...260603	1 quick-release chuck	1.5 - 13 mm	13 (1/2") - 20	female thread



- machine: power drills
- for quickly clamping and releasing tools
- packaging: double blister

article no.	EAN 4006885...	description	clamping width	drill chuck receptacle	thread
2608000	...260801	1 quick-release chuck	1.5 - 13 mm	13 (1/2") - 20	female thread

6.8 Drill chucks



- machine: cordless screwdrivers and power drills
- version: impact-resistant
- right/left rotation
- packaging: double blister

article no.	EAN	description	clamping width	drill chuck receptacle	thread
2618000	4006885... ...261808	1 quick-release chuck	1.5 - 13 mm	13 (1/2") - 20	female thread



- machine: cordless screwdrivers and power drills
- for quickly clamping and releasing tools
- with radial lock
- version: impact-resistant
- right/left rotation
- packaging: double blister

article no.	EAN	description	clamping width	drill chuck receptacle	thread
2623000	4006885... ...262300	1 quick-release chuck	1.5 - 13 mm	10 (3/8") - 24	female thread



- machine: screwdrivers with hexagon receptacle
- clockwise rotation
- packaging: double blister

article no.	EAN	description	shank	clamping width
2625000	4006885... ...262508	1 quick-release chuck	hexagon shank	0.5 - 6.5 mm

Key-type drill chucks



- machine: power drills
- version: impact-resistant
- right/left rotation
- packaging: double blister
- separate accessories: 2630000, 2635000

article no.	EAN	description	clamping width	drill chuck receptacle	thread
2603000	4006885... ...260306	1 key-type drill chuck	1.5 - 13 mm	13 (1/2") - 20	female thread

6.8 Drill chucks



- machine: cordless screwdrivers and power drills
- version: impact-resistant
- right/left rotation
- packaging: double blister
- separate accessories: 2630000, 2635000

article no.	EAN 4006885...	description	clamping width	drill chuck receptacle	thread
2612000	...261204	1 key-type drill chuck	1.5 - 13 mm	10 (3/8") - 24	female thread



- machine: power drills
- series "Economy line"
- version: impact-resistant
- right/left rotation
- packaging: blister on card
- separate accessories: 2630000, 2635000

article no.	EAN 4006885...	description	clamping width	drill chuck receptacle	thread
2645000	...264502	1 key-type drill chuck "Economy line"	1.5 - 13 mm	13 (1/2") - 20	female thread

Accessories



- according to DIN 6349
- packaging: blister on card

article no.	EAN 4006885...	description	key description	suitable for	suitable for
2630000	...263000	1 chuck key	S2A	AEG, Bosch, Fein, Kress, Metabo, Rockwell, Röhm, Skil, Wolf, wolfcraft	2603000, 2612000, 2645000
2631000	...263109	1 chuck key	B16, S3	wolfcraft	
2632000	...263208	1 chuck key	Jacobs K6, S14	Black & Decker, Makita, Metabo, Skil, Wolf	
2634000	...263406	1 chuck key	Jacobs K30, S8	Black & Decker, Makita, Metabo, Skil, Wolf	



- for all common drill chucks
- chuck key sizes in 4 - 5,5 - 6 - 7 mm
- packaging: fixed on card

article no.	EAN 4006885...	description	suitable for
2635000	...263505	1 universal chuck key	2603000, 2612000, 2645000

6.8 Drill chucks



- machine: hammer drills with SDS-plus holder
- for drill chucks with 13 (1/2") x 20 mm female thread
- only for rotary use - not impact-resistant
- packaging: blister on card

article no.	EAN	description	shank
2640000	4006885... ...264007	1 drill chuck adapter	SDS-plus

Assortments



- machine: hammer drills with SDS-plus holder
- series "Economy line"
- only for rotary use - not impact-resistant
- content:
 - 1 drill chuck, 1.5 - 13 mm, female thread 13 (1/2") x 20 mm
 - 1 chuck key, S2A
 - 1 drill chuck adapter, SDS-plus, with 13 (1/2") x 20 mm thread
- packaging: double blister

article no.	EAN	description	shank
2649000	4006885... ...264908	1 SDS-plus set "Economy line"	SDS-plus

Flexible shafts



- machine: power drills
- with anti-kink device
- clockwise rotation
- max. 3,500 RPM
- including:
 - 1 key-type drill chuck, 8 mm
 - 1 chuck key
- packaging: fixed on card

article no.	EAN	description	shank	clamping width	version	length
2147000	4006885... ...214705	1 flexible shaft	ø 8 mm	0.5 - 8 mm	3 ball bearings heavy-duty version	1,300 mm



- machine: power drills
- with anti-kink device
- clockwise rotation
- max. 3,500 RPM
- including: 1 quick-release chuck, 6 mm
- packaging: fixed on card

article no.	EAN	description	shank	clamping width	version	length
2230000	4006885... ...223004	1 flexible shaft	ø 6 mm	0.5 - 6 mm	2 ball bearings	1,300 mm

6.9 Router bits




6.9 Router bits

Routers

For precise milling work using the router and stationary milling motor.


TCT router bits

TCT-Milling cutters with hard-metal cutting edges are particularly suitable for milling of hard wood, chipboard, hard fibre board and plastic-coated boards.



- machine: routers
- material: TCT
- in plastic box
- packaging: sticker

article no.	EAN 4006885...	description	Ø	cutting height	shank
3824000	...382404	1 straight bit	Ø 6 mm	19 mm	Ø 6 mm
3825000	...382503	1 straight bit	Ø 8 mm	20 mm	Ø 6 mm
3826000	...382602	1 straight bit	Ø 10 mm	20 mm	Ø 6 mm
3827000	...382701	1 straight bit	Ø 12 mm	20 mm	Ø 6 mm
3822000	...382206	1 straight bit	Ø 14 mm	20 mm	Ø 6 mm
3924000	...392403	1 straight bit	Ø 6 mm	19 mm	Ø 8 mm
3925000	...392502	1 straight bit	Ø 8 mm	20 mm	Ø 8 mm
3926000	...392601	1 straight bit	Ø 10 mm	20 mm	Ø 8 mm
3927000	...392700	1 straight bit	Ø 12 mm	20 mm	Ø 8 mm
3922000	...392205	1 straight bit	Ø 14 mm	20 mm	Ø 8 mm



- machine: routers
- material: TCT
- without shank
- in plastic box
- packaging: sticker
- separate accessories: 3831000, 3931000

article no.	EAN 4006885...	description	Ø	cutting height
3828000	...382800	1 disc groove cutter	Ø 40 mm	3 mm
3829000	...382909	1 disc groove cutter	Ø 40 mm	4 mm

6.9 Router bits



- machine: routers
- in plastic box
- packaging: sticker
- suitable for 3828000, 3829000

article no.	EAN 4006885...	description	shank
3831000	...383104	1 shank	ø 6 mm
3931000	...393103	1 shank	ø 8 mm



- machine: routers
- material: TCT
- in plastic box
- packaging: sticker

article no.	EAN 4006885...	description	Ø	cutting height	radius	shank
3967000	...396708	1 core box bit	ø 12.7 mm	9.5 mm	r 6.35 mm	ø 8 mm



- machine: routers
- material: TCT
- version: with guiding pin carried in ball bearings
- in plastic box
- packaging: sticker

article no.	EAN 4006885...	description	Ø	cutting height	radius	shank
3971000	...397101	1 semi core box bit	ø 22.2 mm	12.7 mm	r 6.35 mm	ø 8 mm



- machine: routers
- material: TCT
- version: with guiding pin carried in ball bearings
- in plastic box
- packaging: sticker

article no.	EAN 4006885...	description	Ø	cutting height	radius	shank
3863000	...386303	1 round over bit	ø 25.4 mm	12.7 mm	r 6.35 mm	ø 6 mm
3963000	...396302	1 round over bit	ø 25.4 mm	12.7 mm	r 6.35 mm	ø 8 mm

6.9 Router bits



- machine: routers
- material: TCT
- version: with guiding pin carried in ball bearings
- in plastic box
- packaging: sticker

article no.	EAN	description	∅	angle	cutting height	shank
3972000	4006885... ...397200	1 chamfering cutter	∅ 28 mm	45°	13.7 mm	∅ 8 mm

Assortments



- machine: routers
- to create grooves
- universal use through the extended shank, both for freehand-milling and for stationary use
- material: TCT
- shank length 40 mm
- max. 22,000 RPM
- in 2-component plastic box with lid

article no.	EAN	description	content	∅	cutting height	angle	radius	shank
8753000	4006885... ...875302	1 straight bit set	1 V-groove cutter	∅ 12.5 mm	10.5 mm	45°	r 6.25	∅ 8 mm
			1 core box bit	∅ 12.5 mm	9.5 mm		r 6.25	
			1 straight bit	∅ 5 mm	20 mm			
			1 straight bit	∅ 10 mm	20 mm			
			1 straight bit	∅ 20 mm	20 mm			

6.9 Router bits




- machine: routers
- for creating round profiles
- profile cutter carried in ball bearings
- universal use through the extended shank, both for freehand-milling and for stationary use
- material: TCT
- shank length 40 mm
- max. 22,000 RPM
- in 2-component plastic box with lid

article no.	EAN 4006885...	description	content	∅	cutting height	angle	radius	shank
8754000	...875401	1 profile cutter set	1 semi core box bit	∅ 22 mm	9.5 mm		r 6.5	∅ 8 mm
			1 chamfering cutter	∅ 31 mm	12.5 mm	45°	r 6.5	
			1 round over bit	∅ 25 mm	11 mm		r 6.5	
			1 round over bit	∅ 31 mm	16 mm		r 9.5	
			1 S-profile bit	∅ 38 mm	19 mm		r 6.5	

HSS router bits

HSS router bits made from high-performance high-speed steel for milling hardwood, softwood and plastic.



- machine: routers
- material: HSS
- in plastic box
- packaging: sticker

article no.	EAN 4006885...	description	∅	cutting height	shank
3800000	...380004	1 straight bit	∅ 4 mm	14 mm	∅ 6 mm
3801000	...380103	1 straight bit	∅ 5 mm	14 mm	∅ 6 mm
3802000	...380202	1 straight bit	∅ 6 mm	17 mm	∅ 6 mm
3803000	...380301	1 straight bit	∅ 8 mm	20 mm	∅ 6 mm
3804000	...380400	1 straight bit	∅ 10 mm	20 mm	∅ 6 mm
3900000	...390003	1 straight bit	∅ 4 mm	14 mm	∅ 8 mm
3901000	...390102	1 straight bit	∅ 5 mm	14 mm	∅ 8 mm
3902000	...390201	1 straight bit	∅ 6 mm	17 mm	∅ 8 mm
3903000	...390300	1 straight bit	∅ 8 mm	20 mm	∅ 8 mm
3904000	...390409	1 straight bit	∅ 10 mm	20 mm	∅ 8 mm

6.9 Router bits



- machine: routers
- material: HSS
- in plastic box
- packaging: sticker

article no.	EAN	description	∅	cutting height	radius	shank
3807000	4006885... ...380707	1 core box bit	∅ 12 mm	12 mm	r 6 mm	∅ 6 mm

Power drills

WS routers made from tool steel for milling hardwood and softwood.



- machine: power drills
- material: WS
- packaging: blister on card

article no.	EAN	description	∅	cutting height	shank
3235000	4006885... ...323506	1 straight bit	∅ 5 mm	15 mm	∅ 8 mm
3236000	...323605	1 straight bit	∅ 8 mm	15 mm	∅ 8 mm
3237000	...323704	1 straight bit	∅ 10 mm	15 mm	∅ 8 mm



- machine: power drills
- material: WS
- packaging: blister on card
- suitable for 3001000

article no.	EAN	description	∅	cutting height	shank
3264000	4006885... ...326408	1 slotting cutter	∅ 30 mm	1.5 mm	∅ 8 mm
3263000	...326309	1 slotting cutter	∅ 35 mm	2.5 mm	∅ 8 mm



- machine: power drills
- material: WS
- packaging: blister on card
- suitable for 3001000

article no.	EAN	description	∅	cutting height	radius	shank
3258000	4006885... ...325807	1 round over bit	∅ 25 mm	22 mm	r 25 mm	∅ 8 mm

6.9 Router bits



- machine: power drills
- material: WS
- packaging: blister on card
- suitable for 3001000

article no.	EAN 4006885...	description	∅	cutting height	shank
3260000	...326002	1 cylindrical cutter	∅ 25 mm	22 mm	∅ 8 mm



- machine: power drills
- material: WS
- packaging: blister on card
- suitable for 3001000

article no.	EAN 4006885...	description	∅	cutting height	tongue height	shank
3259000	...325906	1 tongue cutter	∅ 30 mm	22 mm	5 mm	∅ 8 mm



- machine: power drills
- material: WS
- packaging: blister on card
- suitable for 3001000

article no.	EAN 4006885...	description	∅	cutting height	shank
3261000	...326101	1 disc groove cutter	∅ 35 mm	5 mm	∅ 8 mm



- machine: power drills
- material: WS
- packaging: blister on card
- suitable for 3001000

article no.	EAN 4006885...	description	∅	angle	cutting height	shank
3265000	...326507	1 chamfering cutter	∅ 35 mm	45°	10 mm	∅ 8 mm

6.9 Router bits



- machine: power drills
- material: WS
- packaging: blister on card
- suitable for 3001000

article no.	EAN	description	∅	cutting height	radius	shank
3266000	4006885... ...326606	1 rounding-off cutter	∅ 35 mm	11 mm	r 10 mm	∅ 8 mm



- machine: power drills
- material: WS
- packaging: blister on card
- suitable for 3001000

article no.	EAN	description	∅	cutting height	radius	shank
3267000	4006885... ...326705	1 semi core box bit	∅ 35 mm	11 mm	r 10 mm	∅ 8 mm



- machine: power drills
- material: WS
- packaging: blister on card


article no.	EAN	description	∅	cutting height	shank
3270000	4006885... ...327009	1 slotting saw	∅ 45 mm	1.5 mm	∅ 8 mm



- machine: power drills
- material: WS
- packaging: blister on card

article no.	EAN	description	content	∅	cutting height
3253000	4006885... ...325302	1 universal bit set	1 slotting cutter	∅ 35 mm	1.5 mm
			1 slotting cutter	∅ 35 mm	2.5 mm
			1 slotting saw	∅ 45 mm	1.5 mm
			1 shank	∅ 8 mm	


6.9 Router bits



- machine: power drills
- material: WS
- packaging: blister on card

article no.	EAN	description	content	Ø	cutting heighth
3254000	4006885... ...325401	1 universal bit set	1 tongue cutter	ø 30 mm	22 mm
			1 disc groove cutter	ø 35 mm	5 mm
			1 straight bit	ø 6 mm	
			1 shank	ø 8 mm	

6.10 Mixers



6.10 Mixers

Paint mixers



- for paint, varnish, glazes
- packaging: bulk



article no.	EAN 4006885...	description	Ø	length	shank	mixing quantity	machine	rpm
1700099	...170094	1 paint mixer	Ø 60 mm	350 mm	Ø 6 mm	-5 kg	min. 400 W	min. 800 - max. 1,000 RPM



- for paint, varnish, glazes
- sturdy design
- well balanced
- smooth running
- packaging: fixed on card



article no.	EAN 4006885...	description	Ø	length	shank	mixing quantity	machine	rpm
2141000	...214101	1 paint mixer	Ø 60 mm	350 mm	Ø 6 mm	-5 kg	min. 400 W	min. 800 - max. 1,000 RPM



- for paint, varnish, glazes, levelling compounds
- sturdy design
- well balanced
- smooth running
- packaging: fixed on card



article no.	EAN 4006885...	description	Ø	length	shank	mixing quantity	machine	rpm
1712000	...171206	1 paint mixer "Turbo"	Ø 90 mm	500 mm	Ø 8 mm	5 - 15 kg	min. 400 W	min. 900 - max. 1,200 RPM

6.10 Mixers

Paint and mortar mixers



- for paint, mortar, varnish, glazes
- packaging: bulk



article no.	EAN 4006885...	description	Ø	length	shank	mixing quantity	machine	rpm
1704099	...170490	1 paint and mortar mixer	Ø 60 mm	400 mm	Ø 8 mm	6 - 12 kg	min. 400 W	min. 500 - max. 800 RPM
1705099	...170599	1 paint and mortar mixer	Ø 80 mm	400 mm	Ø 8 mm	5 - 10 kg	min. 400 W	min. 500 - max. 800 RPM
1706099	...170698	1 paint and mortar mixer	Ø 100 mm	590 mm	Ø 10 mm	10 - 20 kg	min. 500 W	min. 500 - max. 600 RPM



- for paint, mortar, varnish, glazes
- sturdy design
- well balanced
- smooth running
- packaging: fixed on card



article no.	EAN 4006885...	description	Ø	length	shank	mixing quantity	machine	rpm
1705000	...170506	1 paint and mortar mixer	Ø 80 mm	400 mm	Ø 8 mm	5 - 10 kg	min. 400 W	min. 500 - max. 800 RPM
1706000	...170605	1 paint and mortar mixer	Ø 100 mm	590 mm	Ø 10 mm	10 - 20 kg	min. 500 W	min. 500 - max. 600 RPM
1707000	...170704	1 paint and mortar mixer	Ø 120 mm	590 mm	Ø 10 mm	20 - 30 kg	min. 700 W	min. 400 - max. 500 RPM

Heavy-duty and adhesive mixers



- for mortar, adhesive
- sturdy design
- well balanced
- smooth running
- packaging: fixed on card



article no.	EAN 4006885...	description	Ø	length	shank	mixing quantity	machine	rpm
1708000	...170803	1 heavy-duty and adhesive mixer	Ø 85 mm	400 mm	Ø 8 mm	5 - 10 kg	min. 400 W	min. 700 - max. 900 RPM
1709000	...170902	1 heavy-duty and adhesive mixer	Ø 105 mm	590 mm	Ø 10 mm	10 - 15 kg	min. 700 W	min. 500 - max. 700 RPM

6.10 Mixers



- for mortar, adhesive, filler material, floor screed, plaster
- sturdy design
- well balanced
- smooth running
- packaging: fixed on card



article no.	EAN 4006885...	description	Ø	length	shank	mixing quantity	machine	rpm
1702000	...170209	1 heavy-duty and adhesive mixer "Professional"	Ø 90 mm	400 mm	Ø 8 mm	7 - 10 kg	min. 400 W	min. 400 - max. 500 RPM
1703000	...170308	1 heavy-duty and adhesive mixer "Professional"	Ø 100 mm	590 mm	Ø 10 mm	10 - 15 kg	min. 700 W	min. 400 - max. 500 RPM

6.11 Attachments



6.11 Attachments

Drill stands

1 drill stand



depth adjustment by means of a depth stop with quick adjuster



cable routing



- for drilling flat surfaces, round work pieces and battens with absolute precision
- milled worktop with clamping grooves for fastening clamping blocks or vices
- sturdy 40 mm round column with a 340 mm long toothed rack screwed on - no twisting while drilling
- integrated return spring
- locking button for series drilling
- adjustable scale ring for setting the accurate drilling depth down to the last millimeter
- with cable holder
- working height 305 mm
- Euronorm collar \varnothing 43 mm
- strong cast iron plate 203 x 307 mm
- packaging: box

article no.	EAN	description	depth	product dimensions
5027000	4006885... ...502703	1 drill stand	130 mm	203 x 570 x 307 mm

6.11 Attachments



depth of cut set by depth stop

- for drilling flat surfaces, round work pieces and battens with precision
- milled worktop with clamping grooves for fastening clamping blocks or vices
- integrated return spring
- with round column
- working height 345 mm
- Euronorm collar \varnothing 43 mm
- cast iron plate 160 x 230 mm
- packaging: box



article no.	EAN	description	depth	product dimensions
3406000	4006885... ...340602	1 drill stand	112 mm	160 x 500 x 230 mm

Vices



- with quick adjuster
- steel jaw with horizontal V-grooves to clamp round materials
- trapezoidal steel spindle
- material: grey cast iron
- packaging: paperboard card



article no.	EAN	description	clamping width	jaw width
3423000	4006885... ...342309	1 machine vice	80 mm	85 mm

6.11 Attachments

10



4920000



3410000

- for drill stands and workbenches
- with quick adjuster
- steel jaw with horizontal and vertical V-grooves to clamp round materials
- material: die-cast aluminium
- packaging: paperboard card

article no.	EAN 4006885...	description	clamping width	jaw width
4920000	...492004	1 quick-action vice	60 mm	70 mm
3410000	...341005	1 quick-action vice	100 mm	100 mm



- steel jaw with horizontal and vertical V-grooves to clamp round materials
- material: die-cast aluminium
- packaging: bulk

article no.	EAN 4006885...	description	clamping width	jaw width
3412099	...341296	1 Simplex 60 - vice	65 mm	68 mm

6.11 Attachments

Drill guides

Freehand drilling, just like the professionals!

1 tecmobil - mobile drill stand



with connector for dust extraction - dust free and precise drilling in every position



tiltable double guide bars with scale for precision drilling +/- 45°



additional handle for precise placement and against skidding when drilling



integrated V-groove for securely fixing round workpieces



The ideal accessory for your power drill, for precision drilling and hole sawing at given angles in any situation - on the wall, overhead, on slants, in round workpieces, battens and shaped sections.

- machine: power drills
- with connector for dust extraction - dust free and precise drilling in every position
- tiltable double guide bars with scale for precision drilling +/- 45°
- infinitely adjustable depth stop
- straight guide for drilling a number of holes in a line
- additional handle for precise placement and against skidding when drilling
- the versatile mobile drill stand can also be turned into a stationary drill thanks to the four holes in the base plate
- integrated V-groove for securely fixing round workpieces
- base plate with centring mechanism allows centered drilling
- no more searching for drills - drill stack inside handle
- Euronorm collar \varnothing 43 mm
- packaging: box

article no.	EAN	description	product dimensions
4522000	4006885... ...452206	1 tecmobil - mobile drill stand	265 x 295 x 150 mm

6.11 Attachments



- machine: power drills
- handy drilling aid
- rapid assembling system without tools
- handle and rubber buffers for fixing the appliance safely prevents the drill from running off
- positioning lines and an inspection hole will pinpoint the borehole
- integrated dust collection bag
- Euronorm collar ø 43 mm
- packaging: fixed on card



article no.	EAN	description	product dimensions
4521000	...452107	1 tecmobil 200 - mobile drilling aid	240 x 270 x 85 mm



- machine: cordless screwdrivers and power drills
- for drilling rectangular holes in a speedy and simple way - also for the less experienced craftsman
- rubber buffers prevent the drill from running off on smooth surfaces
- positioning lines for drilling precise boreholes
- integrated V-groove for securely fixing round workpieces
- 5 metal drill guide bushes for drills ø 4, 5, 6, 8, 10 mm
- packaging: blister on card



article no.	EAN	description	product dimensions
4685000	...468504	1 accumobil - mobile drilling aid	117 x 33 x 66 mm

6.11 Attachments

Routing attachments



- machine: power drills
- for milling grooves, slots and profiles
- shank: \varnothing 8 mm
- including: 1 slotting cutter, \varnothing 35 mm, 2,5 mm
- packaging: box
- separate accessories: 3258000, 3259000, 3260000, 3261000, 3263000, 3264000, 3265000, 3266000, 3267000



article no.	EAN	description	product dimensions
3001000	...300101	1 wood shaper drill attachment	140 x 200 x 55 mm

Pumps



we recommend: pump + power drill + board

- machine: power drills
- metal casing
- version: self-priming
- thread connection: 19 mm (3/4")
- hose connection: 12,7 mm (1/2"), 19 mm (3/4")
- shank: \varnothing 8 mm
- packaging: paperboard card



article no.	EAN	description	max. capacity	hose connection / pumping height	suction lift	dry running
2200000	...220003	1 pump	3,000 l/h	Hose 13 mm (1/2") / 30 m Hose 19 mm (3/4") / 24 m	4 m	40 s

6.11 Attachments



we recommend: pump + power drill + board

- machine: power drills
- plastic case
- version: self-priming
- thread connection: 19 mm (3/4")
- hose connection: 12,7 mm (1/2"), 19 mm (3/4")
- shank: ø 8 mm
- packaging: paperboard card



article no.	EAN 4006885...	description	max. capacity	hose connection / pumping height	suction lift	dry running
2207000	...220706	1 pump	3,000 l/h	Hose 13 mm (1/2") / 24 m Hose 19 mm (3/4") / 18 m	4 m	30 s



- machine: power drills
- plastic case
- version: self-priming
- hose connection: 12,7 mm (1/2")
- shank: ø 6 mm
- packaging: paperboard card



article no.	EAN 4006885...	description	max. capacity	hose connection / pumping height	suction lift	dry running
2202000	...220201	1 pump	1,300 l/h	Hose 13 mm (1/2") / 15 m	3 m	30 s

6.11 Attachments

Universal drill clamps



10

- machine: power drills
- for stationary use of power drills, milling and grinding motors in any position
- adjustable for 360° in horizontal and 90° in vertical direction
- material: die-cast aluminium
- Euronorm collar ø 43 mm
- packaging: paperboard card

article no.	EAN	description
4800000	4006885... ...480001	1 universal drill clamp



- machine: power drills
- for stationary use of power drills, milling and grinding motors in horizontal and vertical position
- rotating
- material: plastic material
- Euronorm collar ø 43 mm
- packaging: paperboard card

article no.	EAN	description
4802000	4006885... ...480209	1 universal drill clamp

6.12 Drills / Chisels



6.12 Drills / Chisels

Metal drills

HSSCo-Twist drills



- for boreholes in extremely hard and very abrasive (abrading) materials
- for stainless steel, annealed cast iron, bronze, sheet steel, car bodies, plastic materials, metals, hard materials
- high true running accuracy and break resistance
- highest durability under highest loads
- extremely heat-resistant
- according to DIN 338
- version: precision ground
- material: HSS-Co
- point angle: 118°
- spiral section with decreasing diameter
- packaging: plastic bag on card



article no.	EAN 4006885...	description	Ø	spiral length	length
7443010	...744301	1 twist drill	Ø 2 mm	24 mm	49 mm
7444010	...744400	1 twist drill	Ø 2.5 mm	30 mm	57 mm
7445010	...744509	1 twist drill	Ø 3 mm	33 mm	61 mm
7446010	...744608	1 twist drill	Ø 3.2 mm	36 mm	65 mm
7448010	...744806	1 twist drill	Ø 3.5 mm	39 mm	70 mm
7450010	...745001	1 twist drill	Ø 4 mm	43 mm	75 mm
7451010	...745100	1 twist drill	Ø 4.2 mm	43 mm	75 mm
7452010	...745209	1 twist drill	Ø 4.5 mm	47 mm	80 mm
7453010	...745308	1 twist drill	Ø 4.8 mm	52 mm	86 mm
7454010	...745407	1 twist drill	Ø 5 mm	52 mm	86 mm
7455010	...745506	1 twist drill	Ø 5.5 mm	57 mm	93 mm
7456010	...745605	1 twist drill	Ø 6 mm	57 mm	93 mm
7457010	...745704	1 twist drill	Ø 6.5 mm	63 mm	101 mm
7458010	...745803	1 twist drill	Ø 7 mm	69 mm	109 mm
7459010	...745902	1 twist drill	Ø 7.5 mm	69 mm	109 mm
7460010	...746008	1 twist drill	Ø 8 mm	75 mm	117 mm
7461010	...746107	1 twist drill	Ø 8.5 mm	75 mm	117 mm
7462010	...746206	1 twist drill	Ø 9 mm	81 mm	125 mm
7463010	...746305	1 twist drill	Ø 9.5 mm	81 mm	125 mm
7464010	...746404	1 twist drill	Ø 10 mm	87 mm	133 mm




article no.	EAN 4006885...	description	Ø	in	product dimensions
7118000	...711808	6 twist drills	Ø 2, 3, 4, 5, 6, 8 mm	2-component plastic slide-out box	68 x 150 x 18 mm

6.12 Drills / Chisels

HSS-Twist drills precision ground



- for steel, cast steel, annealed cast iron, grey cast iron, non-ferrous metals, plastic materials
- high durability under high loads
- according to DIN 338
- version: precision ground
- material: HSS
- point angle: 118°
- spiral section with decreasing diameter and increasing core
- packaging: plastic bag on card



article no.	EAN 4006885...	description	Ø	spiral length	length
7541010	...754102	3 twist drills	ø 1 mm	12 mm	34 mm
7542010	...754201	3 twist drills	ø 1.5 mm	18 mm	40 mm
7543010	...754300	3 twist drills	ø 2 mm	24 mm	49 mm
7544010	...754409	3 twist drills	ø 2.5 mm	30 mm	57 mm
7545010	...754508	3 twist drills	ø 3 mm	33 mm	61 mm
7536010	...753600	1 twist drill	ø 3.1 mm	36 mm	65 mm
7546010	...754607	1 twist drill	ø 3.2 mm	36 mm	65 mm
7548010	...754805	1 twist drill	ø 3.5 mm	39 mm	70 mm
7550010	...755000	1 twist drill	ø 4 mm	43 mm	75 mm
7537010	...753709	1 twist drill	ø 4.1 mm	43 mm	75 mm
7551010	...755109	1 twist drill	ø 4.2 mm	43 mm	75 mm
7552010	...755208	1 twist drill	ø 4.5 mm	47 mm	80 mm
7554010	...755406	1 twist drill	ø 5 mm	52 mm	86 mm
7538010	...753808	1 twist drill	ø 5.1 mm	52 mm	86 mm
7555010	...755505	1 twist drill	ø 5.5 mm	57 mm	93 mm
7556010	...755604	1 twist drill	ø 6 mm	57 mm	93 mm
7557010	...755703	1 twist drill	ø 6.5 mm	63 mm	101 mm
7558010	...755802	1 twist drill	ø 7 mm	69 mm	109 mm
7560010	...756007	1 twist drill	ø 8 mm	75 mm	117 mm
7561010	...756106	1 twist drill	ø 8.5 mm	75 mm	117 mm
7562010	...756205	1 twist drill	ø 9 mm	81 mm	125 mm
7564010	...756403	1 twist drill	ø 10 mm	87 mm	133 mm
7565010	...756502	1 twist drill	ø 10.5 mm	87 mm	133 mm
7566010	...756601	1 twist drill	ø 11 mm	94 mm	142 mm
7568010	...756809	1 twist drill	ø 12 mm	101 mm	151 mm
7569010	...756908	1 twist drill	ø 12.5 mm	101 mm	151 mm
7570010	...757004	1 twist drill	ø 13 mm	101 mm	151 mm
7572010	...757202	1 twist drill	ø 14 mm	108 mm	160 mm
7573010	...757301	1 twist drill	ø 15 mm	114 mm	169 mm
7574010	...757400	1 twist drill	ø 16 mm	120 mm	178 mm

6.12 Drills / Chisels



710000



7101000




7102000

article no.	EAN 4006885...	description	Ø	in	product dimensions
7100000	...710009	13 twist drills	Ø 1.5, 2, 2.5, 3, 3.3, 3.5, 4, 4.2, 4.5, 5, 5.5, 6, 6.5 mm	2-component plastic slide-out box	110 x 150 x 18 mm
7101000	...710108	6 twist drills	Ø 2, 3, 4, 5, 6, 8 mm	2-component plastic slide-out box	68 x 150 x 18 mm
7102000	...710207	13 twist drills	Ø 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 8 mm	2-component plastic slide-out box	110 x 150 x 18 mm

HSS-Twist drills precision ground with hexagonal shank



- for steel, cast steel, annealed cast iron, grey cast iron, non-ferrous metals, plastic materials
- hexagonal shank, for the quick change of tools in bit holders
- high durability under high loads
- according to DIN 338
- version: precision ground
- material: HSS
- point angle: 118°
- spiral section with decreasing diameter and increasing core
- packaging: plastic bag with inlay



article no.	EAN 4006885...	description	Ø	spiral length	length	shank
7256000	...725607	1 twist drill	Ø 2 mm	16 mm	47 mm	hexagon shank
7257000	...725706	1 twist drill	Ø 3 mm	16 mm	47 mm	hexagon shank
7258000	...725805	1 twist drill	Ø 4 mm	20 mm	53 mm	hexagon shank
7259000	...725904	1 twist drill	Ø 5 mm	26 mm	59 mm	hexagon shank
7260000	...726000	1 twist drill	Ø 6 mm	26 mm	59 mm	hexagon shank

6.12 Drills / Chisels

HSS-Twist drills rolled



- for steel, cast iron, non-ferrous metals, plastic materials
- according to DIN 338
- version: rolled, conical envelope grinding
- material: HSS
- point angle: 118°
- packaging: plastic bag on card



article no.	EAN 4006885...	description	Ø	spiral length	length
7491010	...749108	3 twist drills	ø 1 mm	12 mm	34 mm
7492010	...749207	3 twist drills	ø 1.5 mm	18 mm	40 mm
7493010	...749306	3 twist drills	ø 2 mm	24 mm	49 mm
7494010	...749405	3 twist drills	ø 2.5 mm	30 mm	57 mm
7495010	...749504	3 twist drills	ø 3 mm	33 mm	61 mm
7496010	...749603	1 twist drill	ø 3.2 mm	36 mm	65 mm
7498010	...749801	1 twist drill	ø 3.5 mm	39 mm	70 mm
7500010	...750005	1 twist drill	ø 4 mm	43 mm	75 mm
7501010	...750104	1 twist drill	ø 4.2 mm	43 mm	75 mm
7502010	...750203	1 twist drill	ø 4.5 mm	47 mm	80 mm
7504010	...750401	1 twist drill	ø 5 mm	52 mm	86 mm
7505010	...750500	1 twist drill	ø 5.5 mm	57 mm	93 mm
7506010	...750609	1 twist drill	ø 6 mm	57 mm	93 mm
7507010	...750708	1 twist drill	ø 6.5 mm	63 mm	101 mm
7508010	...750807	1 twist drill	ø 7 mm	69 mm	109 mm
7509010	...750906	1 twist drill	ø 7.5 mm	69 mm	109 mm
7510010	...751002	1 twist drill	ø 8 mm	75 mm	117 mm
7511010	...751101	1 twist drill	ø 8.5 mm	75 mm	117 mm
7512010	...751200	1 twist drill	ø 9 mm	81 mm	125 mm
7514010	...751408	1 twist drill	ø 10 mm	87 mm	133 mm
7515010	...751507	1 twist drill	ø 10.5 mm	87 mm	133 mm
7516010	...751606	1 twist drill	ø 11 mm	94 mm	142 mm
7518010	...751804	1 twist drill	ø 12 mm	101 mm	151 mm
7519010	...751903	1 twist drill	ø 12.5 mm	101 mm	151 mm
7520010	...752009	1 twist drill	ø 13 mm	101 mm	151 mm
7530010	...753006	1 twist drill	ø 14 mm	108 mm	160 mm
7534010	...753402	1 twist drill	ø 15 mm	114 mm	169 mm
7535010	...753501	1 twist drill	ø 16 mm	120 mm	178 mm

6.12 Drills / Chisels



7103000



7104000



7105000



7106000



8453000

article no.	EAN 4006885...	description	Ø	in	product dimensions
7103000	...710306	16 twist drills	Ø 1, 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.2, 4.5, 5, 6, 7, 8, 9, 10 mm	2-component plastic box with lid	112 x 187 x 34 mm
7104000	...710405	13 twist drills	Ø 1.5, 2, 2.5, 3, 3.3, 3.5, 4, 4.2, 4.5, 5, 5.5, 6, 6.5 mm	2-component plastic slide-out box	110 x 150 x 18 mm
7105000	...710504	6 twist drills	Ø 2, 3, 4, 5, 6, 8 mm	2-component plastic slide-out box	68 x 150 x 18 mm
7106000	...710603	13 twist drills	Ø 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 8 mm	2-component plastic slide-out box	110 x 150 x 18 mm
8453000	...845305	6 twist drills	Ø 2, 3, 4, 5, 6, 8 mm	plastic box	56 x 158 mm

HSS-Twist drills rolled, long



- for steel, cast iron, non-ferrous metals, plastic materials
- according to DIN 340
- version: rolled, long
- material: HSS
- point angle: 118°
- packaging: plastic bag on card



article no.	EAN 4006885...	description	Ø	spiral length	length
7587010	...758704	1 twist drill	Ø 3 mm	66 mm	100 mm
7591010	...759107	1 twist drill	Ø 4 mm	78 mm	119 mm
7594010	...759404	1 twist drill	Ø 5 mm	87 mm	132 mm
7596010	...759602	1 twist drill	Ø 6 mm	91 mm	139 mm
7599010	...759909	1 twist drill	Ø 8 mm	109 mm	165 mm
7602010	...760202	1 twist drill	Ø 10 mm	121 mm	184 mm

6.12 Drills / Chisels

Wood drills

HSS-Wood twist drills "Professional"



- particularly suitable for use in furniture making or wooden terrace construction
- for wood, hardwood, terrace wood
- for extremely hard woods
- with 2 guide chamfers for improved drill hole guidance
- with large chip guide groove for optimum chip removal
- version: with self-cutting centre point
- material: HSS
- packaging: storage box on card



article no.	EAN 4006885...	description	Ø	spiral length	length
7246000	...724600	1 wood twist drill "Professional"	ø 4 mm	43 mm	75 mm
7247000	...724709	1 wood twist drill "Professional"	ø 5 mm	52 mm	86 mm
7248000	...724808	1 wood twist drill "Professional"	ø 6 mm	57 mm	94 mm
7249000	...724907	1 wood twist drill "Professional"	ø 8 mm	75 mm	117 mm
7250000	...725003	1 wood twist drill "Professional"	ø 10 mm	87 mm	133 mm
7251000	...725102	1 wood twist drill "Professional"	ø 12 mm	96 mm	151 mm
7252000	...725201	1 wood twist drill "Professional"	ø 14 mm	97 mm	160 mm
7253000	...725300	1 wood twist drill "Professional"	ø 16 mm	100 mm	180 mm
7254000	...725409	1 wood twist drill "Professional"	ø 18 mm	120 mm	200 mm
7255000	...725508	1 wood twist drill "Professional"	ø 20 mm	130 mm	200 mm



article no.	EAN 4006885...	description	Ø	in	product dimensions
7120000	...712003	6 wood twist drills "Professional"	ø 3, 4, 5, 6, 8, 10 mm	2-component plastic slide-out box	68 x 150 x 18 mm

6.12 Drills / Chisels

CV-Wood twist drills



- for wood, plywood, chipboards, fibre boards
- high durability
- version: cylindrically ground, ground centre point, ground pre-cutting edge
- material: CV
- packaging: plastic bag on card



article no.	EAN 4006885...	description	Ø	spiral length	length
7603010	...760301	1 wood twist drill	Ø 3 mm	33 mm	61 mm
7604010	...760400	1 wood twist drill	Ø 4 mm	43 mm	75 mm
7605010	...760509	1 wood twist drill	Ø 5 mm	52 mm	86 mm
7606010	...760608	1 wood twist drill	Ø 6 mm	57 mm	94 mm
7607010	...760707	1 wood twist drill	Ø 7 mm	69 mm	109 mm
7608010	...760806	1 wood twist drill	Ø 8 mm	75 mm	117 mm
7610010	...761001	1 wood twist drill	Ø 10 mm	87 mm	133 mm
7612010	...761209	1 wood twist drill	Ø 12 mm	96 mm	151 mm
7614010	...761407	1 wood twist drill	Ø 14 mm	97 mm	151 mm
7615010	...761506	1 wood twist drill	Ø 15 mm	100 mm	160 mm
7616010	...761605	1 wood twist drill	Ø 16 mm	100 mm	180 mm
7618010	...761803	1 wood twist drill	Ø 18 mm	120 mm	180 mm
7619010	...761902	1 wood twist drill	Ø 20 mm	130 mm	200 mm



7107000



7108000



8458000

article no.	EAN 4006885...	description	Ø	including	in	product dimensions
7107000	...710702	6 wood twist drills	Ø 3, 4, 5, 6, 8, 10 mm	1 countersink, Ø 12 mm	2-component plastic slide-out box	110 x 150 x 18 mm
7108000	...710801	6 wood twist drills	Ø 3, 4, 5, 6, 8, 10 mm		2-component plastic slide-out box	68 x 150 x 18 mm
8458000	...845800	5 wood twist drills	Ø 4, 5, 6, 8, 10 mm		plastic box	56 x 52 mm

6.12 Drills / Chisels

CV-Wood twist drills with hexagonal shank



- for wood, plywood, chipboards, fibre boards
- hexagonal shank, for the quick change of tools in bit holders
- high durability
- version: cylindrically ground, ground centre point, ground pre-cutting edge
- material: CV
- packaging: plastic bag with inlay



article no.	EAN 4006885...	description	Ø	spiral length	length	shank
7261000	...726109	1 wood twist drill	ø 3 mm	35 mm	65 mm	hexagon shank
7262000	...726208	1 wood twist drill	ø 4 mm	40 mm	75 mm	hexagon shank
7263000	...726307	1 wood twist drill	ø 5 mm	50 mm	85 mm	hexagon shank
7264000	...726406	1 wood twist drill	ø 6 mm	55 mm	90 mm	hexagon shank

Wooden beam drills



- for wood beams and joints, thick wooden parts
- highly annealed steel quality
- hardened cutting edges for high durability
- spiral centre point
- precision ground pre-cutting edges and cutting edges
- extra deep rounded-off grooves for the optimal chip discharge
- packaging: plastic bag on card



article no.	EAN 4006885...	description	Ø	spiral length	length	shank
7658010	...765801	1 wooden beam drill	ø 8 mm	190 mm	250 mm	hexagon shank
7660010	...766006	1 wooden beam drill	ø 10 mm	190 mm	250 mm	hexagon shank
7661010	...766105	1 wooden beam drill	ø 12 mm	190 mm	250 mm	hexagon shank
7662010	...766204	1 wooden beam drill	ø 14 mm	190 mm	250 mm	hexagon shank
7663010	...766303	1 wooden beam drill	ø 16 mm	190 mm	250 mm	hexagon shank
7664010	...766402	1 wooden beam drill	ø 18 mm	190 mm	250 mm	hexagon shank
7665010	...766501	1 wooden beam drill	ø 20 mm	190 mm	250 mm	hexagon shank
7667010	...766709	1 wooden beam drill	ø 6 mm	325 mm	400 mm	hexagon shank
7668010	...766808	1 wooden beam drill	ø 8 mm	325 mm	400 mm	hexagon shank
7670010	...767003	1 wooden beam drill	ø 10 mm	325 mm	400 mm	hexagon shank
7671010	...767102	1 wooden beam drill	ø 12 mm	325 mm	400 mm	hexagon shank
7672010	...767201	1 wooden beam drill	ø 14 mm	325 mm	400 mm	hexagon shank
7673010	...767300	1 wooden beam drill	ø 16 mm	325 mm	400 mm	hexagon shank
7674010	...767409	1 wooden beam drill	ø 18 mm	325 mm	400 mm	hexagon shank
7675010	...767508	1 wooden beam drill	ø 20 mm	325 mm	400 mm	hexagon shank
7676010	...767607	1 wooden beam drill	ø 22 mm	325 mm	400 mm	hexagon shank

6.12 Drills / Chisels

CV-Formwork twist drills



- for drilling of holes for clamping screws or tensioning wire on formwork for concrete
- open helical outlet from \varnothing 16 mm
- threaded connection between drill and shank
- conical transition from shank to drill
- according to DIN 338
- material: CV
- point angle: 118°
- packaging: plastic bag on card



article no.	EAN 4006885...	description	\varnothing	spiral length	length	shank
7680010	...768000	1 formwork twist drill	\varnothing 8 mm	75 mm	400 mm	\varnothing 6 mm
7681010	...768109	1 formwork twist drill	\varnothing 10 mm	87 mm	400 mm	\varnothing 8 mm
7682010	...768208	1 formwork twist drill	\varnothing 12 mm	100 mm	400 mm	\varnothing 8 mm
7683010	...768307	1 formwork twist drill	\varnothing 14 mm	110 mm	400 mm	\varnothing 8 mm
7684010	...768406	1 formwork twist drill	\varnothing 16 mm	100 mm	400 mm	\varnothing 10 mm
7686010	...768604	1 formwork twist drill	\varnothing 20 mm	100 mm	400 mm	\varnothing 10 mm

Flat milling drills



- for wood, plywood, chipboards, fibre boards
- hardened for high durability
- sharpened centre point
- ground cutting edges
- material: C 80
- packaging: paperboard card
- separate accessories: 7629000




article no.	EAN 4006885...	description	\varnothing	length	shank
7634000	...763401	1 flat milling drill	\varnothing 14 mm	152 mm	hexagon shank
7635000	...763500	1 flat milling drill	\varnothing 16 mm	152 mm	hexagon shank
7636000	...763609	1 flat milling drill	\varnothing 18 mm	152 mm	hexagon shank
7638000	...763807	1 flat milling drill	\varnothing 20 mm	152 mm	hexagon shank
7639000	...763906	1 flat milling drill	\varnothing 22 mm	152 mm	hexagon shank
7641000	...764101	1 flat milling drill	\varnothing 25 mm	152 mm	hexagon shank
7643000	...764309	1 flat milling drill	\varnothing 30 mm	152 mm	hexagon shank
7646000	...764606	1 flat milling drill	\varnothing 35 mm	152 mm	hexagon shank

6.12 Drills / Chisels



- for flat milling drills
- packaging: plastic bag on card
- suitable for 7634000, 7635000, 7636000, 7638000, 7639000, 7641000, 7643000, 7646000



article no.	EAN	description	length	shank
7629000	4006885... ...762909	1 extension shank	270 mm	hexagon shank

TCT-Cylinder drills



Hinge bore drill for highest demands and high durability

- for formica, coated boards, chipboards, wood, plastic materials
- version: with pre-cutters, centre point
- material: TCT
- shank: \varnothing 8 mm
- packaging: blister on card



article no.	EAN	description	\varnothing	length
3374000	4006885... ...337404	1 cylinder drill	\varnothing 26 mm	90 mm
3376000	...337602	1 cylinder drill	\varnothing 35 mm	90 mm

6.12 Drills / Chisels

WS-Cylinder drills



- for all types of wood
- version: with pre-cutters, centre point
- material: tool steel
- shank: \varnothing 8 mm
- packaging: blister on card



article no.	EAN 4006885...	description	\varnothing	length
3305000	...330504	1 cylinder drill	\varnothing 20 mm	53 mm
3306000	...330603	1 cylinder drill	\varnothing 25 mm	53 mm
3300000	...330009	1 cylinder drill	\varnothing 26 mm	53 mm
3301000	...330108	1 cylinder drill	\varnothing 30 mm	53 mm
3302000	...330207	1 cylinder drill	\varnothing 35 mm	53 mm
3361000	...336100	1 cylinder drill	\varnothing 15 mm	90 mm
3362000	...336209	1 cylinder drill	\varnothing 20 mm	90 mm
3363000	...336308	1 cylinder drill	\varnothing 25 mm	90 mm
3364000	...336407	1 cylinder drill	\varnothing 26 mm	90 mm
3365000	...336506	1 cylinder drill	\varnothing 30 mm	90 mm
3366000	...336605	1 cylinder drill	\varnothing 35 mm	90 mm

Forstner drills




Set for drilling hinge holes.

- content:
 - 1 forstner drill, \varnothing 35 mm
 - 1 marking template, plastic material, for precise marking of the drilling points for concealed hinges and eccentric connectors \varnothing 26 and 35 mm
- packaging: blister on card

article no.	EAN 4006885...	description	\varnothing	length	shank
8728000	...872806	1 forstner drill	\varnothing 35 mm	90 mm	\varnothing 10 mm

6.12 Drills / Chisels



special cutting edge geometry

The special cutting edge geometry of wolcraft's Forstner drill prevents unintentional heat while drilling. The drilling result is accurate and without any scorch marks on the workpiece.

- for drilling tear-free & precise holes to measure
- edge holes in all types of soft wood and plastic-coated chipboard
- special cutting edge geometry = shorter drilling time = no burned spots in the wood
- drilling with less energy = extends the machine's service life
- version: with centre point, 2 main cutting edges, pinnacle-type peripheral cutting edges
- material: high-quality tool steel
- packaging: double blister

article no.	EAN 4006885...	description	Ø	length	shank
3313000	...331303	1 forstner drill	Ø 15 mm	90 mm	Ø 8 mm
3315000	...331501	1 forstner drill	Ø 20 mm	90 mm	Ø 8 mm
3316000	...331600	1 forstner drill	Ø 22 mm	90 mm	Ø 8 mm
3317000	...331709	1 forstner drill	Ø 25 mm	90 mm	Ø 8 mm
3318000	...331808	1 forstner drill	Ø 26 mm	90 mm	Ø 8 mm
3319000	...331907	1 forstner drill	Ø 28 mm	90 mm	Ø 8 mm
3320000	...332003	1 forstner drill	Ø 30 mm	90 mm	Ø 8 mm
3321000	...332102	1 forstner drill	Ø 32 mm	90 mm	Ø 10 mm
3322000	...332201	1 forstner drill	Ø 35 mm	90 mm	Ø 10 mm
3325000	...332508	1 forstner drill	Ø 40 mm	90 mm	Ø 10 mm
3326000	...332607	1 forstner drill	Ø 45 mm	90 mm	Ø 10 mm
3328000	...332805	1 forstner drill	Ø 48 mm	90 mm	Ø 10 mm
3327000	...332706	1 forstner drill	Ø 50 mm	90 mm	Ø 10 mm



article no.	EAN 4006885...	description	Ø	shank	in	product dimensions
1002000	...100206	5 forstner drills	Ø 15, 20, 25, 30, 35 mm	Ø 10 mm	2-component plastic case, mini	165 x 127 x 47 mm

6.12 Drills / Chisels

Forstner drills with hexagonal shank



- for soft wood, plastic coated chipboards
- precise holes thanks to a special cutting tooth geometry
- hexagonal shank, for the quick change of tools in bit holders
- version: centre point, 2 main cutting edges, pinnacle-type peripheral cutting edges
- packaging: double blister



article no.	EAN 4006885...	description	Ø	length	shank	shank
3309000	...330900	1 forstner drill	Ø 26 mm	90 mm	hexagon shank	Ø 8 mm
3310000	...331006	1 forstner drill	Ø 35 mm	90 mm	hexagon shank	Ø 8 mm

Masonry drills / Chisels

TCT-Rock drills "Professional"



- for brick walls, stone, concrete, marble, natural stones, ceramics
- straight inlet to spiral groove
- reinforced plate seat
- specially hardened
- impact and shock proof
- according to ISO 5468
- material: TCT
- point angle: 130°
- packaging: plastic bag on card



article no.	EAN 4006885...	description	Ø	spiral length	length
7774010	...777408	1 rock drill "Professional"	Ø 4 mm	40 mm	75 mm
7775010	...777507	1 rock drill "Professional"	Ø 5 mm	40 mm	85 mm
7776010	...777606	1 rock drill "Professional"	Ø 6 mm	55 mm	100 mm
7778010	...777804	1 rock drill "Professional"	Ø 8 mm	70 mm	120 mm
7780010	...778009	1 rock drill "Professional"	Ø 10 mm	70 mm	120 mm
7785010	...778504	1 rock drill "Professional"	Ø 5 mm	95 mm	150 mm
7786010	...778603	1 rock drill "Professional"	Ø 6 mm	95 mm	150 mm
7782010	...778207	1 rock drill "Professional"	Ø 12 mm	90 mm	150 mm
7784010	...778405	1 rock drill "Professional"	Ø 14 mm	90 mm	150 mm



6.12 Drills / Chisels



article no.	EAN 4006885...	description	Ø	spiral length	length
7788010	...778801	1 rock drill "Professional"	ø 8 mm	180 mm	250 mm
7789010	...778900	1 rock drill "Professional"	ø 10 mm	180 mm	250 mm



article no.	EAN 4006885...	description	Ø	in	product dimensions
7119000	...711907	6 rock drills "Professional"	ø 3, 4, 5, 6, 8, 10 mm	2-component plastic slide-out box	68 x 150 x 18 mm

TCT-Special concrete drills



- for brick walls, stone, concrete, artificial stones, marble, ceramics
- precision-ground carbide cutting plate, diamond-ground
- special soldering method with copper
- heat-resistant up to 500° C
- extra deep ground spiral groove
- according to DIN 8039
- material: TCT
- point angle: 130°
- packaging: plastic bag on card



article no.	EAN 4006885...	description	Ø	spiral length	length
7743010	...774308	1 special concrete drill	ø 3 mm	35 mm	70 mm
7744010	...774407	1 special concrete drill	ø 4 mm	40 mm	75 mm
7745010	...774506	1 special concrete drill	ø 5 mm	50 mm	85 mm
7742010	...774209	1 special concrete drill	ø 5.5 mm	50 mm	85 mm
7746010	...774605	1 special concrete drill	ø 6 mm	60 mm	100 mm
7747010	...774704	1 special concrete drill	ø 7 mm	55 mm	100 mm
7748010	...774803	1 special concrete drill	ø 8 mm	70 mm	120 mm
7749010	...774902	1 special concrete drill	ø 9 mm	70 mm	120 mm
7750010	...775008	1 special concrete drill	ø 10 mm	70 mm	120 mm
7752010	...775206	1 special concrete drill	ø 12 mm	80 mm	150 mm
7754010	...775404	1 special concrete drill	ø 14 mm	85 mm	150 mm
7756010	...775602	1 special concrete drill	ø 16 mm	85 mm	160 mm

6.12 Drills / Chisels



710900



711000

article no.	EAN 4006885...	description	Ø	in	product dimensions
7109000	...710900	9 special concrete drills	ø 3, 4, 5, 5, 6, 6, 8, 8, 10 mm	2-component plastic slide-out box	110 x 150 x 18 mm
7110000	...711006	6 special concrete drills	ø 3, 4, 5, 6, 8, 10 mm	2-component plastic slide-out box	68 x 150 x 18 mm

TCT-Rock drills



- for brick walls, stone, concrete, marble, tiles
- high-quality steel
- hardened, strong, wear-resistant
- according to DIN 8039
- version: rolled
- material: TCT
- point angle: 130°
- packaging: plastic bag on card



article no.	EAN 4006885...	description	Ø	spiral length	length
7703010	...770300	1 rock drill	ø 3 mm	30 mm	60 mm
7704010	...770409	1 rock drill	ø 4 mm	40 mm	70 mm
7705010	...770508	1 rock drill	ø 5 mm	50 mm	85 mm
7706010	...770607	1 rock drill	ø 6 mm	60 mm	100 mm
7707010	...770706	1 rock drill	ø 7 mm	60 mm	100 mm
7708010	...770805	1 rock drill	ø 8 mm	80 mm	120 mm
7709010	...770904	1 rock drill	ø 9 mm	80 mm	120 mm
7710010	...771000	1 rock drill	ø 10 mm	80 mm	120 mm
7712010	...771208	1 rock drill	ø 12 mm	90 mm	150 mm
7714010	...771406	1 rock drill	ø 14 mm	90 mm	150 mm
7716010	...771604	1 rock drill	ø 16 mm	90 mm	150 mm
7736010	...773608	1 rock drill	ø 6 mm	135 mm	200 mm
7737010	...773707	1 rock drill	ø 8 mm	135 mm	200 mm
7738010	...773806	1 rock drill	ø 10 mm	135 mm	200 mm
7739010	...773905	1 rock drill	ø 12 mm	135 mm	200 mm

6.12 Drills / Chisels



7111000



7112000



8450000

article no.	EAN 4006885...	description	Ø	in	product dimensions
7111000	...711105	9 rock drills	Ø 3, 4, 5, 6, 6, 8, 8, 10 mm	2-component plastic slide-out box	110 x 150 x 18 mm
7112000	...711204	6 rock drills	Ø 3, 4, 5, 6, 8, 10 mm	2-component plastic slide-out box	68 x 150 x 18 mm
8450000	...845008	5 rock drills	Ø 4, 5, 6, 8, 10 mm	plastic box	56 x 158 mm

TCT-Rock drills with hexagonal shank



- for brick walls, stone, concrete, marble, tiles
- hexagonal shank, for the quick change of tools in bit holders
- high-quality steel
- hardened, strong, wear-resistant
- precision-ground hard metal plate
- according to DIN 8039
- material: TCT
- point angle: 130°
- packaging: plastic bag with inlay



article no.	EAN 4006885...	description	Ø	spiral length	length	shank
7265000	...726505	1 rock drill	Ø 4 mm	30 mm	80 mm	hexagon shank
7266000	...726604	1 rock drill	Ø 5 mm	40 mm	95 mm	hexagon shank
7267000	...726703	1 rock drill	Ø 6 mm	50 mm	110 mm	hexagon shank

6.12 Drills / Chisels

TCT-Masonry break-through drills with hexagonal shank



- machine: rotary and impact drills
- for brick walls, concrete, natural stones, artificial stones, marble, tiles
- high-quality steel
- strong core
- TCT cutting plate, tough, wear-resistant
- according to DIN 8039
- version: sand blasted
- material: TCT
- point angle: 130°
- packaging: plastic bag on card



article no.	EAN 4006885...	description	Ø	spiral length	length	shank
7918010	...791800	1 masonry break-through drill	ø 8 mm	300 mm	400 mm	hexagon shank
7920010	...792005	1 masonry break-through drill	ø 10 mm	300 mm	400 mm	hexagon shank
7922010	...792203	1 masonry break-through drill	ø 12 mm	300 mm	400 mm	hexagon shank
7924010	...792401	1 masonry break-through drill	ø 14 mm	300 mm	400 mm	hexagon shank
7926010	...792609	1 masonry break-through drill	ø 16 mm	300 mm	400 mm	hexagon shank
7928010	...792807	1 masonry break-through drill	ø 18 mm	300 mm	400 mm	hexagon shank
7932010	...793200	1 masonry break-through drill	ø 22 mm	300 mm	400 mm	hexagon shank
7940010	...794009	1 masonry break-through drill	ø 10 mm	450 mm	600 mm	hexagon shank
7942010	...794207	1 masonry break-through drill	ø 12 mm	450 mm	600 mm	hexagon shank
7917000	...791701	3 masonry break-through drills	ø 8, 10, 12 mm	300 mm	400 mm	hexagon shank

TCT rock drills with SDS-Quick shank

suitable for Bosch 1551, Bosch 1551



- machine: cordless hammer drills with SDS-Quick holder
- can also be used in standard three-jaw chucks
- for brick walls, concrete, natural stones, artificial stones, stone
- version: impact and shock proof
- material: TCT
- point angle: 130°
- packaging: plastic bag on card



article no.	EAN 4006885...	description	Ø	spiral length	length	shank
7760000	...776005	1 rock drill	ø 4 mm	40 mm	85 mm	SDS-Quick shank
7761000	...776104	1 rock drill	ø 5 mm	55 mm	100 mm	SDS-Quick shank
7762000	...776203	1 rock drill	ø 6 mm	55 mm	100 mm	SDS-Quick shank
7763000	...776302	1 rock drill	ø 8 mm	70 mm	120 mm	SDS-Quick shank
7764000	...776401	1 rock drill	ø 10 mm	70 mm	120 mm	SDS-Quick shank

6.12 Drills / Chisels

Hammer drills with SDS-plus shank "Professional 4-Cut"



- machine: hammer drills with SDS-plus holder
- for reinforced concrete, granite, brick walls, natural stones, artificial stones
- particularly suitable for reinforced concrete
- longer lifetime - special helix to reduce the vibration loads from hammer drilling
- longer lifetime - distribution of shearing forces on 2 levels through different cutting depths of main and auxiliary cutter
- optimal power transfer through laterally supported solid hard-metal head with 4 cutters and depth-offset seating in the drill body
- material: TCT
- in plastic box
- packaging: SDS-plus clip



article no.	EAN 4006885...	description	∅	spiral length	length	shank
7416000	...741607	1 hammer drill "Professional 4-Cut"	∅ 5 mm	50 mm	110 mm	SDS-plus
7418000	...741805	1 hammer drill "Professional 4-Cut"	∅ 6 mm	50 mm	110 mm	SDS-plus
7422000	...742208	1 hammer drill "Professional 4-Cut"	∅ 8 mm	50 mm	110 mm	SDS-plus
7417000	...741706	1 hammer drill "Professional 4-Cut"	∅ 5 mm	100 mm	160 mm	SDS-plus
7419000	...741904	1 hammer drill "Professional 4-Cut"	∅ 6 mm	100 mm	160 mm	SDS-plus
7423000	...742307	1 hammer drill "Professional 4-Cut"	∅ 8 mm	100 mm	160 mm	SDS-plus
7426000	...742604	1 hammer drill "Professional 4-Cut"	∅ 10 mm	100 mm	160 mm	SDS-plus
7429000	...742901	1 hammer drill "Professional 4-Cut"	∅ 12 mm	100 mm	160 mm	SDS-plus
7431000	...743106	1 hammer drill "Professional 4-Cut"	∅ 14 mm	100 mm	160 mm	SDS-plus
7420000	...742000	1 hammer drill "Professional 4-Cut"	∅ 6 mm	150 mm	210 mm	SDS-plus
7424000	...742406	1 hammer drill "Professional 4-Cut"	∅ 8 mm	150 mm	210 mm	SDS-plus
7427000	...742703	1 hammer drill "Professional 4-Cut"	∅ 10 mm	150 mm	210 mm	SDS-plus
7430000	...743007	1 hammer drill "Professional 4-Cut"	∅ 12 mm	150 mm	210 mm	SDS-plus
7421000	...742109	1 hammer drill "Professional 4-Cut"	∅ 6 mm	200 mm	260 mm	SDS-plus
7425000	...742505	1 hammer drill "Professional 4-Cut"	∅ 8 mm	200 mm	260 mm	SDS-plus
7428000	...742802	1 hammer drill "Professional 4-Cut"	∅ 10 mm	200 mm	260 mm	SDS-plus
7432000	...743205	1 hammer drill "Professional 4-Cut"	∅ 14 mm	200 mm	260 mm	SDS-plus

6.12 Drills / Chisels

Hammer drills with SDS-plus shank "Professional"



- machine: hammer drills with SDS-plus holder
- for concrete, granite, brick walls, natural stones, artificial stones
- specially soldered, fully embedded TCT cutting plate with pronounced centring tip
- longer lifetime - special helix to reduce the vibration loads from hammer drilling
- higher drilling speed - the special helix will ensure the optimal transmission of the hammer drill's impact energy
- version: made of chrome-nickel-molybdenum steel, shot-peened and intermediate level hardened
- material: TCT
- packaging: SDS-plus clip



article no.	EAN 4006885...	description	Ø	spiral length	length	shank
7987000	...798700	1 hammer drill "Professional"	Ø 5 mm	50 mm	110 mm	SDS-plus
7988000	...798809	1 hammer drill "Professional"	Ø 6 mm	50 mm	110 mm	SDS-plus
7842000	...784208	1 hammer drill "Professional"	Ø 8 mm	50 mm	110 mm	SDS-plus
7841000	...784109	1 hammer drill "Professional"	Ø 5 mm	100 mm	160 mm	SDS-plus
7989000	...798908	1 hammer drill "Professional"	Ø 6 mm	100 mm	160 mm	SDS-plus
7992000	...799202	1 hammer drill "Professional"	Ø 8 mm	100 mm	160 mm	SDS-plus
7843000	...784307	1 hammer drill "Professional"	Ø 10 mm	100 mm	160 mm	SDS-plus
7844000	...784406	1 hammer drill "Professional"	Ø 12 mm	100 mm	160 mm	SDS-plus
7990000	...799004	1 hammer drill "Professional"	Ø 6 mm	150 mm	210 mm	SDS-plus
7993000	...799301	1 hammer drill "Professional"	Ø 8 mm	150 mm	210 mm	SDS-plus
7995000	...799509	1 hammer drill "Professional"	Ø 10 mm	150 mm	210 mm	SDS-plus
7845000	...784505	1 hammer drill "Professional"	Ø 12 mm	150 mm	210 mm	SDS-plus
7849000	...784901	1 hammer drill "Professional"	Ø 14 mm	150 mm	210 mm	SDS-plus
7851000	...785106	1 hammer drill "Professional"	Ø 16 mm	150 mm	210 mm	SDS-plus
7991000	...799103	1 hammer drill "Professional"	Ø 6 mm	200 mm	260 mm	SDS-plus
7994000	...799400	1 hammer drill "Professional"	Ø 8 mm	200 mm	260 mm	SDS-plus
7996000	...799608	1 hammer drill "Professional"	Ø 10 mm	200 mm	260 mm	SDS-plus
7846000	...784604	1 hammer drill "Professional"	Ø 12 mm	200 mm	260 mm	SDS-plus
7852000	...785205	1 hammer drill "Professional"	Ø 18 mm	250 mm	300 mm	SDS-plus
7853000	...785304	1 hammer drill "Professional"	Ø 20 mm	250 mm	300 mm	SDS-plus
7847000	...784703	1 hammer drill "Professional"	Ø 12 mm	400 mm	450 mm	SDS-plus
7860000	...786004	1 hammer drill "Professional"	Ø 20 mm	300 mm	450 mm	SDS-plus

6.12 Drills / Chisels

TCT-Hammer drills with SDS-plus shank "Standard"



- machine: hammer drills with SDS-plus holder
- for concrete, granite, brick walls, natural stones, artificial stones
- specially soldered, fully embedded TCT cutting plate
- patented Super-U-discharge groove
- helix and shank specially hardened
- material: TCT
- point angle: 130°
- packaging: plastic bag on card



article no.	EAN 4006885...	description	Ø	spiral length	length	shank
7804010	...780408	1 hammer drill "Standard"	Ø 4 mm	50 mm	110 mm	SDS-plus
7805010	...780507	1 hammer drill "Standard"	Ø 5 mm	50 mm	110 mm	SDS-plus
7806010	...780606	1 hammer drill "Standard"	Ø 6 mm	50 mm	110 mm	SDS-plus
7812010	...781207	1 hammer drill "Standard"	Ø 8 mm	50 mm	110 mm	SDS-plus
7816010	...781603	1 hammer drill "Standard"	Ø 6 mm	100 mm	160 mm	SDS-plus
7817010	...781702	1 hammer drill "Standard"	Ø 7 mm	100 mm	160 mm	SDS-plus
7818010	...781801	1 hammer drill "Standard"	Ø 8 mm	100 mm	160 mm	SDS-plus
7819010	...781900	1 hammer drill "Standard"	Ø 9 mm	100 mm	160 mm	SDS-plus
7820010	...782006	1 hammer drill "Standard"	Ø 10 mm	100 mm	160 mm	SDS-plus
7822010	...782204	1 hammer drill "Standard"	Ø 12 mm	100 mm	160 mm	SDS-plus
7824010	...782402	1 hammer drill "Standard"	Ø 14 mm	100 mm	160 mm	SDS-plus
7838010	...783805	1 hammer drill "Standard"	Ø 18 mm	140 mm	200 mm	SDS-plus
7840010	...784000	1 hammer drill "Standard"	Ø 20 mm	140 mm	200 mm	SDS-plus
7828010	...782808	1 hammer drill "Standard"	Ø 6 mm	150 mm	210 mm	SDS-plus
7830010	...783003	1 hammer drill "Standard"	Ø 8 mm	150 mm	210 mm	SDS-plus
7831010	...783102	1 hammer drill "Standard"	Ø 10 mm	150 mm	210 mm	SDS-plus
7832010	...783201	1 hammer drill "Standard"	Ø 12 mm	150 mm	210 mm	SDS-plus
7833010	...783300	1 hammer drill "Standard"	Ø 14 mm	150 mm	210 mm	SDS-plus
7834010	...783409	1 hammer drill "Standard"	Ø 16 mm	150 mm	210 mm	SDS-plus
7836010	...783607	1 hammer drill "Standard"	Ø 16 mm	190 mm	250 mm	SDS-plus
7854010	...785403	1 hammer drill "Standard"	Ø 8 mm	200 mm	260 mm	SDS-plus
7855010	...785502	1 hammer drill "Standard"	Ø 10 mm	200 mm	260 mm	SDS-plus
7856010	...785601	1 hammer drill "Standard"	Ø 12 mm	200 mm	260 mm	SDS-plus
7858010	...785809	1 hammer drill "Standard"	Ø 14 mm	200 mm	260 mm	SDS-plus
7859010	...785908	1 hammer drill "Standard"	Ø 15 mm	200 mm	260 mm	SDS-plus
7868010	...786806	1 hammer drill "Standard"	Ø 18 mm	250 mm	300 mm	SDS-plus
7866010	...786608	1 hammer drill "Standard"	Ø 20 mm	250 mm	300 mm	SDS-plus
7863010	...786301	1 hammer drill "Standard"	Ø 14 mm	250 mm	310 mm	SDS-plus
7871010	...787100	1 hammer drill "Standard"	Ø 10 mm	390 mm	450 mm	SDS-plus
7872010	...787209	1 hammer drill "Standard"	Ø 12 mm	400 mm	450 mm	SDS-plus
7874010	...787407	1 hammer drill "Standard"	Ø 14 mm	400 mm	450 mm	SDS-plus
7876010	...787605	1 hammer drill "Standard"	Ø 16 mm	400 mm	450 mm	SDS-plus
7880010	...788008	1 hammer drill "Standard"	Ø 20 mm	400 mm	450 mm	SDS-plus
7885010	...788503	1 hammer drill "Standard"	Ø 25 mm	400 mm	450 mm	SDS-plus
7886010	...788602	1 hammer drill "Standard"	Ø 10 mm	550 mm	600 mm	SDS-plus
7887010	...788701	1 hammer drill "Standard"	Ø 12 mm	550 mm	600 mm	SDS-plus
7888010	...788800	1 hammer drill "Standard"	Ø 14 mm	550 mm	600 mm	SDS-plus
7891010	...789104	1 hammer drill "Standard"	Ø 16 mm	550 mm	600 mm	SDS-plus
7893010	...789302	1 hammer drill "Standard"	Ø 20 mm	550 mm	600 mm	SDS-plus

6.12 Drills / Chisels



7113000



8456000

article no.	EAN 4006885...	description	shank	Ø	in	product dimensions
7113000	...711303	6 hammer drills "Standard"	SDS-plus	Ø 5 x 110 mm Ø 6 x 110 mm Ø 6 x 160 mm Ø 8 x 110 mm Ø 8 x 160 mm Ø 10 x 160 mm	2-component plastic box with lid	112 x 187 x 34 mm
8456000	...845602	4 hammer drills "Standard"	SDS-plus	Ø 5 x 110 mm Ø 6 x 110 mm Ø 6 x 110 mm Ø 8 x 110 mm	plastic box	56 x 158 mm

Chisels with SDS-plus shank



- content:
1 pointed chisel, 250 mm
1 flat chisel, 250 mm, 20 mm
1 cutting chisel, 250 mm, 35 mm
- packaging: plastic bag on card

article no.	EAN 4006885...	description	shank
7914000	...791404	1 chisel set	SDS-plus



- packaging: plastic bag on card

article no.	EAN 4006885...	description	Cutting width	length	shank
7910000	...791008	1 pointed chisel		250 mm	SDS-plus
7911000	...791107	1 flat chisel	20 mm	250 mm	SDS-plus
7912000	...791206	1 cutting chisel	35 mm	250 mm	SDS-plus
7913000	...791305	1 cutting chisel	22 mm	250 mm	SDS-plus

6.12 Drills / Chisels

Multi-purpose drills



multi-purpose drill set

- content:
 - 1 accumobil - mobile drilling aid, for drilling rectangular holes in a speedy and simple way - also for the less experienced craftsman, rubber buffers prevent the drill from running off on smooth surfaces
 - 5 multi-purpose drills, \varnothing 4, 5, 6, 8, 10 mm, precision-ground hard metal plate

article no.	EAN	description	in	product dimensions
1000000	4006885... ...100008	1 multi-purpose drill set	2-component plastic case, mini	165 x 127 x 47 mm



Universal special drill, versatile, durable, long-lasting

- for wood, stone, metals, plastic materials
- precision-ground hard metal plate
- heat-resistant up to 1,100° C
- point angle: 130°
- packaging: plastic bag on card



article no.	EAN	description	\varnothing	spiral length	length
7962010	4006885... ...796201	1 multi-purpose drill	\varnothing 3 mm	35 mm	70 mm
7963010	...796300	1 multi-purpose drill	\varnothing 4 mm	40 mm	75 mm
7964010	...796409	1 multi-purpose drill	\varnothing 5 mm	50 mm	85 mm
7965010	...796508	1 multi-purpose drill	\varnothing 6 mm	60 mm	100 mm
7967010	...796706	1 multi-purpose drill	\varnothing 8 mm	70 mm	120 mm
7969010	...796904	1 multi-purpose drill	\varnothing 10 mm	70 mm	120 mm



article no.	EAN	description	\varnothing	in	product dimensions
7114000	4006885... ...711402	6 multi-purpose drills	\varnothing 3, 4, 5, 6, 8, 10 mm	2-component plastic slide-out box	68 x 150 x 18 mm