



- in storage box
- packaging: blister on card
- suitable for 4136000, 4138000, 4146000

article no.	EAN	description	segments	blade height
4179000	4006885... ...417908	5 snap-off hook blades	4	18 mm

### Miscellaneous blades



- in storage box
- packaging: blister on card
- suitable for 4152000

article no.	EAN	description
4129000	4006885... ...412903	1 replacement blade for rolling knife



- packaging: blister on card
- suitable for 4300000

article no.	EAN	description
4310000	4006885... ...431003	3 replacement blades for laminate trimmer



- in storage box
- packaging: blister on card
- suitable for 4151000

article no.	EAN	description
4169000	4006885... ...416901	5 replacement blades for circle cutter



- in storage box
- packaging: blister on card
- suitable for 4195000

article no.	EAN	description
4196000	4006885... ...419605	5 replacement blades for professional precision knife

## 7.1 Cutting tools



- packaging: blister on card
- suitable for 4183000

article no.	EAN	description
4126000	4006885... ...412606	3 replacement blades for scraper

## Scissors



an integrated safety catch will reduce the risk of injury

### Make a clean cut - safe, quick and precise!



- bidirectional razor-sharp blade
- central recess in blade holder for easy cutting of round material with diameters of up to 13 mm
- a spring-loaded safety cover on the front of the blade holder will prevent accidental contact
- an integrated safety catch will reduce the risk of injury
- ergonomically designed handle with non-slip elastic coating
- including: 3 replacement blades, 0.65 mm thick, 61 mm long
- packaging: double blister
- separate accessories: 4173000, 4187000

article no.	EAN	description
4197000	4006885... ...419704	1 megaCut S - precision cutter



with additional functions, such as screwdriver, bottle-opener, foil cutter

- with ergonomic handles
- with special cutting edge geometry
- with additional functions, such as screwdriver, bottle-opener, foil cutter
- packaging: blister on card

article no.	EAN	description	length	length of blade
4164000	4006885... ...416406	1 universal household scissors	215 mm	70 mm

## 7.1 Cutting tools



- for cutting cardboard, cartons and films
- permanent and secure blade joint
- stainless steel blades
- ergonomic 2-component handle zones
- packaging: sliding blister

article no.	EAN	description	length	length of blade
4116000	4006885... ...411609	1 workshop scissors	300 mm	170 mm



- for cutting paper, fabric and other thin materials
- permanent and secure blade joint
- stainless steel blades
- ergonomic 2-component handle zones
- packaging: sliding blister

article no.	EAN	description	length	length of blade
4117000	4006885... ...411708	1 household scissors	250 mm	130 mm



- for school and handicrafts
- permanent and secure blade joint
- stainless steel blades
- ergonomic 2-component handle zones
- packaging: sliding blister

article no.	EAN	description	length	version	length of blade
4118000	4006885... ...411807	1 handicraft scissors	140 mm	rounded-off tips	75 mm

### Miscellaneous



- for glass widths 3 - 5 mm
- version:  
with painted wooden handle  
with 6 changeable cutting discs made of tungsten carbide
- packaging: sliding blister

article no.	EAN	description	length
4108000	4006885... ...410800	1 glass cutter "Standard"	135 mm

## 7.1 Cutting tools



- for cutting glass as well as tiles or ceramics
- for glass widths 3 - 8 mm
- version:  
wooden handle  
with 6 changeable cutting discs made of tungsten carbide
- packaging: sliding blister

article no.	EAN 4006885...	description	length
4109000	...410909	1 glass and tile cutter "Profi"	135 mm



- suitable for all common trapezium and snap-off blade knives
- with belt loop
- material: synthetic leather
- version: sewn and riveted
- length of bag 130 mm
- packaging: fixed on card
- suitable for 4131000, 4132000, 4133000, 4134000, 4135000, 4136000, 4138000, 4146000, 4150000, 4155000

article no.	EAN 4006885...	description	length
4121000	...412101	1 knife holster	205 mm



- rust-proof
- material: stainless steel
- version:  
scaled length of 300 mm  
with suspension hole
- packaging: with hang tag
- suitable for 4081000, 4136000, 4137000, 4138000, 4139000, 4141000, 4146000, 4195000

article no.	EAN 4006885...	description
4153000	...415300	1 steel ruler



- especially for removing residues from ceramic hobs
- to remove varnish and paint
- material: metal
- version: 38 mm blade
- packaging: blister on card
- separate accessories: 4126000

article no.	EAN 4006885...	description
4183000	...418301	1 metal scraper

## 7.1 Cutting tools



- to eliminate minor flatness faults on smooth surfaces
- for removing stickers from smooth surfaces
- to remove varnish and paint
- material: plastic material
- version: 61 mm blade
- including: 1 blade
- packaging: fixed on card
- separate accessories: 4187000

article no.	EAN	description
4193000	4006885... ...419308	1 plastic scraper



- for the trimming of overlapping veneers
- also for the clean cutting of shaped edges
- packaging: blister on card
- separate accessories: 4310000

article no.	EAN	description
4300000	4006885... ...430006	1 laminate trimmer

## 7.2 Measuring tools



- for measuring, marking and drawing
- for radii, circles and cup hinges
- exchangeable stop-bar for working precisely on edges and surfaces on both sides of the workpiece
- material: steel
- version: flat square, angle measuring scale, parallel marker, marking stencil
- try square 90°
- raster 32 mm
- packaging: sleeve

article no.	EAN 4006885...	description	leg length
5205000	...520509	1 universal angle	200 x 300 mm
5206000	...520608	1 universal angle	280 x 500 mm



can be fixed on the table or the workpiece

A tool with versatile functions:

- variable back square adjustable in 15° steps
- fixed 90° flat square
- angle bevel to measure angles
- ruler with mm-scale
- can be fixed on the table or the workpiece
- with guides for secure contact with jigsaws and circular saws
- material: aluminium
- packaging: folding box

article no.	EAN 4006885...	description	product dimensions
6125000	...612501	1 combinal - universal angle	250 x 750 mm

## 8.1 Laying laminate and vinyl



## 8.1 Laying laminate and vinyl

### Shortening

#### 1 VLC 300 - vinyl and laminate cutter

10

MADE IN EUROPE



The VLC 300 for extensive laminate and vinyl laying jobs in the most effortless and comfortable way.

- for all commonly used laminate types up to a thickness of 11 mm and 470 mm wide, also with integrated footstep sound insulation
- for self-adhesive and click vinyl planks, as well as vinyl tiles of up to 6 mm thickness and 470 mm width
- safe and easy cuts
- perfect cutting results due to integrated high-quality aluminium cutting inserts
- dust-free and noiseless working
- precise 90° cuts with guide
- the back of the limit stop can be used as a guide for 45° cuts
- angular and longitudinal cuts possible
- incl. support for the panels
- incl. parallel guide: easy cutting of 50 mm wide vinyl stripes for inserting into composite carpet skirting boards
- the non-stick coated blade ensures a easy cutting even for self-adhesive vinyl planks
- wear-free toothed blade
- comfortable working and no slipping of the panels thanks to special blade guiding and tothing
- incl. hold-down function for the easy and comfortable cutting of extra wide boards
- the high-quality aluminium design makes the VLC 300 both light and sturdy at the same time
- anti-skid cushion feet at the bottom side
- packaging: box



article no.	EAN	description	product dimensions	weight
6936000	4006885... ...693609	1 VLC 300 - vinyl and laminate cutter	220 x 225 x 660 mm	3.3 kg



## 8.1 Laying laminate and vinyl



Safe and easy cutting of vinyl planks and vinyl tiles. The VNC 250 stops risky and laborious cutting of vinyl with a cutter knife.



- for self-adhesive and click vinyl planks, as well as vinyl tiles of up to 6 mm thickness and 450 mm width
- perfect cutting results due to integrated high-quality aluminium cutting inserts
- precise 90° cuts with guide
- angular and longitudinal cuts possible
- incl. parallel guide: easy cutting of 50 mm wide vinyl stripes for inserting into composite carpet skirting boards
- the non-stick coated blade ensures a easy cutting even for self-adhesive vinyl planks
- wear-free toothed blade
- comfortable working and no slipping of the panels thanks to special blade guiding and tooting
- the high-quality aluminium design makes the VNC 250 both light and sturdy at the same time
- anti-skid cushion feet at the bottom side
- packaging: box

article no.	EAN	description	product dimensions	weight
6932000	...693203	1 VNC 250 - vinylcutter	190 x 210 x 612 mm	2.3 kg



### LC 250 - laminate cutter



The LC 250 is ideal for small laminate laying jobs in one or two rooms.

- suitable for all commonly used laminate types up to thickness of 11 mm and 210 mm wide, also with integrated footstep sound insulation
- fast and precise shortening at a 90° angle
- dust-free
- angle and longitudinal cuts are possible (with the limit stop being removed)
- noiseless because no electric device is necessary
- the newly designed blade guiding as well as the tooting will ensure that the force is applied in the most optimal way at every point of the cut, so that the material is prevented from slipping while tongue and groove of the laminate flooring are protected
- the high-quality aluminium design makes the LC 250 both light and sturdy
- anti-skid cushion feet at the bottom side
- packaging: box

article no.	EAN	description	product dimensions	weight
6934000	...693401	1 LC 250 - laminate cutter	190 x 205 x 612 mm	1.9 kg

## 8.1 Laying laminate and vinyl

### Installing



The spacer wedges are indispensable for maintaining the distance to the wall (expansion joint).

- prevent the laminate from sliding away while being laid
- the ribbing and the V formation make it possible to safely set the required distance
- material: plastic material
- packaging: plastic bag on card

article no.	EAN	description	product dimensions
6930000	4006885... ...693005	40 spacer wedges	58 x 30 mm



- for positioning and arranging laminate from the front side
- the tool shape is ideal for gently handling the laminate's tongue and groove
- packaging: bulk



article no.	EAN	description	product dimensions
6929000	4006885... ...692909	1 mallet	300 x 27 x 50 mm



large area underneath lined with felt to allow gentle working

- for arranging layers of laminate next to each other
- mainly used at room ends, so as to fit a layer of laminate under a door frame etc.
- professional design with large contact surface and lever function
- large area underneath lined with felt to allow gentle working
- packaging: bulk



article no.	EAN	description	version	product dimensions
6928000	4006885... ...692800	1 profi crow bar	with anvil and protective pad	450 x 38 x 9 mm


## 8.1 Laying laminate and vinyl



- for arranging layers of laminate next to each other
- mainly used at room ends, so as to fit a layer of laminate under a door frame etc.
- with 3 felt pads underneath for gentle working
- packaging: bulk



article no.	EAN	description	version	product dimensions
6927000	4006885... ...692701	1 pulling ledge	conically shaped	310 x 15 x 25 mm



with bent and rotating handle

Door frames can be shortened easily with the handsaw, ideal for accurately finishing floor laying & other jobs.

- the bent handle ensures satisfactory cutting freedom when working close to the floor
- the handle is tiltable by 180° and ensures a safe guiding in all positions as well as its use by both left-handers and right-handers
- packaging: sleeve



article no.	EAN	description	product dimensions
6925000	4006885... ...692503	1 handsaw	90 x 390 x 45 mm

## 8.1 Laying laminate and vinyl



### Universal standard model for DIY jobs to be done on a kneeling position

- high-quality all-round knee pads for floor laying jobs or other kneeling activities
- thanks to the transparent protection cap the pads are suitable for both rough and sensitive surfaces
- joint-protecting cushioning effect through elastic gel inserts
- high wearing comfort and ease of movement due to ergonomic one-band fixation
- universal tape fastener for all sizes
- according to DIN EN 14404

article no.	EAN	description
4860000	4006885... ...486003	1 pair comfort knee pads



Attractively priced basic equipment for laying laminate.

- for laminate, parquet, cork
- content:
  - 1 pulling ledge
  - 1 mallet
  - 20 spacer wedges, plastic material
- packaging: double blister



article no.	EAN	description
6931000	4006885... ...693104	1 laminate laying set

## Measuring



- helps measuring the wall angle and determines the cutting angle
- automatic display of the cutting angle - for the exact setting of all mitre box saws and matching angle cut
- integrated angle stop for setting angles in an easy way
- magnet for adjusting the saw in an easy and safe way
- packaging: sleeve



article no.	EAN	description	angle	product dimensions
6921000	4006885... ...692107	1 angular bevel gauge	30 - 180°	50 x 345 x 70 mm

## 8.1 Laying laminate and vinyl




The laminate fitter will make it possible to quickly and easily transmit the contour of the wall onto the last panel, so that it fits accurately.



- board width adjustable up to 25 cm
- various dimensions adjustable on the bar
- packaging: fixed on card

article no.	EAN	description	product dimensions
6922000	4006885... ...692206	1 laminate fitter	295 x 45 x 80 mm



The contour gauge permits the simple scanning of the cutting line and its transfer onto the material to be laid.

- ideal for an accurate fitting of the laminate, e.g. around heating pipes
- packaging: sliding blister

article no.	EAN	description	product dimensions
6926000	4006885... ...692602	1 contour gauge	155 x 100 x 18 mm

## 8.2 Processing plasterboards



## 8.2 Processing plasterboards

### Erecting stud frames



- straight cuts
- lever transmission
- micro-dovetailing for a better cutting result - facilitates the initial cut for smooth metal sheets
- closing mechanism with one-hand opening
- the handles of the scissor are made of slip-resistant 2-component plastic
- in plastic box

article no.	EAN	description	product dimensions
4027000	4006885... ...402706	1 metal shears	75 x 255 x 22 mm



- for C and U metal profiles (maximum thickness 2 x 0.6 mm)
- quick and easy joining of steel profiles
- for joining two upright profiles permanently
- minimal effort through optimal leverage
- packaging: sliding blister

article no.	EAN	description	product dimensions
4029000	4006885... ...402904	1 profile compound pliers	95 x 270 x 36 mm

## 8.2 Processing plasterboards

### Cutting



- for plasterboards
- aluminium profile guide rail
- integrated angle bevel
- version: with 2-component change handle
- scalable length 920 mm
- packaging: folding box
- complementary products: 4149000



article no.	EAN	description	product dimensions
4035000	4006885... ...403505	1 cutting aid	70 x 920 x 88 mm



- for plasterboards
- cutting and marking tool for small/wide strips and circular cut-outs
- scoring / marking the plasterboard with the cutter wheel or the integrated pencil
- infinitely adjustable
- can be used as compasses
- max. strips 600 mm, max. circle radius 650 mm
- packaging: double blister

article no.	EAN	description	product dimensions
4030000	4006885... ...403000	1 strip cutter	180 x 735 x 95 mm



## 8.2 Processing plasterboards



- for chamfering edges and smoothing out joints
- 2-component handle with soft zone for convenient and safe handling
- replaceable rasping plate
- packaging: folding box

article no.	EAN	description	product dimensions
4026000	4006885... ...402607	1 edge planer	57 x 258 x 94 mm



- for cut-outs in plasterboards
- 2-component handle with soft zone for convenient and safe handling
- cutting teeth ground into the blade's body for an easy first cut and fast sawing progress
- induction-hardened teeth for long life
- ground tip for plunge cuts
- packaging: double blister

article no.	EAN	description	product dimensions
4033000	4006885... ...403307	1 hand jigsaw	45 x 318 x 30 mm

## Positioning - clamping - fixing



- indispensable for larger boards as well as one-man installation jobs on ceilings and inclined areas
- max. loading 30 kg
- telescopes from 1.6 to 2.9 m, coarse setting at inner tube - fine tuning with pump mechanism
- packaging: sticker

article no.	EAN	description	product dimensions
4042000	4006885... ...404205	1 ceiling support	205 x 80 mm

## 8.2 Processing plasterboards



- useful aid for lifting the plasterboards on the wall and joining them with the integrated hook
- completely made of metal, with broad resting surface
- version: with hook
- packaging: sticker

article no.	EAN	description	product dimensions
4045000	4006885... ...404502	1 board lifter	75 x 215 x 65 mm



The tools and clamps for convenient, easy and safe installation work on walls, ceilings and especially on inclined areas. The fixing clamps and crosses can be removed after the board has been fastened with screws.



- content:
  - 1 fixing clamp, metal
  - 3 crosses, plastic material
  - 1 bit, Pozidriv PZ 2
  - 3 wood screws, 4 x 60 mm
- packaging: sliding blister

article no.	EAN	description
4040000	4006885... ...404007	1 fixing set

## Fastening



- plastic cap allows direct "view" at the bit and the screw
- screwing depth adjustable
- version: with magnet and depth stop
- including: 1 bit, Phillips PH 2
- packaging: blister on card
- separate accessories: 1331000, 1527000

article no.	EAN	description	receptacle	length
4055000	4006885... ...405509	1 screwdriver attachment	6,3 mm (1/4") hexagon receptacle	65 mm

## 8.2 Processing plasterboards

## Smoothing



- with plastic handle and flexible steel blade
- blade edges with special design to fit the curves of the mug
- packaging: sticker

article no.	EAN	description	version	product dimensions
4046000	4006885... ...404601	1 scraper	50 mm blade	50 x 194 x 20 mm



blade edges with special design to fit the curves of the mug

- 2-component handle with soft zone
- blade edges with special design to fit the curves of the mug
- flexible steel blade
- rust-proof
- packaging: sticker

article no.	EAN	description	version	product dimensions
4051000	4006885... ...405103	1 professional scraper	50 mm blade	50 x 210 x 25 mm



- 2-component handle with soft zone
- flexible steel blade
- rust-proof
- including: 1 PH 2 bit for tightening screws
- packaging: sticker

article no.	EAN	description	version	product dimensions
4047000	4006885... ...404700	1 professional tapping knife	150 mm blade	150 x 255 x 29 mm



- standard version with 2-component soft grip handle and steel blade
- packaging: sticker

article no.	EAN	description	version	product dimensions
4049000	4006885... ...404908	1 smoothing trowel	with 2-component handle	128 x 280 x 90 mm

## 8.2 Processing plasterboards

### Sanding



- especially for fine canvas sized 115 x 280 mm
- 2-component handle with soft zone
- serrated holders for fixing the abrasive safely and permanently
- including: 1 grit cloth, grain 120, 115 x 280 mm
- packaging: paperboard card
- separate accessories: 1988000, 1996000, 4057000, 4058000, 8406600



article no.	EAN	description	product dimensions
4056000	...405608	1 hand-held grinder	105 x 218 x 90 mm



- content:
  - 1 dust extraction plate
  - 1 spiral hose, 3 m
  - 1 adapter for vacuum cleaners, with supply air control
- packaging: folding box
- suitable for 4056000



article no.	EAN	description
4057000	...405707	1 accessory set



- with adapter - also suitable for paint rollers
- telescopic from 1.2 to 1.8 m
- including: 1 ceiling holder
- packaging: sticker
- suitable for 4056000

article no.	EAN	description
4058000	...405806	1 telescopic handle

## 8.2 Processing plasterboards



- for smoothing joint welds
- for breaking the edges of plasterboards, fibrous plasterboards, porous concrete etc. . .
- content:
  - 1 clamping handle
  - 4 grit cloths, grain 120, 220, 280 x 115 mm
- packaging: paperboard card
- separate accessories: 1988000, 1996000, 8406600

article no.	EAN	description	product dimensions
8722000	...872202	1 hand sander set	110 x 232 x 80 mm

## Installation



- for hollow wall boxes
- for the installation of common socket outlet combinations
- vertical and horizontal levels will make any adjustment job easier
- marks for common spacing of 57, 71 and 91 mm
- integrated scale for measuring distances, e.g. between a switch and the door frame
- packaging: fixed on card
- complementary products: 2157000, 2158000, 3777000

article no.	EAN	description	product dimensions
4050000	...405004	1 template	50 x 185 x 15 mm

## 8.2 Processing plasterboards

### Accessories



#### Tape & zip door - keeps dirt at low level!

- matching nearly every door
- to restrict the dust formation in the working area
- content:
  - 1 extra strong (100 µm) foil, 2,20 x 1,25 m
  - 1 the self adhesive zipper affords the flexible and re-closable access to working area and the exit out of it in the same way
  - 1 strong adhesive tape for an almost perfect sealing of the door frame and its removal almost without residues
- packaging: plastic bag recloseable

article no.	EAN	description	product dimensions
4005000	4006885... ...400504	1 tape & zip door	1,250 x 2,200 mm

### 8.3 Firewood



## 8.3 Firewood

### 1 saw buck



can be folded for space-saving storage



very quick - a wheelbarrow full of wood



also useable for single wooden pieces



You will be able to fill a whole wheelbarrow with only two or three cuts without having to stop the chain saw.

- very quick - a wheelbarrow full of wood
- stability thanks to wide feet and a 26 mm round tube
- with anti-throw-off locking mechanism
- wooden boards to prevent the chain from getting damaged
- also useable for single wooden pieces
- can be folded for space-saving storage
- packaging: box
- complementary products: 2175000

#### Technical data

application: sawing 1 m long logs fast and safely  
 miscellaneous: saw marks at 25, 50 and 75 cm (for 25 cm logs) and 33 and 66 cm (for 33 cm logs)  
 dimensions mounted: 830 x 1,150 x 710 mm  
 dimensions folded: 1,330 x 1,150 x 115 mm

article no.	EAN	description	weight
5121000	4006885... ...512108	1 saw buck	10.5 kg



## 8.3 Firewood



The practical stacking aid for storing logs can be adapted to the individual conditions on site.



- for storing logs sizes 25 - 50 cm
- four plastic spacers provide optimal ventilation for the wood from the bottom
- ideal for outdoor use
- can be extended from 1.72 m to 2.34 m in no time
- can be loaded up to a height of 1.0 m and a width of 2.34 m, for a maximum of 1.17 m<sup>3</sup> of wood
- packaging: box
- dimensions mounted: 1,720 - 2,340 x 1,045 x 310 mm

article no.	EAN	description	weight
5122000	...512207	1 stacking aid	7.5 kg



- for long-time covering of wood
- extra strong tarpaulin (210 g/m<sup>2</sup>)
- reinforced border
- water-resistant
- tear-resistant
- UV-resistant
- material: woven fabric
- aluminium eyes approx. every 50 cm
- packaging: plastic bag recloseable

article no.	EAN	description	product dimensions	weight
5124000	...512405	1 tarpaulin for wood	6,000 x 1,500 mm	1.7 kg

## 8.3 Firewood



- determines the wood moisture in percent in a fast and easy way
- the two electrodes are pushed in the wood surface and the LCD display shows the percentage of residual moisture
- version: with LCD display
- measuring range: 10 - 40 %
- including: 1 battery 9 V
- packaging: sliding blister



article no.	EAN	description	product dimensions	weight
8732500	4006885... ...873254	1 wood moisture meter	69 x 127 x 28 mm	0.12 kg

# 8.4 Processing elastic sealants



## 8.4 Processing elastic sealants

Creating precise and clean expansion joints - very easy with the EG 300

### 1 EG 300 - electronic caulking gun

- for handling virtually all materials in 310 ml cartridges, such as silicone, acryl and many others
- saves up to 20% of sealant in comparison with common mechanical caulking guns



with automatic drip-stop function - prevents the caulk from oozing out after releasing the trigger



with LED-light for a perfect lighting of the work area



fast and simple cartridge changes thanks to a newly developed cartridge locking mechanism



- continuously variable discharge rate for the precise application of caulk
- no tiring pump movements by hand any more



- with automatic drip-stop function - prevents the caulk from oozing out after releasing the trigger
- fast and simple cartridge changes thanks to a newly developed cartridge locking mechanism
- compact and light, no annoying plunger rod
- sturdy design made of fibreglass reinforced plastic
- with foot - for putting it down safely during work
- with LED-light for a perfect lighting of the work area
- includes level indicator
- includes 4 alkaline batteries (AA Mignon), alternatively you can use the caulk gun with rechargeable batteries
- up to 25 cartridges with one set of batteries (when using alkaline batteries, depending on the material, temperature & spout diameter)
- packaging: fixed on card

article no.	EAN	description	product dimensions	weight
4350000	4006885... ...435001	1 EG 300 - electronic caulking gun	220 x 220 x 90 mm	0.863 kg

## 8.4 Processing elastic sealants



with automatic drip-stop function - prevents the caulk from oozing out after releasing the trigger



fast and simple cartridge changes thanks to a newly developed cartridge locking mechanism

- for handling virtually all materials in 310 ml cartridges, such as silicone, acryl and many others
- sturdy design made of fibreglass reinforced plastic
- ergonomic handle design for working without getting tired
- fast and simple cartridge changes thanks to a newly developed cartridge locking mechanism
- with automatic drip-stop function - prevents the caulk from oozing out after releasing the trigger
- packaging: fixed on card



article no.	EAN	description	product dimensions	weight
4355000	...435506	1 MG 300 - mechanical caulking gun	360 x 195 x 90 mm	0.465 kg

## Accessories



The inexpensive set for removing and smoothing old and mouldy elastic joints.

- joint knife for quick and simple removing of old silicone or acrylic joints
- Joint smoother for quick and precise smoothing of the new caulk bead
- content:
  - 1 joint smoother
  - 1 joint knife
  - 4 smoother profiles, round  $\varnothing$  8 + 12 mm, oblique 5 + 10 mm
- packaging: blister on card


article no.	EAN	description
4364000	...436404	1 joint repair kit

## 8.5 Wooden deck construction



## 8.5 Wooden deck construction

### Substructure



#### The constructive measure to preserve the wood

The support pads will protect the wood against moisture, thus extending the lifetime of the deck flooring.

- support points for the substructure
- the pads create a distance between foundation and deck joists
- prevent waterlogging and thus the wood from premature rotting
- packaging: plastic card

article no.	EAN	description	product dimensions
6987000	4006885... ...698703	20 support pads	90 x 10 x 90 mm

### Boards alignment



The installation clamp is indispensable for aligning the deck boards speedily and precisely.

- precise alignment of the deck boards until they have been fastened
- for deck boards with a width of up to 20 cm
- ensures together with the spacers a clean and accurate pattern of the deck flooring
- including: 2 clamping jaws, for being used with installation clamp as one-hand clamp
- packaging: plastic card



article no.	EAN	description	clamping pressure	clamping width
6985000	4006885... ...698505	1 installation clamp	120 kg	450 mm

## 8.5 Wooden deck construction



- for uniform expansion gaps between the deck boards
- for expansion gaps of 6 and 8 mm
- ensures together with the installation clamp a clean and accurate pattern of the deck flooring
- packaging: plastic bag on card

article no.	EAN	description	product dimensions
6986000	4006885... ...698604	10 spacers	40 x 42 x 33 mm

## Visible connections



- plastic cap allows direct "view" at the bit and the screw
- screwing depth adjustable
- includes stainless steel TX bit – prevents the screw heads from rusting
- including: 1 bit stainless steel, Torx TX 25
- packaging: double blister



article no.	EAN	description	version
6961000	4006885... ...696105	1 magnetic bit holder	with magnet and and depth stop



## 8.5 Wooden deck construction



The deck drilling set guarantees an accurate and constant screw layout.

- for the precise positioning of the drill holes on the deck boards
- for aligning the drill holes accurately
- easily aligned with the screws of the previous boards
- adjustable for deck boards of 90 -145 mm width
- thanks to the depth stop perfect for series drilling; always the same depth of the countersink
- content:
  - 1 deck board drilling guide, with 4 mm drill bushes made of hardened steel for guiding the drill safely
  - 1 screw starter, with countersink and 4 mm HSS drill
- packaging: double blister



article no.	EAN	description
6960000	4006885... ...696006	1 deck flooring drilling set

## 8.5 Wooden deck construction

### Unvisible connections

Concealed fastening - the new wolcraft joining system for wood decks. For highest demands regarding look and durability.

#### 1 starter kit "concealed fastening"



- create a distance between deck boards and deck joists
- guarantee an optimal airing between deck boards and deck joists
- prevent waterlogging and thus the wood from premature rotting
- for approx. 7 running meters of deck joists as substructure for 140 mm deck boards
- suitable for deck boards with a width ranging between 100 and 150 mm
- no visible screws any more
- the movement zone of the deck board joiners compensates the swelling and shrinking movements of the timber - no more sheared screws or cracked deck boards
- fast and simple installation thanks to the drilling and fastening gauge
- content:
  - 1 drill and screw gauge
  - 50 joiners
  - 300 screws, stainless steel, Torx TX 20
  - 1 magnetic bit holder
  - 1 bit, stainless steel, Torx TX 20
- packaging: double blister

article no.	EAN	description
6971000	4006885... ...697102	1 starter kit "concealed fastening"

## 8.5 Wooden deck construction



### The special joiners for the first and last board

The joiners will ensure the clean visual finish of the flooring.

- guarantees the safe installation of the first and last deck board on the visible front side of the deck joists
- including: 60 screws stainless steel, Torx TX 20
- packaging: double blister

article no.	EAN	description	
6973000	4006885... ...697300	10 joiners for the first and last board	



### Expansion kits for concealed fastening

- create a distance between deck boards and deck joists
- guarantee an optimal airing between deck boards and deck joists
- prevent waterlogging and thus the wood from premature rotting
- no visible screws any more
- the movement zone of the deck board joiners compensates the swelling and shrinking movements of the timber - no more sheared screws or cracked deck boards
- packaging: double blister

article no.	EAN	description	including
6972000	4006885... ...697201	20 joiners "Unvisible connections"	120 screws stainless steel, Torx TX 20
6974000	...697409	100 joiners "Unvisible connections"	600 screws stainless steel, Torx TX 20

## 8.5 Wooden deck construction

### Assortments



#### Deck building set

The complete kit for fast and precise deck building.

- The installation clamp is indispensable for aligning the deck boards speedily and precisely.
- ensures together with the spacers a clean and accurate pattern of the deck flooring
- for the precise positioning of the drill holes on the deck boards
- for aligning the drill holes accurately
- thanks to the depth stop perfect for series drilling; always the same depth of the countersink
- content:
  - 1 installation clamp
  - 1 deck board drilling guide, with 4 mm drill bushes made of hardened steel for guiding the drill safely
  - 1 screw starter, with countersink and 4 mm HSS drill
  - 5 spacers
  - 2 clamping jaws, for being used with installation clamp as one-hand clamp
- packaging: plastic card



article no.	EAN	description
6988000	4006885... ...698802	1 deck building set

## 8.6 Laying tiles



## 8.6 Laying tiles

### Cutting tiles

Innovative cutting technology - once adjusted and always perfect cuts

#### 1 TC 670 - tile cutter "Expert"



special guide for diagonal cutting



breaking point for straight cuts



low-maintenance and precise guidance by groove ball bearings and c-section rails



- Perfect result in three steps: - once adjusted tile thickness and surface pressure - smooth continuous cut - easy breaking without much effort
- low-maintenance and precise guidance by groove ball bearings and c-section rails
- special guide for diagonal cutting
- stable and rigid base plate made of aluminium profile
- free view on the cutting process
- suitable for right and left-handed
- cutting wheel made of tungsten-carbide & TiN, Ø 20 mm, bore 5 mm
- cutting length: 670 mm
- tile thickness: 4-14 mm
- including:
  - 1 guide rail with angle fence, for repeat and diagonal cuts
  - 2 material supports, attachable to base plate
- packaging: box
- separate accessories: 5551000, 5552000, 5556000

article no.	EAN	description	product dimensions	weight
5555000	4006885... ...555501	1 TC 670 - tile cutter "Expert"	530 x 305 x 1,015 mm	6.14 kg

## 8.6 Laying tiles

Innovative cutting technology - once adjusted and always perfect cuts

### 1 TC 670 - tile cutter "Project"



- Perfect results for batch cutting - only set tile thickness and pressure once!
- low-maintenance and precise guiding through plastic slide and C-profile rails
- special guide for diagonal cutting
- stable and rigid base plate made of aluminium profile
- free view on the cutting process
- suitable for right and left-handed
- cutting wheel made of tungsten-carbide, Ø 20 mm, bore 5 mm
- cutting length: 670 mm
- tile thickness: 4-14 mm
- including:
  - 1 guide rail with angle fence, for repeat and diagonal cuts
  - 2 material supports, attachable to base plate
- packaging: box
- separate accessories: 5551000, 5552000, 5556000

article no.	EAN	description	product dimensions	weight
5550000	4006885... ...555006	1 TC 670 - tile cutter "Project"	530 x 400 x 1,015 mm	5.82 kg

## 8.6 Laying tiles



- easy cutting: sliding cutting process for a continuous scoring pattern
- easy breaking: due to two cone tips (45° and 90 °)
- low-maintenance and precise guidance by synthetic plain bearings and oval rails
- stable and rigid base plate made of aluminium profile
- free view on the cutting process
- suitable for right and left-handed
- cutting wheel made of tungsten-carbide (TC), Ø 15 mm, bore 6.1 mm
- cutting length: 600 mm
- tile thickness: 4-10 mm
- including:
  - 1 stop rail, for repeat and diagonal cuts
  - 2 material supports, attachable to base plate
- packaging: box
- separate accessories: 5557000



article no.	EAN	description	product dimensions	weight
5558000	4006885... ...555808	1 TC 600 - tile cutter	240 x 240 x 780 mm	2.16 kg



- easy cutting: sliding cutting process for a continuous scoring pattern
- easy breaking: due to two cone tips (45° and 90 °)
- low-maintenance and precise guidance by synthetic plain bearings and oval rails
- stable and rigid base plate made of aluminium profile
- free view on the cutting process
- suitable for right and left-handed
- cutting wheel made of tungsten-carbide (TC), Ø 15 mm, bore 6.1 mm
- cutting length: 460 mm
- tile thickness: 4-10 mm
- including:
  - 1 guide rail with angle fence, for repeat and diagonal cuts
  - 2 material supports, attachable to base plate
- packaging: box
- separate accessories: 5557000



article no.	EAN	description	product dimensions	weight
5559000	4006885... ...555907	1 TC 460 - tile cutter	240 x 240 x 640 mm	1.72 kg



## 8.6 Laying tiles



- for cutting long tiles on tile cutters from the TC 670 series
- large contact surface enables straight cuts and angle cuts of up to 10° for wall levelling
- easy assembly
- max. cutting width: 350 mm
- angle cuts up to max. 10°
- cutting length: 670 mm
- adjustment of parallelism at a minimum of two measuring points using a separate measuring instrument
- packaging: folding box
- suitable for 5550000, 5555000



article no.	EAN	description	
5552000	4006885... ...555200	1 parallel stop	



- material: Tungsten Carbide
- bore ø 6.1 mm
- packaging: blister on card
- suitable for 5558000, 5559000



article no.	EAN	description	Ø
5557000	4006885... ...555709	1 cutting wheel	ø 15 mm



- bore ø 5 mm
- packaging: blister on card
- suitable for 5550000, 5555000



article no.	EAN	description	material	Ø
5551000	4006885... ...555105	1 cutting wheel	Tungsten Carbide, TIN coated	ø 20 mm
5556000	...555600	1 cutting wheel	Tungsten Carbide	ø 20 mm

## 8.6 Laying tiles

### Drilling tiles



- to transfer holes, openings, corners and contours on tiles - easy and accurate
- suitable for large format tiles (eg. 60 x 30 cm)
- for use also in combination with contour gauge item no.5566000
- sturdy plastic design - easy to clean
- version: consisting of drill guide, extension, angle gauge and scanner
- area of operations 300 mm, with extension 610 mm
- packaging: box
- complementary products: 5566000

10

article no.	EAN	description
5564000	4006885... ...556409	1 drill guide for tiles



- to transfer corners and contours - easy and accurate
- to use for tiles, laminate and other materials
- with clamping lever for fixing the contour tips - no slipping of the contour
- easy transfer of contours in combination with the drill guide art. no. 5564000 from the edge of the adjacent tile to the place to be processed
- in combination with a further contour gauge, larger objects can be scanned
- sturdy plastic design - easy to clean
- contour width max. 130 mm, contour depth max. 30 mm
- packaging: blister on card
- complementary products: 5564000

10

article no.	EAN	description
5566000	4006885... ...556607	1 contour gauge

## 8.6 Laying tiles

## Removing tiles



- for tile joints (mortar) 2-6 mm
- depending on joint width one or two carbide tipped blades can be used
- the integrated roll stabilizes the lead in the joint and reduces the risk of damage to neighboring tiles
- easy changing of the TCT blades
- packaging: blister on card
- separate accessories: 5571000

10

article no.	EAN	description	product dimensions
5570000	...557010	1 joint scraper	31 x 44 x 215 mm



- packaging: blister on card
- suitable for 5570000

article no.	EAN	description
5571000	...557109	2 replacement blades for joint scraper

## 8.7 Door and door frame fitting



## 8.7 Door and door frame fitting



### Door frame jig "Easy"

- supports the frame during foam filling and ensures sides are parallel
- firmly attached to the door frame: supports it during fitting and facilitates alignment
- for all doors with a width of 600 - 1000 mm
- packaging: paperboard card



article no.	EAN	description
3675000	4006885... ...367500	1 door frame jig "Easy"



### Door frame assembly set "Pro"

The complete set for fitting a door frame.

- fitting and alignment of the door frame in just a few steps
- the frame is precisely aligned vertically and horizontally, and fixed into place
- supports the door frame perfectly during foam filling
- for all doors with a width of 600 - 1000 mm
- content:
  - 2 door frame jigs "Pro"
  - 2 door frame aligning clamps "Pro"
  - 4 shims
  - 1 manual
- packaging: box



article no.	EAN	description
3676000	4006885... ...367609	1 door frame assembly set "Pro"

Art. No.	PG	Page
1000000	6.12	280
1001000	6.3	153
1002000	6.12	270
1003000	6.2	115
1120000	6.4	164
1121000	6.4	164
1122000	6.4	164
1123000	6.4	164
1124000	6.4	164
1125000	6.4	173
1127000	6.4	173
1128000	6.4	173
1129000	6.4	173
1150000	6.4	156
1150100	6.4	156
1151000	6.4	157
1152000	6.4	157
1152100	6.4	157
1153000	6.4	157
1153100	6.4	157
1156100	6.4	157
1157000	6.4	157
1160000	6.4	171
1160100	6.4	171
1161000	6.4	171
1162000	6.4	171
1162100	6.4	171
1163000	6.4	171
1163100	6.4	171
1166000	6.4	171
1167000	6.4	171
1189000	6.4	173
1235000	6.3	148
1236000	6.3	148
1237000	6.3	149
1239000	6.3	147
1240000	6.3	147
1241000	6.3	143
1242000	6.3	143
1244000	6.3	143
1245000	6.3	143
1247000	6.3	143
1248000	6.3	143
1249000	6.3	143
1250000	6.3	143
1252000	6.3	143
1253000	6.3	143
1260000	6.3	141
1261000	6.3	141
1262000	6.3	141
1263000	6.3	141
1264000	6.3	141
1265000	6.3	141
1266000	6.3	141
1267000	6.3	141
1268000	6.3	141
1269000	6.3	141
1281000	6.3	137
1284000	6.3	137
1286000	6.3	137
1287000	6.3	137
1288000	6.3	137
1289000	6.3	137
1296000	6.3	146
1297000	6.3	146
1298000	6.3	146
1299000	6.3	146
1302000	6.3	146
1303000	6.3	146
1304000	6.3	146
1305000	6.3	145
1306000	6.3	145
1307000	6.3	145

Art. No.	PG	Page
1320000	6.3	144
1322000	6.3	144
1323000	6.3	144
1324000	6.3	144
1325000	6.3	145
1326000	6.3	145
1327000	6.3	145
1330000	6.3	136
1331000	6.3	136
1332000	6.3	136
1333000	6.3	136
1334000	6.3	136
1335000	6.3	136
1338000	6.3	136
1339000	6.3	137
1340000	6.3	137
1342000	6.3	141
1344000	6.3	141
1365000	6.3	146
1367000	6.3	145
1369000	6.3	138
1371000	6.3	138
1372000	6.3	138
1374000	6.3	138
1386000	6.3	142
1500000	6.5	207
1502000	6.5	207
1505000	6.5	208
1506000	6.5	208
1510000	6.5	208
1512000	6.5	208
1527000	6.3	136
1534000	6.3	136
1573000	6.3	148
1575000	6.3	140
1577000	6.3	150
1579000	6.3	152
1620099	6.14	296
1620300	6.14	296
1621099	6.14	296
1621300	6.14	296
1622099	6.14	296
1622300	6.14	296
1623099	6.14	296
1623300	6.14	296
1624099	6.14	296
1625099	6.14	296
1626099	6.14	296
1626300	6.14	296
1627099	6.14	296
1627300	6.14	296
1628099	6.14	296
1629099	6.14	296
1630099	6.14	297
1631099	6.14	297
1651000	6.14	301
1660999	6.14	297
1662999	6.14	297
1668999	6.14	295
1669999	6.14	295
1673000	6.4	180
1674000	6.4	185
1683999	6.14	295
1684999	6.14	295
1685999	6.14	295
1686999	6.14	296
1687999	6.14	295
1688999	6.14	296
1694000	6.14	299
1695000	6.14	299
1698000	6.14	299
1700099	6.10	246
1702000	6.10	248

Art. No.	PG	Page
1703000	6.10	248
1704099	6.10	247
1705000	6.10	247
1705099	6.10	247
1706000	6.10	247
1706099	6.10	247
1707000	6.10	247
1708000	6.10	247
1709000	6.10	247
1712000	6.10	246
1715000	6.4	159
1715100	6.4	159
1717000	6.4	159
1719000	6.4	159
1724000	6.4	159
1725000	6.4	159
1726000	6.4	159
1730100	6.4	167
1739000	6.4	192
1740000	6.4	192
1741000	6.4	192
1742000	6.4	192
1749000	6.4	164
1755000	6.4	175
1756000	6.4	174
1757000	6.4	174
1760000	6.4	175
1761000	6.4	166
1762000	6.4	164
1763000	6.4	174
1764000	6.4	174
1766000	6.4	164
1767000	6.4	164
1768000	6.4	164
1770000	6.4	193
1771000	6.4	193
1772000	6.4	193
1773000	6.4	193
1774000	6.4	193
1775000	6.4	193
1776000	6.4	193
1777000	6.4	166
1778000	6.4	166
1780000	6.4	172
1781000	6.4	172
1782000	6.4	172
1783000	6.4	172
1787000	6.4	172
1790000	6.4	175
1791000	6.4	175
1792000	6.4	175
1793000	6.4	175
1794000	6.4	175
1811000	6.4	173
1812000	6.4	173
1813000	6.4	173
1814000	6.4	173
1826000	6.4	171
1830000	6.4	170
1833000	6.4	165
1838000	6.4	157
1840000	6.4	158
1840100	6.4	158
1841000	6.4	158
1842000	6.4	158
1843000	6.4	158
1850000	6.4	171
1850100	6.4	171
1851000	6.4	171
1851100	6.4	171
1852000	6.4	171
1852100	6.4	171
1853000	6.4	171

Art. No.	PG	Page
1853100	6.4	171
1854000	6.4	171
1857000	6.4	171
1860000	6.4	197
1861000	6.4	163
1862000	6.4	163
1863000	6.4	163
1864000	6.4	163
1865100	6.4	171
1869000	6.4	159
1890000	6.4	162
1890100	6.4	162
1892000	6.4	162
1894000	6.4	162
1896000	6.4	162
1897000	6.4	162
1899100	6.4	160
1900000	6.4	160
1902000	6.4	160
1904000	6.4	160
1906000	6.4	160
1908000	6.4	161
1909100	6.4	161
1910000	6.4	161
1912000	6.4	161
1914000	6.4	161
1916000	6.4	161
1916100	6.4	161
1918000	6.4	161
1919000	6.4	161
1920000	6.4	161
1922000	6.4	161
1923000	6.4	161
1932000	6.4	162
1933100	6.4	162
1934000	6.4	162
1936000	6.4	162
1938000	6.4	162
1940000	6.4	163
1944000	6.4	163
1950000	6.4	160
1954000	6.4	160
1956000	6.4	160
1959100	6.4	166
1961000	6.4	165
1962000	6.4	165
1963000	6.4	165
1966000	6.4	165
1968000	6.4	166
1969100	6.4	166
1971000	6.4	166
1972000	6.4	166
1973000	6.4	166
1981000	6.4	167
1982000	6.4	167
1983000	6.4	168
1986200	6.4	168
1987000	6.4	170
1988000	6.4	170
1990000	6.4	167
1992000	6.4	165
1993000	6.4	165
1994000	6.4	165
1996000	6.4	170
1997000	6.4	170
1998000	6.4	165
2000000	6.4	184
2001000	6.4	184
2002000	6.4	184
2003000	6.4	184
2004000	6.4	184
2015000	6.4	176
2016000	6.4	177

Art. No.	PG	Page
2017000	6.4	177
2020000	6.4	183
2025000	6.4	200
2027000	6.4	177
2027099	6.4	177
2028000	6.4	177
2028099	6.4	177
2029000	6.4	176
2029099	6.4	177
2032000	6.4	184
2033000	6.4	184
2034000	6.4	184
2035000	6.4	184
2036000	6.4	184
2037000	6.4	184
2038000	6.4	185
2039000	6.4	185
2048000	6.4	168
2049000	6.4	168
2052000	6.4	168
2053000	6.4	168
2054000	6.4	168
2056000	6.4	169
2057000	6.4	169
2058000	6.4	169
2059000	6.4	169
2061000	6.4	169
2068000	6.4	169
2069000	6.4	156
2069100	6.4	156
2070000	6.4	156
2070100	6.4	156
2072000	6.4	156
2080000	6.4	168
2082000	6.4	168
2083000	6.4	168
2084000	6.4	168
2086000	6.4	169
2087000	6.4	169
2088000	6.4	169
2089000	6.4	169
2092000	6.4	168
2098000	6.4	199
2100000	6.5	205
2101000	6.5	205
2102000	6.5	205
2103000	6.5	205
2104000	6.5	205
2106000	6.5	205
2107000	6.5	210
2108000	6.5	205
2109000	6.5	205
2110000	6.5	207
2112000	6.5	207
2114000	6.5	206
2116000	6.4	201
2117000	6.4	201
2119000	6.5	205
2120000	6.4	202
2125000	6.5	210
2126000	6.5	206
2127000	6.5	205
2128000	6.5	205
2130000	6.4	199
2131000	6.4	200
2132000	6.4	200
2133000	6.5	206
2134000	6.4	200
2136000	6.14	297
2139000	6.4	201
2140000	6.4	202
2141000	6.10	246
2142000	6.4	202

Art. No.	PG	Page
2144000	6.4	202
2146000	6.4	199
2147000	6.8	235
2148000	6.5	210
2149000	6.5	210
2150000	6.5	210
2151000	6.5	210
2153000	6.5	211
2154000	6.2	119
2155000	6.2	120
2157000	6.2	120
2158000	6.2	118
2160000	6.2	121
2161000	6.2	123
2162000	6.2	122
2164000	6.2	121
2165000	6.2	121
2169000	6.2	123
2170000	6.4	201
2171000	6.4	201
2172000	6.4	202
2173000	6.4	202
2174000	6.4	202
2175000	6.4	203
2177000	6.4	179
2178000	6.4	201
2179000	6.4	201
2200000	6.11	255
2202000	6.11	256
2207000	6.11	256
2208000	6.4	198
2211000	6.4	180
2213100	6.4	182
2214100	6.4	182
2215100	6.4	182
2216000	6.4	182
2217100	6.4	182
2218100	6.4	182
2219000	6.4	183
2220000	6.2	119
2222000	6.4	155
2223000	6.4	181
2224000	6.4	198
2225000	6.4	183
2227000	6.4	155
2228000	5.98	77
2229000	5.98	77
2230000	6.8	235
2241100	6.4	182
2242100	6.4	182
2243100	6.4	182
2245000	6.4	186
2246000	6.4	186
2249000	6.4	199
2250000	6.4	156
2250100	6.4	156
2251000	6.4	156
2252000	6.4	156
2253000	6.4	156
2258000	6.4	155
2259100	6.4	156
2260000	6.4	182
2265000	6.5	207
2267100	6.4	155
2269000	6.4	155
2269100	6.4	155
2270000	6.4	155
2270100	6.4	155
2271000	6.4	155
2271100	6.4	155
2272000	6.4	155
2274000	6.4	155

Art. No.	PG	Page
2281000	6.4	176
2282100	6.4	178
2283100	6.4	178
2284100	6.4	178
2285000	6.4	176
2286000	6.4	178
2287000	6.4	158
2288000	6.4	158
2289000	6.1	100
2290000	6.1	99
2291000	6.1	101
2292000	6.1	103
2293000	6.1	102
2294000	6.1	104
2295000	6.1	101
2296000	6.1	100
2297000	6.1	102
2298000	6.1	101
2299000	6.1	102
2300000	6.1	92
2301000	6.1	91
2303000	6.1	91
2305000	6.1	93
2307000	6.1	95
2308000	6.1	95
2309000	6.1	96
2310000	6.1	81
2311000	6.1	80
2313000	6.1	80
2315000	6.1	83
2317000	6.1	85
2318000	6.1	84
2319000	6.1	87
2345000	6.1	99
2350000	6.1	92
2351000	6.1	91
2355000	6.1	93
2356000	6.1	97
2358000	6.1	88
2360000	6.1	81
2361000	6.1	80
2365000	6.1	83
2367000	6.1	85
2370000	6.1	93
2371000	6.1	92
2372000	6.1	90
2373000	6.1	93
2375000	6.1	94
2376000	6.1	95
2377000	6.1	88
2378000	6.1	96
2379000	6.1	83
2380000	6.1	82
2381000	6.1	81
2382000	6.1	79
2383000	6.1	82
2383100	6.1	84
2384000	6.1	86
2385000	6.1	83
2388000	6.1	85
2393000	6.1	82
2396000	6.1	105
2400000	6.3	139
2407000	6.3	142
2408000	6.3	142
2411000	6.3	151
2413000	6.3	153
2414000	6.3	152
2415000	6.3	152
2416000	6.3	137
2419000	6.3	149
2421000	6.3	150
2425000	6.3	150

Art. No.	PG	Page
2426000	6.3	150
2429000	6.3	151
2443000	6.3	136
2444000	6.3	140
2445000	6.3	140
2446000	6.3	140
2447000	6.3	137
2450000	6.4	176
2452000	6.4	176
2453000	6.14	304
2454000	6.4	176
2455000	6.4	179
2456000	6.14	303
2457000	6.14	304
2458000	6.14	304
2459000	6.14	304
2460000	6.4	179
2461000	6.4	179
2462000	6.4	179
2465000	6.4	179
2466000	6.4	179
2467000	6.4	179
2468000	6.4	179
2469000	6.4	179
2470000	6.4	179
2471000	6.4	179
2472000	6.4	179
2475000	6.4	179
2476000	6.4	179
2477000	6.3	137
2478000	6.3	137
2479000	6.3	137
2480000	6.3	137
2481000	6.3	137
2482000	6.3	137
2483000	6.3	137
2491000	6.3	137
2495000	6.3	137
2498000	6.7	226
2499000	6.7	226
2500000	6.7	226
2504000	6.7	224
2505000	6.7	224
2506000	6.7	224
2511000	6.7	226
2512000	6.12	282
2515000	6.7	229
2516000	6.7	229
2518000	6.7	229
2519000	6.7	229
2520000	6.7	228
2521000	6.7	228
2522000	6.7	229
2523000	6.7	228
2524000	6.7	229
2527000	6.7	227
2530000	6.7	227
2531000	6.7	227
2532000	6.7	227
2533000	6.7	227
2534000	6.7	228
2535000	6.7	228
2536000	6.7	227
2540000	6.7	227
2542000	6.7	227
2544000	6.7	226
2545000	6.7	226
2546000	6.7	224
2547000	6.7	224
2548000	6.7	224
2555000	6.7	230
2575000	6.7	229
2576000	6.7	225

Art. No.	PG	Page
2577000	6.7	225
2578000	6.7	225
2580000	6.7	225
2581000	6.7	225
2582000	6.7	225
2583000	6.7	225
2584000	6.7	225
2585000	6.7	229
2603000	6.8	233
2605000	6.8	232
2606000	6.8	232
2608000	6.8	232
2609000	6.8	232
2612000	6.8	234
2618000	6.8	233
2623000	6.8	233
2625000	6.8	233
2630000	6.8	234
2631000	6.8	234
2632000	6.8	234
2634000	6.8	234
2635000	6.8	234
2640000	6.8	235
2641000	6.8	232
2642000	6.8	232
2645000	6.8	234
2649000	6.8	235
2669000	6.1	105
2674000	6.1	94
2700000	6.5	211
2701000	6.5	211
2702000	6.5	211
2704000	6.5	205
2705000	6.5	211
2709000	6.5	205
2710000	6.5	205
2711000	6.5	209
2712000	6.5	206
2713000	6.5	210
2715000	6.5	212
2716000	6.5	212
2717000	6.5	212
2718000	6.5	212
2719000	6.5	212
2720000	6.5	212
2721000	6.5	212
2722000	6.5	213
2723000	6.5	213
2724000	6.5	213
2725000	6.5	213
2726000	6.5	209
2727000	6.5	209
2728000	6.5	209
2729000	6.5	209
2730000	5.1	70
2731000	5.1	70
2732000	5.1	70
2733000	5.1	70
2734000	5.1	70
2751000	5.1	70
2755000	5.1	71
2780000	6.4	193
2781000	6.4	193
2782000	6.4	193
2784000	6.4	193
2786000	6.4	193
2813000	6.4	194
2840000	6.4	194
2841000	6.4	194
2842000	6.4	194
2843000	6.4	194
2844000	6.4	194
2845000	6.4	194

Art. No.	PG	Page
2846000	6.4	194
2848000	6.4	194
2849000	6.4	194
2850000	6.4	193
2851000	6.4	193
2852000	6.4	193
2853000	6.4	193
2854000	6.4	193
2856000	6.4	193
2858000	6.4	194
2860000	6.4	194
2861000	6.4	194
2862000	6.4	194
2863000	6.4	194
2864000	6.4	194
2866000	6.4	194
2867000	6.4	194
2868000	6.4	194
2869000	6.4	194
2870000	6.4	195
2871000	6.4	195
2872000	6.4	195
2873000	6.4	195
2874000	6.4	195
2875000	6.4	195
2876000	6.4	195
2878000	6.4	195
2879000	6.4	195
2880000	6.4	195
2882000	6.4	195
2883000	6.4	195
2884000	6.4	195
2886000	6.4	195
2888000	6.4	195
2891000	6.4	190
2894000	6.4	191
2895000	6.4	191
2896000	6.4	190
2897000	6.4	190
2898000	6.4	190
2899000	6.4	191
2900000	6.12	283
2905000	5.1	69
2906000	5.1	69
2907000	5.1	69
2908000	5.1	69
2909000	5.1	69
2910000	5.1	69
2911000	5.1	71
2912000	5.1	71
2913000	5.1	71
2916000	5.1	72
2917000	5.1	72
2918000	5.1	73
2920000	5.3	73
2921000	5.3	74
2922000	5.3	74
2923000	5.3	74
2924000	5.3	74
2928000	5.4	76
2933000	5.4	76
2939000	5.4	76
2940000	5.5	76
2941000	5.5	76
2942000	5.5	76
2943000	5.5	76
2944000	5.5	76
2945000	5.5	76
2949000	5.3	74
2975000	6.3	138
2976000	6.3	139
2977000	6.3	139
2978000	6.3	139

Art. No.	PG	Page
2979000	6.3	139
2980000	6.3	139
2981000	6.3	151
2982000	6.3	144
2983000	6.3	151
2984000	6.3	151
2985000	6.3	151
3001000	6.11	255
3007000	4.8	62
3008000	4.8	62
3009000	4.8	62
3010000	4.4	55
3016000	4.5	57
3020000	4.1	49
3021000	4.1	49
3023000	4.1	49
3030000	4.1	47
3031000	4.1	47
3032000	4.1	47
3033000	4.1	47
3034000	4.1	47
3036000	4.11	66
3037000	4.11	66
3038000	4.1	49
3051000	4.10	65
3057000	4.3	51
3058000	4.3	51
3059000	4.3	51
3101000	6.4	161
3102000	6.4	161
3103000	6.4	161
3104000	6.4	161
3111000	6.4	162
3112000	6.4	162
3113000	6.4	162
3114000	6.4	162
3118000	6.4	173
3119000	6.4	195
3127000	6.4	172
3128000	6.4	172
3136000	6.4	174
3137000	6.4	174
3138000	6.4	174
3139000	6.4	174
3141000	6.4	194
3149100	6.4	168
3150100	6.4	168
3151100	6.4	168
3152100	6.4	168
3156100	6.4	169
3157100	6.4	169
3158100	6.4	169
3159100	6.4	169
3161000	6.4	194
3163000	6.4	197
3164000	6.4	197
3170000	6.4	193
3171000	6.4	193
3172000	6.4	193
3173000	6.4	193
3174000	6.4	193
3175000	6.4	193
3176000	6.4	193
3180000	6.4	156
3182000	6.4	167
3184000	6.4	167
3185000	6.4	167
3191000	6.4	157
3192000	6.4	157
3235000	6.9	241
3236000	6.9	241
3237000	6.9	241
3253000	6.9	243

Art. No.	PG	Page
3254000	6.9	244
3258000	6.9	241
3259000	6.9	242
3260000	6.9	242
3261000	6.9	242
3263000	6.9	241
3264000	6.9	241
3265000	6.9	242
3266000	6.9	243
3267000	6.9	243
3270000	6.9	243
3271000	4.6	58
3273000	4.6	59
3274000	4.6	59
3275000	4.6	59
3276000	4.6	59
3277000	4.6	59
3278000	4.6	59
3280000	4.6	60
3281000	4.6	60
3283000	4.6	60
3284000	4.6	60
3285000	4.8	63
3286000	4.8	63
3287000	4.8	63
3288000	4.8	63
3290000	4.9	64
3291000	4.9	64
3292000	4.9	64
3293000	4.9	64
3294000	4.9	64
3295000	4.9	64
3300000	6.12	269
3301000	6.12	269
3302000	6.12	269
3305000	6.12	269
3306000	6.12	269
3309000	6.12	271
3310000	6.12	271
3313000	6.12	270
3315000	6.12	270
3316000	6.12	270
3317000	6.12	270
3318000	6.12	270
3319000	6.12	270
3320000	6.12	270
3321000	6.12	270
3322000	6.12	270
3325000	6.12	270
3326000	6.12	270
3327000	6.12	270
3328000	6.12	270
3361000	6.12	269
3362000	6.12	269
3363000	6.12	269
3364000	6.12	269
3365000	6.12	269
3366000	6.12	269
3374000	6.12	268
3376000	6.12	268
3406000	6.11	251
3410000	6.11	252
3412099	6.11	252
3415000	4.10	65
3416000	4.7	61
3417000	4.7	61
3418000	4.6	59
3420000	4.4	54
3421000	4.6	59
3423000	6.11	251
3425000	4.4	54
3431000	4.4	55
3432000	4.4	54

Art. No.	PG	Page
3433000	4.4	54
3441000	4.7	61
3442000	4.6	59
3453000	4.5	58
3455100	4.1	48
3456000	4.1	48
3457000	4.1	48
3464000	6.2	113
3465000	6.2	112
3466000	6.2	111
3467000	6.2	111
3468000	6.2	111
3469000	6.2	111
3470000	6.2	112
3471000	6.2	112
3472000	6.2	111
3473000	6.2	111
3474000	6.2	111
3475000	6.2	111
3476000	6.2	111
3477000	6.2	111
3478000	6.2	112
3490000	6.2	115
3491000	6.2	115
3492000	6.2	115
3493000	6.2	115
3494000	6.2	115
3498000	6.2	116
3530000	6.2	132
3536000	6.1	92
3537000	6.1	94
3538000	6.1	95
3541000	6.1	91
3543000	6.1	79
3544000	6.1	96
3545000	6.1	79
3546000	6.1	81
3547000	6.1	82
3548000	6.1	90
3549000	6.1	85
3550000	6.1	90
3551000	6.1	80
3554000	6.1	86
3555000	6.1	86
3559000	6.1	87
3560000	6.1	97
3561000	6.1	84
3566000	6.1	100
3567000	6.1	103
3568000	6.1	103
3599000	6.1	104
3605000	4.3	51
3606000	4.3	51
3607000	4.3	51
3610000	4.3	50
3611000	4.3	50
3612000	4.3	50
3615000	4.5	57
3616000	4.5	57
3620000	4.3	50
3621000	4.3	50
3622000	4.3	50
3623000	4.3	50
3625000	4.4	53
3626000	4.4	53
3629000	4.4	53
3630000	4.4	52
3631000	4.4	52
3632000	4.5	56
3633000	4.4	52
3634000	4.5	56
3638000	4.4	54
3638100	4.4	54

Art. No.	PG	Page
3662000	4.4	54
3663000	4.4	54
3675000	8.7	375
3676000	8.7	375
3681000	4.7	62
3683000	4.6	58
3750000	5.1	69
3752000	6.2	133
3753000	6.2	133
3754000	6.2	133
3756000	6.2	133
3759000	6.2	133
3761000	6.2	133
3762000	6.2	133
3763000	6.2	112
3764000	6.2	116
3767000	6.2	115
3768000	6.2	115
3770000	6.2	115
3772000	6.2	115
3777000	6.2	124
3778000	6.2	112
3800000	6.9	240
3801000	6.9	240
3802000	6.9	240
3803000	6.9	240
3804000	6.9	240
3807000	6.9	241
3822000	6.9	237
3824000	6.9	237
3825000	6.9	237
3826000	6.9	237
3827000	6.9	237
3828000	6.9	237
3829000	6.9	237
3831000	6.9	238
3852000	6.2	124
3853000	6.2	124
3854000	6.2	124
3855000	6.2	124
3856000	6.2	124
3857000	6.2	124
3858000	6.2	124
3859000	6.2	124
3860000	6.2	124
3861000	6.2	124
3862000	6.2	114
3863000	6.9	238
3873000	6.2	125
3874000	6.2	125
3875000	6.2	125
3876000	6.2	125
3877000	6.2	125
3878000	6.2	125
3879000	6.2	125
3880000	6.2	125
3881000	6.2	125
3882000	6.2	125
3883000	6.2	125
3884000	6.2	125
3885000	6.2	125
3886000	6.2	125
3887000	6.2	125
3893000	6.2	114
3894000	6.2	114
3895000	6.2	114
3896000	6.2	114
3897000	6.2	114
3898000	6.2	114
3899000	6.2	114
3900000	6.9	240
3901000	6.9	240
3902000	6.9	240

Art. No.	PG	Page
3903000	6.9	240
3904000	6.9	240
3922000	6.9	237
3924000	6.9	237
3925000	6.9	237
3926000	6.9	237
3927000	6.9	237
3931000	6.9	238
3963000	6.9	238
3967000	6.9	238
3971000	6.9	238
3972000	6.9	239
3973000	6.2	131
3974000	6.2	131
3978000	6.2	131
3979000	6.2	132
3980000	6.2	132
3981000	6.2	132
3984000	6.2	131
3986000	6.16	318
3987000	6.16	318
3988000	6.16	318
3989000	6.16	318
3990000	6.16	318
3991000	6.16	319
3992000	6.16	320
3993000	6.16	320
3994000	6.16	319
3995000	6.16	318
3996000	6.16	319
3997000	6.16	318
3998000	6.16	319
3999000	6.16	318
4005000	8.2	352
4026000	8.2	347
4027000	8.2	345
4029000	8.2	345
4030000	8.2	346
4033000	8.2	347
4035000	8.2	346
4040000	8.2	348
4042000	8.2	347
4045000	8.2	348
4046000	8.2	349
4047000	8.2	349
4049000	8.2	349
4050000	8.2	351
4051000	8.2	349
4055000	8.2	348
4056000	8.2	350
4057000	8.2	350
4058000	8.2	350
4081000	7.1	323
4105000	6.4	203
4108000	7.1	333
4109000	7.1	334
4110000	6.1	106
4111000	6.1	106
4113000	6.1	106
4116000	7.1	333
4117000	7.1	333
4118000	7.1	333
4119000	7.1	325
4121000	7.1	334
4122000	7.1	326
4123000	7.1	326
4124000	7.1	328
4125000	7.1	328
4126000	7.1	332
4127000	7.1	330
4128000	7.1	330
4129000	7.1	331
4131000</		



Art. No.	PG	Page
4132000	7.1	322
4133000	7.1	322
4134000	7.1	322
4135000	7.1	323
4136000	7.1	324
4137000	7.1	324
4138000	7.1	324
4139000	7.1	324
4141000	7.1	325
4146000	7.1	325
4147000	7.1	325
4148000	7.1	326
4149000	7.1	327
4150000	7.1	323
4151000	7.1	326
4152000	7.1	327
4153000	7.1	334
4155000	7.1	323
4157000	7.1	328
4158000	7.1	328
4164000	7.1	332
4169000	7.1	331
4172000	7.1	329
4173000	7.1	329
4174000	7.1	330
4179000	7.1	331
4180000	7.1	330
4181000	7.1	330
4182000	7.1	330
4183000	7.1	334
4185000	7.1	329
4186000	7.1	329
4187000	7.1	329
4188000	7.1	329
4189000	7.1	329
4193000	7.1	335
4195000	7.1	327
4196000	7.1	331
4197000	7.1	332
4300000	7.1	335
4310000	7.1	331
4315000	6.7	225
4350000	8.4	358
4355000	8.4	359
4364000	8.4	359
4521000	6.11	254
4522000	6.11	253
4640000	5.1	68
4642000	5.4	75
4645000	5.1	72
4650000	5.1	68
4685000	6.11	254
4688000	6.3	152
4755000	6.4	181
4756000	6.4	181
4800000	6.11	257
4802000	6.11	257
4831000	6.15	309
4832000	6.15	309
4836000	6.15	310
4837000	6.15	310
4838000	6.15	310
4840000	6.15	311
4842000	6.15	311
4849000	6.15	311
4850000	6.15	312
4851000	6.15	312
4852000	6.15	312
4853000	6.15	315
4855000	6.15	315
4858000	6.15	315
4860000	8.1	342
4865000	6.15	313

Art. No.	PG	Page
4866000	6.15	313
4867000	6.15	313
4868000	6.15	312
4871000	6.15	316
4872000	6.15	314
4874000	6.15	314
4877000	6.15	316
4878000	6.15	307
4879000	6.15	306
4880000	6.15	307
4881000	6.15	307
4885000	6.15	306
4886000	6.15	308
4887000	6.15	306
4889000	6.15	308
4890000	6.15	316
4920000	6.11	252
5018000	6.14	303
5019000	6.14	303
5027000	6.11	250
5121000	8.3	354
5122000	8.3	355
5124000	8.3	355
5205000	7.2	336
5206000	7.2	336
5422000	6.2	116
5423000	6.2	117
5424000	6.2	113
5425000	6.2	109
5427000	6.2	109
5428000	6.2	109
5462000	6.2	117
5463000	6.2	117
5464000	6.2	117
5465000	6.2	117
5466000	6.2	117
5467000	6.2	117
5469000	6.2	117
5470000	6.2	117
5471000	6.2	117
5472000	6.2	117
5473000	6.2	118
5474000	6.2	118
5475000	6.2	118
5476000	6.2	118
5479000	6.2	118
5480000	6.2	109
5481000	6.2	109
5482000	6.2	109
5483000	6.2	109
5484000	6.2	117
5485000	6.2	118
5486000	6.2	118
5492000	6.2	118
5493000	6.2	118
5494000	6.2	118
5495000	6.2	118
5499000	6.2	134
5501000	3.1	43
5505000	3.1	44
5520000	3.1	41
5525000	3.1	42
5530000	3.1	45
5550000	8.6	369
5551000	8.6	371
5552000	8.6	371
5555000	8.6	368
5556000	8.6	371
5557000	8.6	371
5558000	8.6	370
5559000	8.6	370
5564000	8.6	372
5566000	8.6	372

Art. No.	PG	Page
5570000	8.6	373
5571000	8.6	373
5801000	6.4	164
5810000	6.4	192
5811000	6.4	192
5812000	6.4	192
5813000	6.4	192
5866000	6.4	187
5867000	6.4	187
5868000	6.4	187
5869000	6.4	187
5876000	6.4	188
5877000	6.4	188
5884000	6.4	188
5885000	6.4	189
5886000	6.4	189
5887000	6.4	189
5888000	6.4	189
5889000	6.4	189
5890000	6.4	186
5894000	6.4	187
5898000	6.4	192
5899000	6.4	192
5900000	6.4	192
5911000	6.2	127
5913000	6.2	130
5915000	6.2	126
5916000	6.2	126
5917000	6.2	126
5918000	6.2	126
5920000	6.2	128
5922000	6.2	128
5924000	6.2	128
5926000	6.2	129
5928000	6.2	129
5929000	6.2	129
5930000	6.2	129
5931000	6.2	129
5932000	6.2	129
5933000	6.2	129
5940000	6.2	129
5941000	6.2	129
5942000	6.2	129
5943000	6.2	129
5944000	6.2	129
5945000	6.2	129
5946000	6.2	129
5947000	6.2	129
5948000	6.2	129
5949000	6.2	129
5955000	6.2	125
5956000	6.2	125
5957000	6.2	116
5958000	6.2	116
5959000	6.2	126
5960000	6.2	125
5961000	6.2	125
5962000	6.2	125
5980000	6.2	117
5981000	6.2	130
5982000	6.2	110
6010000	6.4	196
6011000	6.4	196
6012000	6.4	196
6013000	6.4	196
6014000	6.4	196
6015000	6.4	196
6016000	6.4	196
6017000	6.4	196
6018000	6.4	196
6020000	6.4	196
6043000	2.3	22
6044000	2.3	22

Art. No.	PG	Page
6045000	2.3	22
6065000	2.3	28
6066000	2.3	24
6067000	2.3	24
6068000	2.3	24
6071000	2.3	25
6072000	2.3	26
6073000	2.3	35
6074000	2.3	28
6075000	2.3	28
6077000	2.3	27
6085000	2.3	35
6086000	2.3	36
6091000	2.3	38
6092000	2.3	38
6093000	2.3	38
6094000	2.3	39
6095000	6.4	196
6096000	6.4	196
6097000	6.4	196
6098000	6.4	196
6099000	2.3	38
6102300	1.1	7
6119973	1.1	7
6125000	7.2	336
6152000	1.96	14
6171000	2.1	18
6172000	2.1	18
6174000	2.1	18
6176000	2.1	18
6177000	2.1	17
6182000	2.1	16
6197000	1.4	12
6255000	6.6	218
6256000	6.6	218
6258000	6.6	218
6259000	6.6	218
6263000	6.6	218
6264000	6.6	218
6267000	6.6	218
6268000	6.6	218
6272000	6.6	218
6273000	6.6	218
6275000	6.6	218
6276000	6.6	218
6277000	6.6	218
6281000	6.6	218
6355000	6.6	216
6356000	6.6	216
6358000	6.6	216
6359000	6.6	216
6363000	6.6	217
6364000	6.6	217
6366000	6.6	217
6367000	6.6	217
6368000	6.6	217
6369000	6.6	217
6370000	6.6	217
6372000	6.6	217
6373000	6.6	217
6375000	6.6	217
6376000	6.6	217
6377000	6.6	217
6379000	6.6	217
6381000	6.6	217
6382000	6.6	217
6406000	6.6	216
6418000	6.6	216
6431000	6.6	216
6456000	6.6	215
6458000	6.6	215
6463000	6.6	215
6464000	6.6	215

Art. No.	PG	Page
6466000	6.6	215
6467000	6.6	215
6468000	6.6	215
6472000	6.6	215
6473000	6.6	215
6475000	6.6	216
6476000	6.6	216
6477000	6.6	216
6481000	6.6	216
6501000	6.6	222
6502000	6.6	222
6511000	6.6	222
6517000	6.6	222
6521000	6.6	221
6522000	6.6	221
6526000	6.6	221
6527000	6.6	221
6531000	6.6	221
6532000	6.6	221
6537000	6.6	221
6567000	6.6	215
6568000	6.6	215
6577000	6.6	215
6581000	6.6	215
6582000	6.6	215
6600000	6.6	220
6602000	6.6	220
6604000	6.6	220
6606000	6.6	220
6608000	6.6	220
6660000	6.6	219
6662000	6.6	219
6664000	6.6	219
6666000	6.6	219
6668000	6.6	219
6680000	6.6	219
6682000	6.6	219
6684000	6.6	219
6686000	6.6	219
6687000	6.6	217
6688000	6.6	217
6689000	6.6	217
6682000	6.6	219
6684000	6.6	219
6686000	6.6	219
6687000	6.6	217
6688000	6.6	217
6689000	6.6	217
6682000	6.6	219
6684000	6.6	219
6686000	6.6	219
6687000	6.6	217
6688000	6.6	217
6689000	6.6	217
6710000	6.6	220
6742000	6.6	220
6779000	2.3	25
6780000	2.3	25
6781000	2.3	26
6782000	2.3	23
6783000	2.3	26
6784000	2.3	27
6785000	2.3	23
6786000	2.3	23
6787000	2.3	23
6788000	2.3	27
6800000	2.3	36
6801000	2.3	37
6802000	2.3	37
6803000	2.3	38
6804000	2.3	37
69000		

Art. No.	PG	Page
6910000	1.6	13
6911000	1.6	13
6915000	1.6	12
6921000	8.1	342
6922000	8.1	343
6925000	8.1	341
6926000	8.1	343
6927000	8.1	341
6928000	8.1	340
6929000	8.1	340
6930000	8.1	340
6931000	8.1	342
6932000	8.1	339
6934000	8.1	339
6936000	8.1	338
6960000	8.5	363
6961000	8.5	362
6971000	8.5	364
6972000	8.5	365
6973000	8.5	365
6974000	8.5	365
6985000	8.5	361
6986000	8.5	362
6987000	8.5	361
6988000	8.5	366
6999000	6.13	288
7000000	6.13	289
7010000	6.13	290
7011000	6.13	290
7012000	6.13	290
7015000	6.13	290
7016000	6.13	290
7017000	6.13	290
7021000	6.13	291
7026000	6.13	291
7028000	6.13	291
7028100	6.13	291
7031000	6.13	291
7032000	6.13	291
7032100	6.13	291
7036000	6.13	291
7037000	6.13	291
7037100	6.13	291
7042000	6.13	291
7042100	6.13	291
7045000	6.13	291
7046000	6.13	291
7047000	6.13	291
7047100	6.13	291
7049000	6.13	291
7051000	6.13	291
7056000	6.13	289
7057000	6.13	289
7076000	6.13	289
7078000	6.13	288
7079000	6.13	288
7080000	6.13	286
7081000	6.13	286
7088000	6.13	287
7089000	6.13	287
7100000	6.12	261
7101000	6.12	261
7102000	6.12	261
7103000	6.12	263
7104000	6.12	263
7105000	6.12	263
7106000	6.12	263
7107000	6.12	265
7108000	6.12	265
7109000	6.12	273
7110000	6.12	273
7111000	6.12	274
7112000	6.12	274

Art. No.	PG	Page
7113000	6.12	279
7114000	6.12	280
7115000	6.12	282
7116000	6.12	282
7117000	6.12	282
7118000	6.12	259
7119000	6.12	272
7120000	6.12	264
7166000	6.13	292
7167000	6.13	292
7169000	6.13	292
7173000	6.13	292
7177000	6.13	292
7192000	6.13	292
7200000	6.13	293
7203000	6.13	293
7205000	6.13	293
7207000	6.13	293
7209000	6.13	293
7234000	6.13	293
7239000	6.13	293
7241000	6.13	293
7246000	6.12	264
7247000	6.12	264
7248000	6.12	264
7249000	6.12	264
7250000	6.12	264
7251000	6.12	264
7252000	6.12	264
7253000	6.12	264
7254000	6.12	264
7255000	6.12	264
7256000	6.12	261
7257000	6.12	261
7258000	6.12	261
7259000	6.12	261
7260000	6.12	261
7261000	6.12	266
7262000	6.12	266
7263000	6.12	266
7264000	6.12	266
7265000	6.12	274
7266000	6.12	274
7267000	6.12	274
7416000	6.12	276
7417000	6.12	276
7418000	6.12	276
7419000	6.12	276
7420000	6.12	276
7421000	6.12	276
7422000	6.12	276
7423000	6.12	276
7424000	6.12	276
7425000	6.12	276
7426000	6.12	276
7427000	6.12	276
7428000	6.12	276
7429000	6.12	276
7430000	6.12	276
7431000	6.12	276
7432000	6.12	276
7436000	6.12	281
7437000	6.12	281
7438000	6.12	281
7439000	6.12	281
7443010	6.12	259
7444010	6.12	259
7445010	6.12	259
7446010	6.12	259
7448010	6.12	259
7450010	6.12	259
7451010	6.12	259
7452010	6.12	259

Art. No.	PG	Page
7453010	6.12	259
7454010	6.12	259
7455010	6.12	259
7456010	6.12	259
7457010	6.12	259
7458010	6.12	259
7459010	6.12	259
7460010	6.12	259
7461010	6.12	259
7462010	6.12	259
7463010	6.12	259
7464010	6.12	259
7491010	6.12	262
7492010	6.12	262
7493010	6.12	262
7494010	6.12	262
7495010	6.12	262
7496010	6.12	262
7498010	6.12	262
7500010	6.12	262
7501010	6.12	262
7502010	6.12	262
7504010	6.12	262
7505010	6.12	262
7506010	6.12	262
7507010	6.12	262
7508010	6.12	262
7509010	6.12	262
7510010	6.12	262
7511010	6.12	262
7512010	6.12	262
7514010	6.12	262
7515010	6.12	262
7516010	6.12	262
7518010	6.12	262
7519010	6.12	262
7520010	6.12	262
7530010	6.12	262
7534010	6.12	262
7535010	6.12	262
7536010	6.12	260
7537010	6.12	260
7538010	6.12	260
7541010	6.12	260
7542010	6.12	260
7543010	6.12	260
7544010	6.12	260
7545010	6.12	260
7546010	6.12	260
7548010	6.12	260
7550010	6.12	260
7551010	6.12	260
7552010	6.12	260
7554010	6.12	260
7555010	6.12	260
7556010	6.12	260
7557010	6.12	260
7558010	6.12	260
7560010	6.12	260
7561010	6.12	260
7562010	6.12	260
7564010	6.12	260
7565010	6.12	260
7566010	6.12	260
7568010	6.12	260
7569010	6.12	260
7570010	6.12	260
7572010	6.12	260
7573010	6.12	260
7574010	6.12	260
7587010	6.12	263
7591010	6.12	263
7594010	6.12	263

Art. No.	PG	Page
7596010	6.12	263
7599010	6.12	263
7602010	6.12	263
7603010	6.12	265
7604010	6.12	265
7605010	6.12	265
7606010	6.12	265
7607010	6.12	265
7608010	6.12	265
7610010	6.12	265
7612010	6.12	265
7614010	6.12	265
7615010	6.12	265
7616010	6.12	265
7618010	6.12	265
7619010	6.12	265
7629000	6.12	268
7634000	6.12	267
7635000	6.12	267
7636000	6.12	267
7638000	6.12	267
7639000	6.12	267
7641000	6.12	267
7643000	6.12	267
7646000	6.12	267
7658010	6.12	266
7660010	6.12	266
7661010	6.12	266
7662010	6.12	266
7663010	6.12	266
7664010	6.12	266
7665010	6.12	266
7667010	6.12	266
7668010	6.12	266
7670010	6.12	266
7671010	6.12	266
7672010	6.12	266
7673010	6.12	266
7674010	6.12	266
7675010	6.12	266
7676010	6.12	266
7680010	6.12	267
7681010	6.12	267
7682010	6.12	267
7683010	6.12	267
7684010	6.12	267
7686010	6.12	267
7703010	6.12	273
7704010	6.12	273
7705010	6.12	273
7706010	6.12	273
7707010	6.12	273
7708010	6.12	273
7709010	6.12	273
7710010	6.12	273
7712010	6.12	273
7714010	6.12	273
7716010	6.12	273
7736010	6.12	273
7737010	6.12	273
7738010	6.12	273
7739010	6.12	273
7742010	6.12	272
7743010	6.12	272
7744010	6.12	272
7745010	6.12	272
7746010	6.12	272
7747010	6.12	272
7748010	6.12	272
7749010	6.12	272
7750010	6.12	272
7752010	6.12	272
7754010	6.12	272

Art. No.	PG	Page
7756010	6.12	272
7760000	6.12	275
7761000	6.12	275
7762000	6.12	275
7763000	6.12	275
7764000	6.12	275
7774010	6.12	271
7775010	6.12	271
7776010	6.12	271
7778010	6.12	271
7780010	6.12	271
7782010	6.12	271
7784010	6.12	271
7785010	6.12	271
7786010	6.12	271
7788010	6.12	271
7789010	6.12	272
7804010	6.12	278
7805010	6.12	278
7806010	6.12	278
7812010	6.12	278
7816010	6.12	278
7817010	6.12	278
7818010	6.12	278
7819010	6.12	278
7820010	6.12	278
7822010	6.12	278
7824010	6.12	278
7828010	6.12	278
7830010	6.12	278
7831010	6.12	278
7832010	6.12	278
7833010	6.12	278
7834010	6.12	278
7836010	6.12	278
7838010	6.12	278
7840010	6.12	278
7841000	6.12	277
7842000	6.12	277
7843000	6.12	277
7844000	6.12	277
7845000	6.12	277
7846000	6.12	277
7847000	6.12	277
7849000	6.12	277
7851000	6.12	277
7852000	6.12	277
7853000	6.12	277
7854010	6.12	278
7855010	6.12	278
7856010	6.12	278
7858010	6.12	278
7859010	6.12	278
7860000	6.12	277
7863010	6.12	278
7866010	6.12	278
7868010	6.12	278
7871010	6.12	278
7872010	6.12	278
7874010	6.12	278
7876010	6.12	278

Art. No.	PG	Page
7917000	6.12	275
7918010	6.12	275
7920010	6.12	275
7922010	6.12	275
7924010	6.12	275
7926010	6.12	275
7928010	6.12	275
7932010	6.12	275
7940010	6.12	275
7942010	6.12	275
7955200	6.2	108
7956200	6.2	108
7957000	6.2	110
7958000	6.2	110
7962010	6.12	280
7963010	6.12	280
7964010	6.12	280
7965010	6.12	280
7967010	6.12	280
7969010	6.12	280
7974010	6.12	281
7975010	6.12	281
7976010	6.12	281
7978010	6.12	281
7979010	6.12	281
7980010	6.12	283
7981000	6.12	283
7982000	6.12	283
7985010	6.12	284
7987000	6.12	277
7988000	6.12	277
7989000	6.12	277
7990000	6.12	277
7991000	6.12	277
7992000	6.12	277
7993000	6.12	277
7994000	6.12	277
7995000	6.12	277
7996000	6.12	277
8051000	2.3	29
8052000	2.3	29
8053000	2.3	29
8054000	2.3	30
8060000	2.3	30
8061000	2.3	30
8062000	2.3	30
8063000	2.3	31
8064000	2.3	31
8065000	2.3	31
8066000	2.3	31
8067000	2.3	32
8068000	2.3	32
8069000	2.3	32
8070000	2.3	32
8071000	2.3	33
8075000	2.3	33
8076000	2.3	33
8077000	2.3	33
8078000	2.3	34
8079000	2.3	34
8080000	2.3	34
8321000	6.14	298
8322000	6.14	298
8323000	6.14	298
8324000	6.14	298
8326000	6.14	301
8327000	6.14	301
8328000	6.14	299
8329000	6.14	299
8330000	6.14	299
8331000	6.14	299
8334000	6.14	300
8335000	6.14	300

Art. No.	PG	Page
8372000	6.14	298
8373000	6.14	298
8374000	6.14	298
8375000	6.14	298
8376000	6.14	298
8381000	6.14	300
8383000	6.14	300
8385000	6.14	300
8386000	6.14	300
8387000	6.14	301
8389000	6.14	300
8390000	6.14	302
8392000	6.14	302
8401000	6.4	156
8403000	6.4	171
8404000	6.4	158
8406600	6.4	170
8408000	6.4	166
8409000	6.4	166
8410000	6.4	168
8411000	6.4	169
8415000	6.4	162
8417000	6.4	161
8422099	6.4	178
8423099	6.4	178
8424099	6.4	177
8425000	6.4	177
8426000	6.4	177
8430000	6.1	89
8437000	6.1	104
8440000	6.1	98
8450000	6.12	274
8453000	6.12	263
8456000	6.12	279
8458000	6.12	265
8460000	6.14	295
8470000	6.5	205
8473000	6.5	205
8476000	6.5	210
8630000	6.1	89
8631000	6.1	98
8633000	6.3	139
8722000	8.2	351
8725000	6.3	147
8728000	6.12	269
8732500	8.3	356
8753000	6.9	239
8754000	6.9	240
8771000	6.2	127
8789000	6.4	191
8790000	6.4	191
8791000	6.4	191
8911000	6.2	128
8912000	6.2	122
8913000	6.2	113
8914000	6.2	108
8916000	6.2	123
8917000	6.2	122
8918000	6.2	123
9999997	2.3	20

## Legend

**TIN** = Titanium nitride, compound of evaporated titanium and nitrogen

**HSS-Co** = High-speed steel with a high cobalt percentage (more than 5 %)

**HSS** = High Speed Steel

**HM** = Tungsten carbide tipped

**WS** = Tool steel

**CV** = Chromium Vanadium

**C 38** = Quality tool steel carbon content 0.38 %

**BiM** = BiMetal, flexible and hard

**HCS** = High Carbon Steel

**HAS** = High Alloy Steel



= 10 year guarantee

We provide a warranty of 10 years from the day of purchase on the wolcraft product you acquired, provided it is exclusively used for DIY purposes.

The warranty only covers damage to the item purchased, and only such damage that can be attributed to faulty material and poor workmanship.

The warranty does not cover defects and damage that must be attributed to improper use or insufficient maintenance. Nor does the warranty cover the usual wear and tear as well as defects and damage, of which the customer has been aware when purchasing the equipment.

Warranty claims can only be asserted by producing the invoice or the till receipt.

The warranty granted by wolcraft does not in any way restrict your statutory consumer rights (i.e. contract performance, withdrawal from the contract, price reduction, claims for damages or reimbursement of expenses).



Individual articles may be subject to technical changes.

Dimensions, colours as well as product images and descriptions may deviate from the original. The content of the catalogue is subject to the above conditions.

ILN 4006885000001

VAT Number DE 147924531



**wolfcraft® GmbH**

**Wolff-Straße 1  
D-56746 Kempenich**

**Service Hotline: 00 49 (0) 26 55 51 280**

**Fax 00 49 (0) 26 55 51 180**

**e-mail: [customerservice@wolfcraft.com](mailto:customerservice@wolfcraft.com)**

**Technical support**

**Fax 00 49 (0) 26 55 50 20 80**

**e-mail: [technical.Service@wolfcraft.com](mailto:technical.Service@wolfcraft.com)**

GB 9999.376 / 1.000 / 03.14



**wolfcraft®.com**