



CURVED LIP SHOE KNIFE



Osborne No. 81

Made from finest quality chromed vanadium steel. Smooth finished. Comfortable hardwood handle. Cuts nearly every material you will run into.

| Length of blade (inches) | Width of blade (inches) | Weight ea (oz) | UPC No. |
|--------------------------|-------------------------|----------------|---------|
| 2 3/8 | 5/8 | 2 | 60058 |

SQUARE POINT KNIFE



Osborne No. 76

The finest quality knife with round plantation tropical hardwood handle, brass ferrule. Widely used in many industries. Steel blade. Made to last.

| Length of blade (inches) | Width of blade (inches) | Weight ea (oz) | UPC No. |
|--------------------------|-------------------------|----------------|---------|
| 3 3/4 | 3/4 | 2 | 60042 |

SQUARE POINT KNIFE



Osborne No. 76 1/2

The white hardwood handle is somewhat shorter and heavier than in the Osborne No. 76. Steel blade.

| Length of blade (inches) | Width of blade (inches) | Weight ea (oz) | UPC No. |
|--------------------------|-------------------------|----------------|---------|
| 3 7/8 | 5/8 | 2 | 60046 |

SQUARE POINT KNIFE - With safety guard



Osborne No. 77

Same as Osborne No. 76 1/2, but furnished with steel safety guard.

| Length of blade (inches) | Width of blade (inches) | Weight ea (oz) | UPC No. |
|--------------------------|-------------------------|----------------|---------|
| 3 7/8 | 5/8 | 2 | 60050 |

BROAD POINT KNIFE



Osborne No. 78

Round polished hardwood handle. Steel blade. Also available with safety guard **Osborne No. 78 1/2** UPC No. 60058.

| Length of blade (inches) | Width of blade (inches) | Weight ea (oz) | UPC No. |
|--------------------------|-------------------------|----------------|---------|
| 5 | 1 1/8 | 2 | 60054 |

BEVEL POINT SKIVING KNIFE



Osborne No. 479

Used for skiving and edge trimming on leather and similar materials. Plated ferrule. Lacquered hardwood handle.

| Length of blade (inches) | Weight ea (oz) | UPC No. |
|--------------------------|----------------|---------|
| 3 | 2 | 60112 |

SHARP POINT KNIFE



Osborne No. 79 1/2

White hardwood handle, sharp point knife. A popular knife in the shoe and leather industries. Steel blade.

| Length of blade (inches) | Width of blade (inches) | Weight ea (oz) | UPC No. |
|--------------------------|-------------------------|----------------|---------|
| 3 3/4 | 3/4 | 2 | 60060 |

SEAM RIPPER



Osborne No. 1020

A handy professional tool also used in craft work. Blade is sharpened on three sides.

| Length of blade (inches) | Weight ea (oz) | UPC No. |
|--------------------------|----------------|---------|
| 2 7/8 | 4 | 60146 |



ROUND KNIFE



Osborne No. 70

Forged blade edge made with the highest quality steel . Correct oval shaped American hardwood handle with brass ferrule. The world's leading round knife since 1826.

| Overall width across blade (inches) | Weight ea (oz) | UPC No. |
|-------------------------------------|----------------|---------|
| 5 | 4 | 60022 |

HEAD KNIFE



Osborne No. 71

Forged blade edge made with the highest quality steel . Correct oval shaped American hardwood handle with brass ferrule.

| Overall width across blade (inches) | Weight ea (oz) | UPC No. |
|-------------------------------------|----------------|---------|
| 4 1/2 | 3 | 60026 |

SHEATH - For Osborne round knives



Osborne No. 75

All leather construction with stitched edges and velcro fasteners. Designed for Osborne knives No. 70 & 71.

| Length overall (inches) | Width (inches) | Weight ea (oz) | UPC No. |
|-------------------------|----------------|----------------|---------|
| 4 13/16 | 2 | 2 | 60188 |

SHEATH



Osborne No. 74

All leather construction with stitched edges and velcro fastener. For use with Osborne No. 78 & 78 1/2.

| Width overall (inches) | Height (inches) | Weight ea (oz) | UPC No. |
|------------------------|-----------------|----------------|---------|
| 6 | 2 1/8 | 2 | 60186 |

SHEATH - For Osborne knives



Osborne No. 72

A sturdy leather sheath for our industrial knives. Slits fit on belt. Stitched edges reinforced with four rivets.

| Length overall (inches) | Length of pocket (inches) | Width (inches) | Weight ea (oz) | UPC No. |
|-------------------------|---------------------------|----------------|----------------|---------|
| 10 | 5 1/4 | 2 | 3 | 60184 |

OSBORNE



KNIVES

THE SKIFE



NICKEL PLATED

Osborne No. 925

Makes a remarkably easy job of skiving leather and other materials. Increases both speed and accuracy. This essential tool is fitted with a special razor blade. Ideal for restoration work. Extra blades available. Weight each 2 oz. UPC No. 60182.

Osborne No. 925-D 20-blade safety dispenser. UPC No. 04113.

Osborne No. 925-100 Bulk pack of 100 blades. UPC No. 10183.

SKIVING KNIFE



Osborne No. 469-A (right hand) or B (left hand)

Extra quality. Our special design for skiving. Plated ferrule.

| Length of blade (inches) | Width of blade (inches) | Weight ea (oz) | UPC No. (rh) | UPC No. (lh) |
|--------------------------|-------------------------|----------------|--------------|--------------|
| 4 1/2 | 1 1/4 | 3 | 60082 | 60084 |

SLOYD KNIVES



Osborne No. 6 and 7

The sloyd knives shown are unequaled in quality by any other sloyd knives on the market. The blades are drop forged from the best quality steel. They are carefully hand ground, tempered and highly polished. The oval handles are made of hardwood.

| Osborne No. | Length of blade (inches) | Weight ea (oz) | UPC No. |
|-------------|--------------------------|----------------|---------|
| 6 | 2 3/4 | 2 | 60012 |
| 7 | 2 1/2 | 2 | 60014 |

LEAD GLASS KNIFE OR HEAD KNIFE



Osborne No. 73

This knife is widely used by stained glass workers and leather workers. It is furnished with hardwood handle, brass ferrule and hand forged blade.

| Length of blade (inches) | Width of blade (inches) | Weight ea (oz) | UPC No. |
|--------------------------|-------------------------|----------------|---------|
| 2 | 2 1/8 | 2 | 60032 |

HAWKBILL KNIFE




Osborne No. 425

Short blade with sure-grip wood handle. The blade is riveted through the handle.

| Length of blade (inches) | Width of blade (inches) | Weight ea (oz) | UPC No. |
|--------------------------|-------------------------|----------------|---------|
| 2 1/2 | 1 | 3 | 60092 |

HANDLE & EXTENSION BLADES KIT



Osborne No. K-460

An affordable kit composed of one Osborne A & B Handle and one each of Osborne extension blades No. 259-B, 259-C, 259-L & 259-S. Packed in a hang up display card. Individual parts are also sold separately.

Osborne No. 460

A & B Handle with nickel finished head. For use with replaceable extension blades below.

Osborne No. 259

Carefully ground and tempered blades for cutting leather and similar materials. For use with No. 460 handle.


EXTENSION BLADES



| Osborne No. | Description | Length (inches) | Steel gauge | Weight ea (oz) | UPC No. |
|-------------|-------------|-----------------|-------------|----------------|---------|
| 259-B | Bevel | 4 3/4 | 20 | 1 | 67302 |
| 259-L | Lance | | | | 67306 |
| 259-S | Sharp | | | | 67308 |
| 259-C | Curved | | | | 67304 |



THONGING CHISEL



Osborne Nos. 491, 492, 493 & 494

Chisels are made with carefully tempered spring steel blades. Hand ground cutting edges. Nickel plated. Furnished in two sizes, 3/32" and 1/8".

| Osborne No. | Description | Weight ea (oz) | UPC No. | Osborne No. | Description | Weight ea (oz) | UPC No. |
|-------------|-------------|----------------|---------|-------------|-------------|----------------|---------|
| 491 3/32 | One prong | 2 | 53272 | 493 3/32 | Three prong | 2 | 53284 |
| 491 1/8 | One prong | 2 | 53270 | 493 1/8 | Three prong | 2 | 53282 |
| 492 3/32 | Two prong | 2 | 53278 | 494 3/32 | Four prong | 2 | 53290 |
| 492 1/8 | Two prong | 2 | 53276 | 494 1/8 | Four prong | 2 | 53288 |

8 PRONG THONGING CHISEL



Osborne No. 498

Chisels are made with carefully tempered spring steel blades. Hand ground cutting edges. Nickel plated. Furnished in two sizes, 3/32" and 1/8".

| Osborne No. | Description | Weight ea (oz) | UPC No. |
|-------------|-------------|----------------|---------|
| 498 3/32 | Eight prong | 3 | 53302 |
| 498 1/8 | Eight prong | 3 | 53300 |

DIAGONAL THONGING CHISEL



Osborne No. 494D

Diagonal blade thonging chisel made with tempered spring steel blades. Each blade is on an angle parallel to each other for neater lacing. Nickel plated. Furnished in two sizes, 3/32" and 1/8".

| Osborne No. | Description | Weight ea (oz) | UPC No. |
|-------------|-------------|----------------|---------|
| 494D 3/32 | Four prong | 1 | 53296 |
| 494D 1/8 | Four prong | 1 | 53294 |

THONGING CHISEL



Osborne Nos. 481, 483 and 484

Thonging chisels made from high grade tempered tool steel **forged in one piece**. Best possible quality for long life. For making slits in leather for lacing, cutting out designs or slits for pronged hardware and many more applications. Furnished in two sizes, 3/32" and 1/8".

| Osborne No. | Description | Weight ea (oz) | UPC No. |
|-------------|-------------|----------------|---------|
| 481 3/32 | One prong | 1 | 53254 |
| 481 1/8 | One prong | 1 | 53252 |
| 483 3/32 | Three prong | 1 | 53260 |
| 483 1/8 | Three prong | 1 | 53258 |
| 484 3/32 | Four prong | 2 | 53266 |
| 484 1/8 | Four prong | 2 | 53264 |

STITCHING CHISEL



Osborne No. 700

This punch is designed for saddle stitching. **Forged in one piece**.

Prongs 3/32" apart. 1/16" width of the prongs.

| Description | Weight ea (oz) | UPC No. |
|-------------|----------------|---------|
| Five prong | 2 | 53316 |

STITCHING CHISEL



Osborne No. 452

Punches the stitching holes in gloves at uniform distances. 1/16" width of prongs. **Forged in one piece**.

| Description | Weight ea (oz) | UPC No. |
|-------------|----------------|---------|
| Eight prong | 2 | 63312 |



PRICKING CHISEL



Osborne No. 609

Forged steel.

| Size No. | Cuts per inch | Length of cut (inches) | Length overall (inches) | Weight ea (oz) | UPC No. |
|----------|---------------|------------------------|-------------------------|----------------|---------|
| 7 | 6 | 1/8 | 4 9/16 | 4 | 56097 |
| 8 | 7 | 1/8 | 4 9/16 | 4 | 56098 |
| 9 | 8 | 5/64 | 4 9/16 | 4 | 56099 |

PLAIN SWIVEL CUTTER



Osborne No. 444

This plain swivel cutter is furnished with medium blade Osborne No. 2 (3/8" only). Chrome plated. Hardened tool steel blade.

| Weight ea (oz) | UPC No. |
|----------------|---------|
| 2 | 67358 |

| Replacement blade | UPC No. |
|--------------------|---------|
| 446-B 2 3/8" blade | 67366 |

ADJUSTABLE SWIVEL CUTTER



446-B 1



446-B 2



446-B 3

Osborne No. 446

The adjustable swivel cutter is furnished with 3 hardened tool steel blades. The length of the cutter may be adjusted with a stop nut to suit the hand size of different users. Most important tool for carving leather. Allows precise cuts for quick and intricate design lines.

| Weight ea (oz) | UPC No. |
|----------------|---------|
| 5 | 17362 |

| Replacement blade | UPC No. |
|--------------------|---------|
| 446-B 1 1/4" blade | 67364 |
| 446-B 2 3/8" blade | 67366 |
| 446-B 3 1/2" blade | 67368 |

INCISING KNIFE



Osborne No. 487

Made specially for incising and carving work. The 3/4" blade is beveled so that it will cut to the exact depth without going too deep. 4-3/4" overall length. Weighs 1 oz. UPC No. 60180.

BRACELET BENDER - Patented



Osborne No. 630

This patented metal tool is designed especially for bending metal bracelets into shape. A bracelet can be bent in a few seconds without the use of a hammer or mallet. Weighs 5 oz. UPC No. 67702.

ZIPPER JIG

Osborne No. 1014



Holds YKK zippers sliders from # 2.5 to # 10. Lower clamp securely holds zipper jig to your counter. Upper clamp is used for locking jig rod in any direction. Also allows you to put zipper on backwards. Fully nickel plated. 5-1/2" x 4-3/4" size is ideal for your work station. Instructions are also provided. Weighs 6 oz. UPC No. 64506.

ZIPPER STOP PLIER

Osborne No. 1012

Manufactured from high quality drop forged steel. Polished head. Colored vinyl handles for easy gripping. Spring loaded allows quick operation. Designed to install any kind of stop on zippers. Very useful pliers. Light weight (8 ounces) to avoid fatigue. 7-1/4" overall. UPC No. 64508.



ZIPPER STOP TOPS - Stainless



Osborne No. 1013

Made of stainless steel. Size number 10. Packed and sold in boxes of 100 pcs. These are the top stops for the zipper chain and can be set using our zipper stop plier Osborne No. 1012. UPC No. 64500.




All modelers have a white rubber gripping area.

MODELER

Osborne No. 454

Diamond point spoon end and fine point tracer end. Special design.




| Overall length (inches) | Weight ea (oz) | UPC No. |
|-------------------------|----------------|---------|
| 6 1/2 | 1 | 67392 |

MODELER

Osborne No. 458

One end is equipped with a small "Deer foot" for getting into small places, lettering, etc. The other end can be used as an edge creaser or for double border lines.



| Overall length (inches) | Weight ea (oz) | UPC No. |
|-------------------------|----------------|---------|
| 6 1/4 | 1 | 67422 |

MODELER

Osborne No. 467

For beveling edges of light leather to prevent fraying.




| Overall length (inches) | Weight ea (oz) | UPC No. |
|-------------------------|----------------|---------|
| 4 1/4 | 1 | 67496 |

MODELER

Osborne No. 471

The best for all around tooling work. One end is narrow and pointed, suitable for line work or tracing, the other end is flattened, suitable for any type of modeling.




| Overall length (inches) | Weight ea (oz) | UPC No. |
|-------------------------|----------------|---------|
| 6 1/2 | 1 | 67512 |

MODELER

Osborne No. 472

This tool is flat at both ends. Excellent for modeling broad surfaces.




| Overall length (inches) | Weight ea (oz) | UPC No. |
|-------------------------|----------------|---------|
| 6 1/2 | 1 | 67516 |

MODELER

Osborne No. 473

"Deer foot", for beveling and depressing outlines, getting in small places, fine work, lifting petals, etc.



| Overall length (inches) | Weight ea (oz) | UPC No. |
|-------------------------|----------------|---------|
| 6 1/2 | 1 | 67520 |




All modelers have a white rubber gripping area.

TRACER

Osborne No. 474



For tracing designs on leather.



| Overall length (inches) | Weight ea (oz) | UPC No. |
|-------------------------|----------------|---------|
| 6 1/2 | 1 | 67524 |

MODELER

Osborne No. 475



A good all around tool. Excellent for straight line work.



| Overall length (inches) | Weight ea (oz) | UPC No. |
|-------------------------|----------------|---------|
| 6 1/2 | 1 | 67528 |

MODELER

Osborne No. 476



A double ball end modeler for repousse or embossing.




| Overall length (inches) | Weight ea (oz) | UPC No. |
|-------------------------|----------------|---------|
| 6 1/2 | 1 | 67632 |

MODELER

Osborne No. 701



A combination bent point and ball end modeler. Useful for stippling.



| Overall length (inches) | Weight ea (oz) | UPC No. |
|-------------------------|----------------|---------|
| 6 1/2 | 1 | 67712 |

MODELER

Osborne No. 702



"Deer foot" and bent point tracer.



| Overall length (inches) | Weight ea (oz) | UPC No. |
|-------------------------|----------------|---------|
| 6 1/2 | 1 | 67716 |

TRACER

Osborne No. 704



All ball point tracing stylus, chrome plated. All metal. No white rubber gripping area.



| Overall length (inches) | Weight ea (oz) | UPC No. |
|-------------------------|----------------|---------|
| 6 1/2 | 1 | 67724 |